

4-30-045-07942

6-30-045-21090

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 22 Twp 29 Rng 8

Name of Well/Wells or Pipeline Serviced ROELOFS A #4, #6

cps 862w

Elevation 6398' Completion Date 10/3/69 Total Depth 660' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 115' - 130'

Depths gas encountered: N/A

Type & amount of coke breeze used: 8700 lbs.

Depths anodes placed: 643', 612', 606', 577', 519', 502', 416', 410', 329'

Depths vent pipes placed: 621' OF 3/4" HOSE

Vent pipe perforations: 612'

Remarks: qb # 3

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

✓ 30-045-07942
6- 30-045-21090

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 22 Twp 29 Rng 8

Name of Well/Wells or Pipeline Serviced CENTRAL GROUND BED #1.

ROELOFS A #4 cps 862w

Elevation 6398' Completion Date 10/31/66 Total Depth 580' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/a

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 10800 lbs.

Depths anodes placed: 344', 338', 312', 306', 300', 281', 275', 269', 203', 146', 140', 136', 130', 124', 118'

Depths vent pipes placed: 344' OF 3/4" HOSE

Vent pipe perforations: 344'

Remarks: gb #2 CAVING DOWN HOLE RETIRED.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

RECEIVED
MAY 31 1991

OIL CON DIV

4- 30-045-07942
6- 30-045-21090

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 27 Twp 29 Rng 8

Name of Well/Wells or Pipeline Serviced CENTRAL GROUND BED #1.

ROELOFS A #4. cps 862w

Elevation 6398' Completion Date 12/4/62 Total Depth 315' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

RECEIVED
MAY 31 1991

Depths gas encountered: N/A

OIL CON. DIV.
DIST. 3

Type & amount of coke breeze used: 5015 lbs.

Depths anodes placed: 296', 290', 280', 274', 268', 260', 253', 247', 130', 120', 11'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1 RETIRED.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.