

30-045-08968

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SWSec.32 Twp 30 Rng 8
Name of Well/Wells or Pipeline Serviced BEAVER LODGE COM #1
BEAVER LODGE COM #320 cps 31w
Elevation 5832' Completion Date 11/28/61 Total Depth 195' Land Type* N/A
Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A
Type & amount of coke breeze used: 1564 lbs.
Depths anodes placed: 145', 139', 133', 127', 121'
Depths vent pipes placed: N/A
Vent pipe perforations: N/A
Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON.
DIST.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

30045-08968

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 32 Twp 30 Rng 8

Name of Well/Wells or Pipeline Serviced BEAVER LODGE COM #1

BEAVER LODGE COM #320

cps 31w

Elevation 5832' Completion Date 6/10/74 Total Depth 260' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible
Fresh, Clear, Salty, Sulphur, Etc. 100"

RECEIVED

MAY 31 1991

Depths gas encountered: N/A

OIL CON. DIV.
DIST. 9

Type & amount of coke breeze used: N/A

Depths anodes placed: 210', 200', 190', 160', 150', 140', 130', 120', 80', 70'

Depths vent pipes placed: N/A

Vent pipe perforations: 163'

Remarks: qb #2

If any of the above data is unavailable, please indicate so. Copies of logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

30-045-08948

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit H Sec. 32 Twp 30 Rng 8

Name of Well/Wells or Pipeline Serviced EPNG COM #1R,

CAPERON #1, CAPERTON COM #310 cps 32w

Elevation 6118' Completion Date 8/3/87 Total Depth 430' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 180' & 330' SAMPLE TAKEN

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: 405', 388', 357', 347', 337', 298', 232', 214', 200'

Depths vent pipes placed: 430' OF 1" PCV PIPE

Vent pipe perforations: BOTTOM 260'

Remarks: gb #3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.