

1534

F

30-045-23586-00-00

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit C Sec. 11 Twp 31 Rng 9

Name of Well/Wells or Pipeline Serviced NORDHAUS #2A

cps 6562w

Elevation N/A Completion Date 1/8/87 Total Depth 500' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 180' & 300'

Depths gas encountered: N/A


Type & amount of coke breeze used: 2600 lbs.

Depths anodes placed: 460', 415', 405', 375', 365', 355', 335', 325', 315'

Depths vent pipes placed: 500'

Vent pipe perforations: 280'

Remarks: (gb #1)



If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.



Burge Corrosion Systems

P.O. Drawer G
Aztec, New Mexico 87410

Drilling Log (Attach Hereto). ☐

65622

Completion Date JANUARY 2, 1987


Well Name <i>Nordhaus #2-A</i>		Location <i>Union Texas Petroleum</i>		C 11319	
Type & Size Bit Used				Work Order No.	
Anode Hole Depth <i>500'</i>	Total Drilling Rig Time		Total Lbs. Coke Used <i>2600#</i>	Lost Circulation Mat'l Used	
No. Sacks Mud Used					
Anode Depth	#1 <i>460'</i>	#2 <i>415</i>	#3 <i>405</i>	#4 <i>385</i>	#5 <i>375</i>
Anode Output (Amps)	#6 <i>365</i>	#7 <i>345</i>	#8 <i>335</i>	#9 <i>325</i>	#10 <i>315</i>
Anode Depth	#11	#12	#13	#14	#15
Anode Output (Amps)	#16	#17	#18	#19	#20
Total Circuit Resistance	No. 8 C.P. Cable Used		No. 2 C.P. Cable Used		
Volts <i>11.5</i>	Amps <i>15.8</i>	Ohms <i>0.72</i>	<i>4105'</i>		

Remarks: *Had to fill hole w/water to top hole. Used 500' of 1" P.V.C. joint pipe w/ 280' of perforations.*

All Construction Completed

Cody Markes
(Signature)

GROUND BED LAYOUT SKETCH



Aztec, New Mexico

2. 19 86

RANGE:

9-41

HOLE MADE:

555-

DESCRIPTION OF FORMATION

[illegible]

REMARKS:

at 300' to drill on down to 500'

Tool Dresser

Cody Munkres