

# 70 30-039-07131  
# 176 30-039-20812

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO

Operator MERIDIAN OIL CO. Location: Unit G Sec. 8 Twp. 27 Rng. 5

Name of Well/Wells or Pipeline Serviced SAN JUAN 27-5 # 70 & 176

cps 744w

Elevation 6617' Completion Date 10/2/90 Total Depth 360 Land Type N/A

Casing Strings, Sizes, Types & Depths 20 ft. 8" PVC Casing

If Casing Strings are cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water: Fresh, Clear,  
Salty, Sulphur, Etc. Water at 100 ft. got a water sample

RECEIVED

MAY 31 1991

Depths gas encountered: N/A

OIL CON. DIV.  
DIST. 3

Ground bed depth with type & amount of coke breeze used: 355 ft. with 5500 lbs Ashbury Petroleum Coke

Depths anodes placed: 335, 305, 295, 285, 275, 215, 205, 195, 170, 160

Depths vent pipes placed: 360 ft.

Vent pipe perforations: 260 ft. perforated

Remarks: gb #3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDAIN OIL Location: Unit NE Sec. 8 Twp 27 Rng 5

Name of Well/Wells or Pipeline Serviced SAN JUAN 27-5 UNIT #70, #176

cps 744w

Elevation 6617' Completion Date 10/8/76 Total Depth 350' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. WET AT 60'

Depths gas encountered: N/A

Type & amount of coke breeze used: 55 SACKS

Depths anodes placed: 350', 335', 305', 295', 285', 275', 205'

Depths vent pipes placed: N/A

Vent pipe perforations: 255'

Remarks: gb #2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

RECEIVED

MAY 31 1991

OIL CON. D  
DIST. 3

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 8 Twp 27 Rng 5

Name of Well/Wells or Pipeline Serviced SAN JUAN 27-5 UNIT #70. #176

cps 744w

Elevation 6617' Completion Date 4/13/66 Total Depth 320' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. 70'

Depths gas encountered: N/A

Type & amount of coke breeze used: 5125 lbs.

Depths anodes placed: 290', 284', 278', 272', 166', 160'

Depths vent pipes placed: 290' OF 3/4" PLASTIC HOSE

Vent pipe perforations: 290'

Remarks: gb #1

RECEIVED  
MAY 31 1991  
OIL CON. DIV  
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.