

82-30-039-07794  
459-30-039-24289

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit L Sec. 20 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #82, #459

cps 21lw

Elevation 6241' Completion Date 12/19/88 Total Depth 340' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. 70' WATER SAMPLE WOULD NOT SETTLE OUT.

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: 280', 170', 160', 150', 140', 130', 120', 95', 85', 75'

Depths vent pipes placed: 338' OF 1" PVC VENT PIPE

Vent pipe perforations: 280'

Remarks: gb #3 GB #1 ABANDONED

**RECEIVED**

MAY 31 1991

**OIL CON. F.D.**  
**DIST.**

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

82- 30-039-07794  
459- 30-039-24289

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDAIN OIL Location: Unit SW Sec. 20 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #82, #459

cps 21lw

Elevation 6241' Completion Date 6/19/73 Total Depth 700' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 60'

Depths gas encountered: N/A

Type & amount of coke breeze used: 90 SACKS

Depths anodes placed: 450', 290', 280', 270', 240', 230', 190', 160', 150', 140'

Depths vent pipes placed: N/A

Vent pipe perforations: 400'

Remarks: gb #2

**RECEIVED**

MAY 31 1991

**OIL CON. DIV.**  
**DIST. ?**

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

82- 30- 039- 07794  
459- 30- 039- 24289

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 20 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #82, #459

cps 211w

Elevation 6241' Completion Date 4/15/63 Total Depth 160' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1105 lbs.

Depths anodes placed: 130', 124', 118', 112', 90', 75'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

**RECEIVED**  
MAY 31 1991  
OIL CON. DIV.  
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.