64-30-039-07896 419-30-039-24177

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit H Sec. 11 Twp 30Rng 7
Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #64, #419
cps 162w
Elevation 6749 Completion Date 4/28/88 Total Depth 520' Land Type* N/A
Casing, Sizes, Types & Depths N/A
If Casing is cemented, show amounts & types used N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used  N/A
Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 220'
Depths gas encountered: N/A OIL CON. DIV
Type & amount of coke breeze used: N/A DIST. 3
Depths anodes placed: 470', 460', 445', 435', 420', 410', 375', 350', 340', 305'
Depths vent pipes placed: 515' OF 1" PVC VENT PIPE
Vent pipe perforations: 300'
Remarks: gb #4

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

64-30-039-07896 419-30-039-24177

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL	Location: Unit NE Sec. 11 Twp 30 Rng 7
Name of Well/Wells or Pipeline Servi	ced <u>SAN JUAN 30-6 UNIT #64, #419</u>
	cps 162w
Elevation 6749' Completion Date 11/20/75	Total Depth 535' Land Type* N/A
Casing, Sizes, Types & Depths N/A	
If Casing is cemented, show amounts	& types usedN/A
If Cement or Bentonite Plugs have be	en placed, show depths & amounts used
Depths & thickness of water zones wi Fresh, Clear, Salty, Sulphur, Etc	th description of water when possible: 200' INCREASE AT 250'
Depths gas encountered: N/A	
Type & amount of coke breeze used:	6000 lbs.
Depths anodes placed: 480', 470', 390'	, 380', 370', 360', 350', 340', 330', 320'
Depths vent pipes placed: N/A	m eceivem
Vent pipe perforations: 280'	
Remarks: gb #3 LOGGING ANODE STOPED AT	511' MAY 3 1 1991
	OIL CON. DIV

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

64-30-039-07896 419-30-039-24177

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Lo	ocation: Unit NE Sec. 11 Twp 30 Rng 7
Name of Well/Wells or Pipeline Serviced	SAN JUAN 30-6 UNIT #64, #419
	cps 162w
Elevation 6749' Completion Date 8/19/64 T	Cotal Depth 370' Land Type* N/A
Casing, Sizes, Types & Depths N/A	
If Casing is cemented, show amounts & t	ypes used <u>N/A</u>
If Cement or Bentonite Plugs have been	
Depths & thickness of water zones with Fresh, Clear, Salty, Sulphur, EtcN	I/A
Depths gas encountered: N/A	DECEIAFU
Type & amount of coke breeze used: 51	.00 lbs. MAY31 1991
Depths anodes placed: 345', 339', 333', 32	7', 321', 315' OIL CON. DIV
Depths vent pipes placed: N/A	DIST. ?
Vent pipe perforations: N/A	
Remarks: gb #2	

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

64-30-039-01896 49-30-039-24177

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL	Location: Unit NE Sec. 11 Twp 30 Rng 7
Name of Well/Wells or Pipeline Serv	iced SAN JUAN 30-6 UNIT #64, #419
	cps 162w
Elevation 6749' Completion Date 4/5/63	Total Depth 160 Land Type* N/A
Casing, Sizes, Types & Depths N/	Α
If Casing is cemented, show amounts	& types used <u>N/A</u>
If Cement or Bentonite Plugs have b	een placed, show depths & amounts used
Depths & thickness of water zones w	ith description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc	N/A
	in the second se
Depths gas encountered: N/A	- REVEN
Type & amount of coke breeze used:_	1105 lbs.
Depths anodes placed: 140', 134', 128	', 122', 116' MAY 31 1991
Depths vent pipes placed: N/A	OIL CON. DIV
Vent pipe perforations: N/A	
Remarks: gb #1	

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.