2769 #40 30-039-82382 #77 30-039-20106

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

| Operator MERIDIAN OIL Lo                    | cation: Unit H Sec.27 Twp 28 Rng 5     |
|---|--|
| Name of Well/Wells or Pipeline Serviced     | SAN JUAN 28-5 UNIT #40, #77            |
|   | cps 1135w                              |
| Elevation 6919' Completion Date 8/2/88 T    | otal Depth <u>645'</u> Land Type* N/A  |
| Casing, Sizes, Types & Depths N/A           |  |
| If Casing is cemented, show amounts & t     | ypes used <u>N/A</u>                   |
| If Cement or Bentonite Plugs have been      | placed, show depths & amounts used     |
| Depths & thickness of water zones with      | description of water when possible:    |
| Fresh, Clear, Salty, Sulphur, Etc. 4        | 60' - 480'                             |
| Depths gas encountered: N/A                 |  |
| Type & amount of coke breeze used: N/       |  |
| Depths anodes placed: 600', 593', 586', 579 | 9', 572', 5651, 558', 581', 542', 480' |
| Depths vent pipes placed: 650'              |  |
| Went pipe perforations: 200'                | MAY 31 1991                            |
| Remarks: gb #3                              | OIL CON DIVE                           |
|   |  |

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

E

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

| Operator MERIDIAN OII Location: Unit NE Sec. 27 Twp  | 28 Rng 5   |
|--|------------|
| Name of Well/Wells or Pipeline Serviced SAN JUAN 28-5 UNIT #40, #7   | 7          |
| ср   | s 1135w    |
| Elevation 6919' Completion Date 10/20/77 Total Depth 540. Land Typ   | e*_N/A     |
| Casing, Sizes, Types & Depths N/A  |            |
|  |            |
| If Casing is cemented, show amounts & types used N/A   |            |
| If Cement or Bentonite Plugs have been placed, show depths & amo   | unts used  |
| Depths & thickness of water zones with description of water when   | possible:  |
| Fresh, Clear, Salty, Sulphur, Etc. 460' - 480'   |            |
| Depths gas encountered: N/A  | 1          |
| Type & amount of coke breeze used: 57 SACKS  | <b>)</b> , |
| The second to the second of th | <u> </u>   |
| bepths vent pipes placed: 430. OF I. PVC VENT PIPE   | <u> </u>   |
| Vent pipe perforations: 200'   |            |
| Remarks: gb #2 UNABLE TO COKE ANODES. HOLE CAVED. HOLE BRIDGED ABOVE A   | NODE       |
| #13.   |            |
|  |            |

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

E

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

| Operator MERIDIAN OIL                       | Location: Unit NE Sec. 27 Twp 28 Rng 5        |
|---|---|
| Name of Well/Wells or Pipeline Servic       | ed <u>SAN JUAN 28-5 UNIT #40, #77</u>         |
|   | cps 1135w                                     |
| Elevation 6919' Completion Date 10/20/77    | Total Depth 700' Land Type* N/A               |
| Casing, Sizes, Types & Depths N/A           |   |
| If Casing is cemented, show amounts &       | types usedN/A                                 |
| If Cement or Bentonite Plugs have bee       | n placed, show depths & amounts used          |
| Depths & thickness of water zones with      | description of water her possible:            |
|   | ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )       |
| Depths gas encountered: N/A                 |   |
| Type & amount of coke breeze used:          | 68 SACKS                                      |
| Depths anodes placed: 600', 590', 580',     | 570', 560', 550', 540', 520', 495', 485', 47  |
| Depths vent pipes placed: 620'              |   |
| Vent pipe perforations: 220'                |   |
| Remarks: gb #1HOLE CAVED IN BEFORE #8 ANO   | DE WAS COVERED WITH COKE. INSTALLED ANODES #9 |
| #10, #11. NO COKE ON ANODES #9 & #11. DRILL | ED OFFSET GB .                                |
| T.C   |   |

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.