DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator	MERIDIAN OIL	Location: Unit_A Sec.24 Twp 30 Rng 7
Name of Wel	.l/Wells or Pipeline	Serviced SAN JUAN 30-6 UNIT #76, #412
		cps 168w
Elevation 6	623'Completion Date 5	6/2/88 Total Depth 520' Land Type* N/A
Casing, Siz	es, Types & Depths_	N/A
If Casing i	s cemented, show amo	ounts & types used <u>N/A</u>
If Cement o	or Bentonite Plugs ha	ave been placed, show depths & amounts used
Depths & th	nickness of water zon	nes with description of water when possible:
Fresh, Clea	ır, Salty, Sulphur, H	Etc. DAMP AT 175', 280', 370' NOT ENOUGH
FOR A SAMPLE		
Depths gas	encountered: N/A	
Type & amou	nt of coke breeze us	sed: N/A
Depths anod	es placed: 470', 405'	, 340', 330', 320', 310', 300', 290', 235', 225'
Depths vent	pipes placed: 505	" OF 1" PVC VENT PIPE DECEIVED
Vent pipe p	erforations: N/	((1)
Remarks: g	b #4	OIL CON. Div
		DIST. 3

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL	Location: Unit NE Sec. 24 Twp 30 Rng 7				
Name of Well/Wells or Pipeline Service	ed SAN JUAN 30-6 UNIT #76, #412				
	cps 168w				
Elevation 6623' Completion Date 11/25/75	Total Depth 700' Land Type* N/A				
Casing, Sizes, Types & Depths N/A					
If Casing is cemented, show amounts &	types usedN/A				
If Cement or Bentonite Plugs have been	n placed, show depths & amounts used				
N/A					
Depths & thickness of water zones with	n description of water when possible:				
Fresh, Clear, Salty, Sulphur, Etc. 500'					
Depths gas encountered: N/A					
Type & amount of coke breeze used:	6000 lbs.				
Depths anodes placed: 630', 615', 605',	595', 585', 570', 560', 520', 510', 500'				
Depths vent pipes placed: N/A					
Vent pipe perforations: 280'	NEGE AF IV				
Remarks: gb #3	MAY3 1 1991				
	OIL CON. DIV				

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Lo	ocation: Unit NE Sec. 24 Twp 30 Rng 7		
Name of Well/Wells or Pipeline Serviced	SAN JUAN 30-6 UNIT #76, #412		
	cps 168w		
Elevation 6623 Completion Date 7/28/66	Total Depth 380' Land Type* N/A		
Casing, Sizes, Types & Depths N/A			
If Casing is cemented, show amounts & t	types used N/A		
If Cement or Bentonite Plugs have been			
N/A			
Depths & thickness of water zones with	description of water when possible:		
Fresh, Clear, Salty, Sulphur, Etc	MA DECENTATION		
Depths gas encountered: N/A	WAY 31 1994		
Type & amount of coke breeze used: 6	OIL CON. DIV		
Depths anodes placed: 320', 314', 308', 30	•		
Depths vent pipes placed: 320' OF 3/4" PLASTIC HOSE			
Vent pipe perforations: 90' AT 1' INTERVALS.			
Remarks: gb #2			

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Local	ation: Unit_NE_Sec24_Twp_30_Rng_7_
Name of Well/Wells or Pipeline Serviced_	SAN JUAN 30-6 UNIT #76, #412
	cps 168w
Elevation 6623' Completion Date 4/10/63 To	tal Depth 120' Land Type* N/A
Casing, Sizes, Types & Depths N/A	
If Casing is cemented, show amounts & type	pes used <u>N/A</u>
If Cement or Bentonite Plugs have been p. N/A	-
Depths & thickness of water zones with deferment, Clear, Salty, Sulphur, Etc. N/A	-
Depths gas encountered: N/A	WE GET WALL
Type & amount of coke breeze used: 850	MAYA
Depths anodes placed: 88', 82', 76', 70', 64	Oll Cov.
Depths vent pipes placed: N/A	DIST. 3
Vent pipe perforations: N/A	
Remarks: gb #1	

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.