DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator_	MERIDIAN OIL	Location:	Unit_	<u> H</u> Sec. <u>11</u>	_Twp <u>30</u> R	ng_7
Name of W	ell/Wells or Pipeline Se	rviced SAN	JUAN 30-	-6 UNIT #6	4, #419	
					cps 16	2w
Elevation	6749 Completion Date 4/2		oth <u>52</u> 0	O' Land	Type*	N/A
Casing, S	izes, Types & Depths	N/A				
If Casing	is cemented, show amour	ıts & types use	:d	V/A		
If Cement	or Bentonite Plugs have	been placed,	show o	depths &	amounts	used
Depths &	thickness of water zones	; with descript	ion o	f water v	when pos	sible:
Fresh, Cle	ear, Salty, Sulphur, Etc	220'		IV.	EIV	ש
Depths gas	s encountered: N/A				31 1991	
	ount of coke breeze used			OIL C	ON. DI	
	odes placed: 470', 460',				', 340',	305'
Depths ver	nt pipes placed: 515'	OF 1" PVC VENT P	IPE			
Vent pipe	perforations: 300	1				
Remarks:	gb #4		<u></u>			

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL L	ocation: Unit NE Sec. 11 Twp 30 Rng 7
Name of Well/Wells or Pipeline Service	d SAN JUAN 30-6 UNIT #64, #419
	cps 162w
Elevation 6749 Completion Date 11/20/75	Total Depth 535' Land Type* N/A
Casing, Sizes, Types & Depths N/A	
If Casing is cemented, show amounts &	types usedN/A
If Cement or Bentonite Plugs have been N/A	placed, show depths & amounts used
Depths & thickness of water zones with Fresh, Clear, Salty, Sulphur, Etc.	-
Depths gas encountered: N/A	
Type & amount of coke breeze used: 6	000 lbs.
Depths anodes placed: 480', 470', 390', 3	80', 370', 360', 350', 340', 330', 320'
Depths vent pipes placed: N/A	DECEIVEM-
Vent pipe perforations: 280'	
Remarks: gb #3 LOGGING ANODE STOPED AT 51	MAY 3 1 1991 OIL CON. DIV
	OIL CON. DIV

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 11 Twp 30 Rng 7
Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #64, #419
cps 162w
Elevation 6749' Completion Date 8/19/64 Total Depth 370' Land Type* N/A
Casing, Sizes, Types & Depths N/A
If Casing is cemented, show amounts & types used N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A
Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. N/A
Depths gas encountered: N/A DEGLIVE
Type & amount of coke breeze used: 5100 lbs. MAY31 1991
Depths anodes placed: 345', 339', 333', 327', 321', 315' OIL CON. D!V
Depths vent pipes placed: N/A
Vent pipe perforations: N/A
Remarks: qb #2

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 11 Twp 3	80 Rng 7
Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #64, #419)
cps	162w
Elevation 6749'Completion Date 4/5/63 Total Depth 160 Land Type	* N/A
Casing, Sizes, Types & Depths N/A	
If Casing is cemented, show amounts & types used N/A .	
If Cement or Bentonite Plugs have been placed, show depths & amoun	nts used
Depths & thickness of water zones with description of water when present the second se	possible:
Depths gas encountered: N/A	
Type & amount of coke breeze used: 1105 lbs. Depths anodes placed: 140' 134' 128' 122' 116' MAY 31 1931	
Depths anodes placed: 140', 134', 128', 122', 116' Depths vent pipes placed: N/A Depths vent pipes placed: N/A	<u> </u>
Depths vent pipes placed: N/A OIL OIST. 3	
Vent pipe perforations: N/A	
Remarks: gb #1	

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.