

70-30-039-07872  
462-30-039-24395

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit M Sec. 12 Twp 30 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #70, #462

cps 159w

Elevation 6364' Completion Date 7/7/89 Total Depth 480' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 200'

MAY 31 1991

Depths gas encountered: N/A

OIL CON. DIV.  
DIST. 3

Type & amount of coke breeze used: N/A

Depths anodes placed: 420', 380', 370', 360', 270', 262', 254', 246', 238', 230'

Depths vent pipes placed: 477' OF 1" PVC VENT PIPE

Vent pipe perforations: BOTTOM 300'

Remarks: gb #3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

70- 30-039-07872  
462- 30-039-24395

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 12 Twp 30 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #70, #462

cps 159w

Elevation 6364w Completion Date 9/22/72 Total Depth 660' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 240'

**RECEIVED**

MAY 31 1991

Depths gas encountered: N/A

**OIL CON. DIV**  
**DIST. ?**

Type & amount of coke breeze used: N/A

Depths anodes placed: 580', 570', 560', 550', 520', 510', 425', 415', 380', 370', 360', 250'

Depths vent pipes placed: N/A

Vent pipe perforations: 375'

Remarks: gb #2 #1 & #2 ANODE DIDN'T RESPOND TO COKE.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

70- 30-039-07872  
462- 30-039-24395

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 12 Twp 30 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #70, #462

cps 159w

Elevation 6364' Completion Date 4/4/63 Total Depth 140' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A


Type & amount of coke breeze used: 935 lbs.

Depths anodes placed: 111', 105', 95', 89', 83'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1



If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.