

1- 30-045-09749

4- 30-045-21134

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 11 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced SUNRAY H #1, #4

cps 327w

Elevation 6572' Completion Date 7/22/74 Total Depth 500' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. 230'

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: 480', 470', 440', 420'

Depths vent pipes placed: N/A

Vent pipe perforations: 300'

Remarks: gb #2 HOLE #2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

RECEIVED  
MAY 31 1991  
OIL CON  
DIST. 3

1- 30-045-09749  
4- 30-045-21134

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 11 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced SUNRAY H #1, #4

cps 327w

Elevation 6572' Completion Date 7/22/74 Total Depth 620' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. 220' TO 250'

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: 565', 555', 545', 535', 525', 515'


Depths vent pipes placed: N/A

Vent pipe perforations: 400'

Remarks: gb #2 HOLE #1 PREVIOUS 500' HOLE CAVED-ABANDONED. THIS HOLE CAVED WHILE PUMPING COKE. LEFT 250' OF PUMP HOSE IN HOLE.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.



1- 30-045-09749  
4- 30-045-21134

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 11 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced SUNRAY H #1, #4

cps 327w

Elevation 6572' Completion Date 5/27/63 Total Depth 220' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water (when possible):  
Fresh, Clear, Salty, Sulphur, Etc. N/A

RECEIVED  
MAY 31 1991

Depths gas encountered: N/A

OIL CON. DIV.  
DIST. 3

Type & amount of coke breeze used: 1785 lbs.

Depths anodes placed: 195', 189', 183', 177', 171', 165', 15', 9'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.