#16 30-039-07764 #410 30-039-24602 #112-4 30-039-23501

4. 1 1000

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL	Location: Unit A Sec. 26 Twp 30 Rng 6
Name of Well/Wells or Pipeline Serv	riced SAN JUAN 30-6 UNIT #16, #410, #112Y
·	cps 192w
Elevation 6733'Completion Date 7/23/8	37 Total Depth 460' Land Type* N/A
Casing, Sizes, Types & DepthsN	•
If Casing is cemented, show amounts	. & types used <u>N/A</u>
If Cement or Bentonite Plugs have b	peen placed, show depths & amounts used
	with description of water when possible:
	40', 190', 280' NOT ENOUGH FOR SAMPLE
Depths gas encountered: N/A	
Type & amount of coke breeze used:_	N/A
	5', 355', 345', 335', 325', 315', 290', 280'
Depths vent pipes placed: 440' OF	
Vent pipe perforations: BOTTOM	300' DEGEINED
Remarks: gb #3	
	OIL CON DI
If any of the above data is unavail	able please indicate si DIST. 3 of all

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

#16 30-039-07764

#410 30-039-24602

#112-4 30-039-23501

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 26 Twp 30 Rng 6
Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #16, #4120, #112Y
cps 192w
Elevation 6733' Completion Date 8/28/84 Total Depth 450' Land Type* N/A
Casing, Sizes, Types & Depths N/A
If Casing is cemented, show amounts & types used N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A
Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. 280', 350'(foam) MAY31 1991
Depths gas encountered: N/A OIL CON. DIV
Type & amount of coke breeze used: N/A LDIST3
Depths anodes placed: 410', 400', 390', 380', 370', 360', 335', 320', 310', 300'
Depths vent pipes placed: N/A
Vent pipe perforations: 300'
Remarks: gb #2 #1, #2 ANODES DID NOT RESPOND AS MUCH AS ANTICIPATED-PROBABLE
PARTIAL BRIDGE.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

#16 30-039-07764 #410 36-039-24602 #112-4 30-039-23501

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL	Location: Unit NE Sec. 26 Twp 30 Rng 6
Name of Well/Wells or Pipeline Serv	iced <u>SAN JUAN 30-6 UNIT #16, #410, #112Y</u>
	cps 192w
Elevation 6733' Completion Date 5/2/63	Total Depth 140' Land Type* N/A
Casing, Sizes, Types & Depths N/A	<u></u>
If Casing is cemented, show amounts	& types used <u>N/A</u>
If Cement or Bentonite Plugs have be	een placed, show depths & amounts used
	ith description of water when possible:
	N/A
Depths gas encountered: N/A	
Type & amount of coke breeze used:	DECEIVED
Depths anodes placed: 110', 104', 55',	49', 43' MAY 3 1 1991
Depths vent pipes placed: N/A	
Vent pipe perforations: N/A	NDIST, 3
Remarks: gb #1	

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.