

186M - 30-039-25406

303 - 30-039-25403

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

RECEIVED

JUL 5 1995

OIL CON. DIV.
DIST. 3

26 - 30-039-06802

Operator Unocal Oil and Gas Operation Location: Unit N Sec. 33 Twp 27N Rng 7W

Name of Well/Wells or Pipeline Serviced Rincon Unit 186M Rincon Unit 303

Rincon Unit 26

Elevation 6752' Completion Date 02/08/95 Total Depth 320' Land Type* F

Casing, Sizes, Types & Depths NONE

If Casing is cemented, show amounts & types used NONE

If Cement or Bentonite Plugs have been placed, show depths & amounts used

NONE

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. NONE NOTED

Depths gas encountered: NONE

Type & amount of coke breeze used: 2700 lbs. Carbo 40

Depths anodes placed: 128;137;147;154;161;168;175;182;255;261;

Depths vent pipes placed: 0' to 320'

Vent pipe perforations: 120' thru 320'

Remarks: Lease SF 080213

First Ground Bed installed on this location

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.

If Federal or Indian, add Lease Number.

CPS GROUND BED CONSTRUCTION WORKSHEET

2,700 lb of Coke Breeze

DISTRIBUTION - original - permanent CPS FILE
copy - Division Corrosion Supervisor

P.O. BOX 1359 - PHONE 334-6141
AZTEC, NEW MEXICO 87410

[illegible]

REMARKS:

James C. Brown

D. Other

Tool Dressing