

#1 30-045-093+8
#251 30-045-26937
E#2 30-045-26425

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit D Sec. 4 Twp 30 Rng 9

Name of Well/Wells or Pipeline Serviced RIDDLE #1, #251, E #2

cps 2089w

Elevation 6216' Completion Date 2/2/89 Total Depth 360' Land Type* N/A

Casing, Sizes, Types & Depths 40' OF 8" CASING

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 60' NO SAMPLE

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: 300', 290', 255', 245', 235', 225', 215', 195', 185'

Depths vent pipes placed: 360'

Vent pipe perforations: 320'

Remarks: gb #3

RECEIVED

MAY 31 1991

OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 4 Twp 30 Rng 9

Name of Well/Wells or Pipeline Serviced RIDDLE #1, #251, E #2

cps 2089

Elevation N/A Completion Date 1/9/67 Total Depth 400' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 90'

Depths gas encountered: N/A

Type & amount of coke breeze used: 5040 lbs.

Depths anodes placed: 366', 360', 354', 317', 287', 281'

Depths vent pipes placed: 366' 3/4" HOSE

Vent pipe perforations: 275'

Remarks: gb #2 HOSE MAKING MUDDY WATER(HOLE CAVITY?) POSSIBLE MUD IN HOSE. 15lbs.

CHEMICAL ADDED WHILE COKING.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

RECEIVED
MAY 31 1991
OIL CON. D.
DIST. 2

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 4 Twp 30 Rng 9

Name of Well/Wells or Pipeline Serviced RIDDLE #1, #251, E #2

cps 2089w

Elevation N/A Completion Date 11/10/61 Total Depth 180' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts use
N/A

Depths & thickness of water zones with description of water when possible.
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1156 lbs.

Depths anodes placed: 160', 145', 127', 117', 110'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1 LOST 15' HOLE

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.