

COM D #5 30-045-09857
COM D #16 30-045-21333

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 2 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced ATLANTIC D COM D #5, ATLANTIC D
COM 0 #16 cps 326w

Elevation 6464' Completion Date 5/25/63 Total Depth 258' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 2550 lbs.

Depths anodes placed: 220', 214', 208', 202', 170'


Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.



WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE May 25, 1963

WELL NAME Atlantic State No 5 CPS NO. 326 W

LOCATION 5K⁴ Sec. 2T 30N R. 10W

WORK ORDER NUMBER 184- 40542 -50-02

ANODE HOLE DEPTH 258'

TOTAL DRILLING RIG TIME 10 1/2 Hrs.

DRILLING TIME FOR RECTIFIER POLE HOLE 1

TYPE AND SIZE BIT USED 6 1/4 Rock W.M. 2801 X

NUMBER SACKS MUD USED 11

NUMBER SACKS LOST CIRCULATION MAT'L USED 3

ANODE DEPTHS #1 220, #2 214, #3 208, #4 202 #5 170

TOTAL LBS. COKE USED 2550 30 sacks

ANODE OUTPUTS 12.2 VOLTS, #1 4.0, #2 3.7, #3 3.3, #4 2.7 #5 3.1

TOTAL CIRCUIT RESISTANCE: VOLTS 11.6 AMPERES 8.4 OHMS 1.38

NUMBER FEET SURFACE CABLE CONDUIT 277' #8 Solid. Also Anodes #1 & 5

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).


REMARKS: Static c/s 72 R 600' NE
Good All Rectifier 28 V 12A Ser. # 62C6119

ALL CONSTRUCTION COMPLETED

Sorrels

SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

1371

DAILY DRILLING REPORT

ALLEN STATE 11-5

LEASE **54-9** **TRAIL** **1700** **WELL NO.**

CONTRACTOR

MORNING

DAYLIGHT

ORIGINAL

REPORT NO

EVENING

DATE NOV 21 1964

MUD RECORD		MUD, ADDITIVES USED, AND RECEIVED		MUD RECORD		MUD, ADDITIVES USED, AND RECEIVED	
MAKE	NO. DC	SIZE	LENG.	MAKE	NO. DC	SIZE	LENG.
BIT 'N'				BIT NO.			
SERIAL NO.		STANDS		SERIAL NO.		STANDS	
SIZE		SINGLES		SIZE		SINGLES	
TYPE		DOWN ON KELLY		TYPE		DOWN ON KELLY	
MAKE		TOTAL DEPTH		MAKE		TOTAL DEPTH	

[illegible]

REMARKS:

石田之次郎

REMARKS -

MRP 24- moved 9:00 578	DR 9:20 Drilled 250' used 85 mc Hs mud 2 shells 1 good water 2' 10'
MRP 25- left 8:00 1066 pm (mud) RT 818 7:00 Drilled 8' good mud 2' 10' 1 shell	
and 23- work started finished 10:30	

SIGNED: Toolpusher

Company Supervisor

07/Annex 1