

97-30-039-60094
157-30-039-07026

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Union Oil Company of California Location: Unit Sec. 18 Twp 27 Rng 6W

Name of Well/Wells or Pipeline Serviced Rincon #97 MV and 157 DK

Elevation 6662 Completion Date 12/9/1965 Total Depth 460 Land Type* F

Casing, Sizes, Types & Depths NA

If Casing is cemented, show amounts & types used NA

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. water 55'-70' (15' thick)
170' to 190' (20' thick)

Depths gas encountered: NA

Type & amount of coke breeze used: 7360 lbs kind unknown

Depths anodes placed: 425

Depths vent pipes placed: 218'

Vent pipe perforations: ?

Remarks: El Paso Natural Gas was operator when this ground bed was installed.

RECEIVED

MAY 2 1966

OIL CON. DIV.

DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

Date 10-7-65

Well Name <u>RINCON #157 & 97</u>		CPS No. <u>688 W</u>	
Location <u>SW⁴ 10-27-6</u>		Work Order No. <u>54049 & 53156-50-20</u>	
Anode Hole Depth <u>460</u>	Total Drilling Rig Time <u>30 1/2 Hrs.</u>	Type & Size Bit Used <u>7 1/2-7 1/2 279-300'</u>	No. Sacks Mud Used <u>0</u>
No. Sacks Lost Circulation Mat'l Used <u>0</u>	Anode Depth	Anode Output (Volts)	
	#1 <u>2.2</u>	#2 <u>2.4</u>	#3 <u>2.3</u>
	#4 <u>2.5</u>	#5 <u>2.6</u>	#6 <u>2.7</u>
Total Lbs. Coke Used <u>7360</u>			
	#1 <u>2.3</u>	#2 <u>2.3</u>	#3 <u>2.2</u>
	#4 <u>2.0</u>	#5 <u>2.3</u>	#6 <u>2.4</u>
Total Circuit Resistance Volts <u>11.8</u>	Amps <u>8.0</u>	Ohms <u>1.47</u>	No. Ft. Surface Cable Conduit <u>1360'</u>


Drilling Log (Attach Hereto). ☐

Remarks: One Notch (I) = Cas. #97 R^o/s 600' S. .74
Two Notch (II) = F.L. #157 & 106
Three Notch (III) = Cas. 157 — R^o/s 600' ~~SW~~ W. .70

Used 5 lbs. Chemical
Used 130' 1" Plastic Hose 100' of 3/4" Plastic Hose Tied to #12 Anode
Install Good All Rectifier 30V 20A. Ser. # 65C ~~6683~~ 6683
3 NEG. TERMINALS

All Construction Completed

Jarrels
(Signature)



4 7/2' #8 WIRE

N

DAILY DRILLING REPORT

LEASE WELL NO. CPS 6800 RIG NO. D-1 REPORT NO. 19 DATE 10-7-65

MORNING DAYLIGHT EVENING

Driller <u>Went</u>					Total Men In Crew <u>2</u>					Driller					Total Men In Crew					Driller					Total Men In Crew				
FROM	TO	FORMATION	WT.-BIT	R.P.M.	FROM	TO	FORMATION	WT.-BIT	R.P.M.	FROM	TO	FORMATION	WT.-BIT	R.P.M.	FROM	TO	FORMATION	WT.-BIT	R.P.M.	FROM	TO	FORMATION	WT.-BIT	R.P.M.					
0	15	150			70	90	150			160	170	150			160	170	150			160	170	150							
15	45	150			90	110	150			170	190	150			190	210	150			190	210	150							
45	55	150			110	130	150			210	230	150			230	250	150			230	250	150							
55	70	150			130	160	150			250	270	150			270	290	150			270	290	150							

BIT NO. <u>7152717</u>				NO. DC <u>150</u> SIZE <u>150</u> LENG. <u>150</u>				BIT NO. <u>792167</u>				NO. DC <u>150</u> SIZE <u>150</u> LENG. <u>150</u>				BIT NO. <u>720</u>				NO. DC <u>150</u> SIZE <u>150</u> LENG. <u>150</u>			
SERIAL NO.				STANDS				SERIAL NO.				STANDS				SERIAL NO.				STANDS			
SIZE				SINGLES				SIZE				SINGLES				SIZE				SINGLES			
TYPE				DOWN ON KELLY				TYPE				DOWN ON KELLY				TYPE				DOWN ON KELLY			
MAKE				TOTAL DEPTH				MAKE				TOTAL DEPTH				MAKE				TOTAL DEPTH			
MUD RECORD				MUD, ADDITIVES USED AND RECEIVED				MUD RECORD				MUD, ADDITIVES USED AND RECEIVED				MUD RECORD				MUD, ADDITIVES USED AND RECEIVED			
Time	WT.	Vis.		Time	WT.	Vis.		Time	WT.	Vis.		Time	WT.	Vis.		Time	WT.	Vis.		Time	WT.	Vis.	

Time		Wt.	Vis.	Time		Wt.	Vis.	Time		Wt.	Vis.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Union Oil Company of California Location: Unit Sec. 18 Twp 27 Rng 6W

Name of Well/Wells or Pipeline Serviced Rincon #97 MV and 157 DK

Elevation 6662 Completion Date 12/9/1965 Total Depth 460 Land Type* F

Casing, Sizes, Types & Depths NA

If Casing is cemented, show amounts & types used NA

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. water 55'-70' (15' thick)
170' to 190' (20' thick)

Depths gas encountered: NA

Type & amount of coke breeze used: 7360 lbs kind unknown

Depths anodes placed: 425

Depths vent pipes placed: 218'

Vent pipe perforations: ?

Remarks: El Paso Natural Gas was operator when this ground bed was installed.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.