

B#2 30-045-09966

#16 30-045-24203

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator TENNECO Location: Unit NE Sec. 4 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced ATLANTIC B #2, #16

cps 324w

Elevation 6337' Completion Date 5/23/63 Total Depth 120' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A


Type & amount of coke breeze used: 850 lbs.

Depths anodes placed: 90', 84', 78', 72', 66'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1 not a MERIDIAN WELL.



If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE May 23, 1963

WELL NAME Atlantic No 2-3 CPS NO. 224 W

LOCATION NE 1/4 Sec. 27 30N 210W

WORK ORDER NUMBER 184-10542-50-12

ANODE HOLE DEPTH 120

TOTAL DRILLING RIG TIME 3 Hrs.

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock - W.M. 2800 X

NUMBER SACKS MUD USED 11

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 90, #2 84, #3 78, #4 72 #5 66

TOTAL LBS. COKE USED 850 (10 sacks)

ANODE OUTPUTS 12.2 VOLTS, #1 2.8, #2 3.9, #3 3.4, #4 3.3 #5 2.9

TOTAL CIRCUIT RESISTANCE: VOLTS 11.8 AMPERES 7.6 OHMS 1.55

NUMBER FEET SURFACE CABLE CONDUIT 368' NOTE No. 8 Solid Wire

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).


REMARKS: Static 2/s = .83 R. 600 EAST

Good All Rectifier 28V 12A Ser. # 62C 6151

ALL CONSTRUCTION COMPLETED

Lorin
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

AT LANTIC NA 2-8

LEASE SEC# 1300 A. ROWELL NO.

CONTRACTOR

J. E. MILLER RIG NO. 10-6

REPORT NO.

DATE May 23 1963

MORNING

DAYLIGHT

EVENING

Driller										Total Men in Crew										Driller										Total Men in Crew									
FROM		TO		FORMATION		WT. BIT		R.P.M.		FROM		TO		FORMATION		WT. BIT		R.P.M.		FROM		TO		FORMATION		WT. BIT		R.P.M.											
0		15		Shale & sandstone						15		105		Shale & sandstone																									
15		30		Shale & sandstone						105		120		Shale & sandstone																									
30		35		Shale & sandstone																																			
35		43		Shale & sandstone																																			
Driller										Total Men in Crew										Driller										Total Men in Crew									
BIT NO.				NO. DC		SIZE		LENG.		BIT NO.				NO. DC		SIZE		LENG.		BIT NO.				NO. DC		SIZE		LENG.											
SERIAL NO.				STANDS						SERIAL NO.				STANDS						SERIAL NO.				STANDS															
SIZE				SINGLES						SIZE				SINGLES						SIZE				SINGLES															
TYPE				DOWN ON KELLY						TYPE				DOWN ON KELLY						TYPE				DOWN ON KELLY															
MAKE				TOTAL DEPTH						MAKE				TOTAL DEPTH						MAKE				TOTAL DEPTH															
MUD RECORD				MUD, ADDITIVES USED AND RECEIVED						MUD RECORD				MUD, ADDITIVES USED AND RECEIVED						MUD RECORD				MUD, ADDITIVES USED AND RECEIVED															
Time		WT.		V.S.						Time		WT.		V.S.						Time		WT.		V.S.															
FROM		TO		TIME BREAKDOWN						FROM		TO		TIME BREAKDOWN						FROM		TO		TIME BREAKDOWN															