

#64 30-039-67662

#550 30-039-24842

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MEIDIAN OIL Location: Unit NE Sec. 11 Twp 29 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 29-7 UNIT #64, #550

cps 306w

Elevation 6338' Completion Date 3/4/63 Total Depth 120' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 850 LBS.

Depths anodes placed: 100', 94', 88', 82', 76'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1

RECEIVED
MAY 31 1991
OIL CON.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 3-4-63

WELL NAME SAN Juan 29-7 # 64

CPS NO. 306W

LOCATION 11-29N-7W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 120'

TOTAL DRILLING RIG TIME 5 hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED _____

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 100', #2 94', #3 88', #4 82' 5.76'

TOTAL LBS. COKE USED 850 lbs

ANODE OUTPUTS 12 VOLTS, #1 3.5, #2 4.2, #3 4.0, #4 4.2 5.3.7

TOTAL CIRCUIT RESISTANCE: VOLTS 11.7 AMPERES 8.6 OHMS 1.36 Ω

NUMBER FEET SURFACE CABLE ~~CONDUCTOR~~ 525'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).


REMARKS: Static G/S = .69 R 600' S

ALL CONSTRUCTION COMPLETED

E Paulk

SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

LEASE *524* *JUAN 29-7* WELL NO. *64* CONTRACTOR *LE. WILSON* RIG NO. *D-2* REPORT NO. DATE *2-4* 19*63*

MORNING					DAYLIGHT					EVENING				
Driller		Total Men In Crew			Driller		Total Men In Crew			Driller		Total Men In Crew		
FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.
<i>0</i>	<i>24</i>	<i>Sandy Clay</i>	<i>61500X</i>											
<i>24</i>	<i>120</i>	<i>Shale</i>												

BIT N°		NO. DC	SIZE	LENG.	BIT NO.		NO. DC	SIZE	LENG.	BIT NO.		NO. DC	SIZE	LENG.
SERIAL NO.		STANDS			SERIAL NO.		STANDS			SERIAL NO.		STANDS		
SIZE		SINGLES			SIZE		SINGLES			SIZE		SINGLES		
TYPE		DOWN ON KELLY			TYPE		DOWN ON KELLY			TYPE		DOWN ON KELLY		
MAKE		TOTAL DEPTH			MAKE		TOTAL DEPTH			MAKE		TOTAL DEPTH		
<i>61500XX</i>														
<i>1 1/4</i>														
<i>Rock</i>														
<i>W.M.</i>														

MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			
Time	Wt.	Vis.	Time	Wt.	Vis.	Time	Wt.	Vis.	Time	Wt.	Vis.	Time	Wt.	Vis.	Time	Wt.	Vis.	

FROM	TO	TIME BREAKDOWN	FROM	TO	TIME BREAKDOWN	FROM	TO	TIME BREAKDOWN
					<i>Rig Time 5 hrs.</i>			

REMARKS -	REMARKS -	REMARKS -
<i>1 Load Water</i>		

SIGNED: Toolpusher _____

Company Supervisor *ERP*