

#6 30-045-10486
#18 30-045-23172
#206 30-045-26992

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS.
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit L Sec. 22 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced ATLANTIC #6, #18, #206
cps 2075w

Elevation 6246' Completion Date 7/15/63 Total Depth 260' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1900 lbs.

Depths anodes placed: 227', 221', 215', 209', 203'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 7-15-63
WELL NAME Atlantic 1196 ^{#18} ^{#200} CPS NO. 440 W 205W
LOCATION SW Sec 22 T31N R10W
WORK ORDER NUMBER 189- 40542-50-02
ANODE HOLE DEPTH 260
TOTAL DRILLING RIG TIME 11 Hrs
DRILLING TIME FOR RECTIFIER POLE HOLE 0
TYPE AND SIZE BIT USED 6 1/4 Rock W.M. 5718 & 5701
20 240
NUMBER SACKS MUD USED 0
NUMBER SACKS LOST CIRCULATION MAT'L USED 0
ANODE DEPTHS #1 227, #2 221, #3 215, #4 209 5 203
TOTAL LBS. COKE USED 1900 19 Sacks
ANODE OUTPUTS 11.8 VOLTS, #1 3.0, #2 3.0, #3 3.3, #4 4.0 5 3.9
TOTAL CIRCUIT RESISTANCE: VOLTS 11.3 AMPERES 8.3 OHMS 1.36
NUMBER FEET SURFACE CABLE ~~CONDUIT~~ 335

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static 9/5 77 R 600 W
Good & All Rect. 40 V 12A Ser# 62C6376

NOTE
No Terminal Box at this Loc.

ALL CONSTRUCTION COMPLETED

Arrels
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS.

62440

1490'

DAILY DRILLING REPORT

ATLA NTIC No. 6

L. E. Wilson

06

LEASE No. 44-0608 WELL NO.

CONTRACTOR

RIG NO.

REPORT NO.

DATE

MORNING

DAYLIGHT

EVENING

MORNING				DAYLIGHT				EVENING						
Driller		Total Men in Crew		Driller		Total Men in Crew		Driller		Total Men in Crew				
FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.
0	20	5-20-200	5718											
20	200	5-5-	5701											
200	315	5-5-	5701											
315	360	5-5-200 clay	5701											
BIT NO. 5701		NO. DC. SIZE LENG.		BIT NO.		NO. DC. SIZE LENG.		BIT NO.		NO. DC. SIZE LENG.				
SERIAL NO.		STANDS		SERIAL NO.		STANDS		SERIAL NO.		STANDS				
SIZE 14		SINGLES		SIZE		SINGLES		SIZE		SINGLES				
TYPE 1 1/2		DOWN ON KELLY		TYPE		DOWN ON KELLY		TYPE		DOWN ON KELLY				
MAKE Muller		TOTAL DEPTH 260		MAKE		TOTAL DEPTH		MAKE		TOTAL DEPTH				
MUD RECORD		MUD ADDITIVES USED AND RECEIVED		MUD RECORD		MUD ADDITIVES USED AND RECEIVED		MUD RECORD		MUD ADDITIVES USED AND RECEIVED				
Time	WT.	Vis.		Time	WT.	Vis.		Time	WT.	Vis.				
FROM	TO	TIME BREAKDOWN		FROM	TO	TIME BREAKDOWN		FROM	TO	TIME BREAKDOWN				

REMARKS -

July 13 move at 9:30 A.M.

July 14 off - at daylight 11:10 A.M. - Drive 600 ft. by 5:00 p.m.

July 15 44A Blomfield 6:00 A.M. at 10:30 A.M.

at 10:30 A.M. - Drive 600 ft. by 5:00 p.m.

SIGNED: Toolpusher

Company Supervisor

Ch. Howell

23 Time 11 hours