#64 30-039-67662 · #550 30-039-24842

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MEIDIAN OIL	Location: Unit NE Sec. 11 Twp 29 Rng 7
Name of Well/Wells or Pipeline Serv	viced SAN JUAN 29-7 UNIT #64, #550
	cps 306w
Elevation 6338' Completion Date 3/4/63	Total Depth 120' Land Type* N/A
Casing, Sizes, Types & Depths N	/A ·
If Casing is cemented, show amounts	s & types usedN/A
If Cement or Bentonite Plugs have h	peen placed, show depths & amounts used
Depths & thickness of water zones w	with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc.	N/A
Depths gas encountered: N/A	
Type & amount of coke breeze used:	
Depths anodes placed: 100', 94', 88'	82', 76' MAND 1 1997
Depths vent pipes placed: N/A	OIOIL CONT.
Vent pipe perforations: N/A	
Remarks:gb_#1	

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

WELL CASING CATHODIC PROTECTION CONSTRUCTION REPORT DAILY LOG

DATE 3-7-65
VELL NAME SAN JUAN 29-7 # 64 CPS NO. 306W
LOCATION 11 - 29N - 7N
WORK ORDER NUMBER 184- 40542-50-02
ANODE HOLE DEPTH 120'
TOTAL DRILLING RIG TIME 5 1/25
DRILLING TIME FOR RECTIFIER POLE HOLE
TYPE AND SIZE BIT USED
NUMBER SACKS MUD USED
NUMBER SACKS LOST CIRCULATION MAT'L USED
ANODE DEPTHS #1 100', #2 97', #3 88', #4 82' 5. 76'
TOTAL LBS. COKE USED 850 155
ANODE OUTPUTS 12 VOLTS, #1 3.5, #2 4.2, #3 4.0, #4 4.2 5.3.7
TOTAL CIRCUIT RESISTANCE: VOLTS //. 7 AMPERES 8.6 OHMS /. 36 AL
NUMBER FEET SURFACE CABLE COMMET 525
DRILLING LOG (ATTACH HERETO).
FORMATION LOG (ATTACH HERETO).
REMARKS: 5787; c 45 = .69 R 600' 5
,
· · · · · · · · · · · · · · · · · · ·

ALL CONSTRUCTION COMPLETED

C Paule SIGNATURE

GROUND BED LAYOUT SKETCH

180' Nect.

ORIGINAL & 1 COPY ALL REPORTS

معرا ست المنتخ

LEASE SAN JUBA 29-7 WELL NO. 64 CON				NTRACTOR LE WILSON RIGNO. 1-2					REPORT NO. DATE						196			
MORNING					DAYLIGHT						EVENING							
Driller Total Men in Crew								en In Crew	- T	Driller				Total Men In Crew				
FROM	24	то <u>/</u>	FORMATION	WT-BIT R.P.M.	FROM		то	FORMATION	WT-BIT	R.P.M.	FROM	_	то	FORMA	TION	WT-BIT	<u> </u>	
			Sandy Clay Shale	GROOM													,	
34	12	<i>9</i>	Share															
NO. DC SIZE LENG			NO. DCSI								NO. DCSIZELENG							
N T IE	KICA	AVV	NO. DC SIZE	LENG.	1			1	NO. DCSIZE LENG			BIT NO.			NO. DCSIZELENG			
SERIAL NO DIS OF XX STANDS			SERIAL NO.			STAND	STANDS			SERIAL NO.			STANDS					
SIZE SINGLES				SIZE				SINGLES			SIZE			SINGLES				
TYPE NOCH DOWN ON KELLY				TYPE			DOWN ON KEL	DOWN ON KELLY			TYPE			DOWN ON KELLY				
MAKE IN.M, TOTAL DEPTH			MAKE			TOTAL DEF			MAKE			TOTAL DEPTH						
Time	RECORD Wt.	Vis.	MUD, ADDITIVES USED	Time Wt. Vis.			MUD, ADDITIVES U	MUD, ADDITIVES USED AND RECEIVED			Time Wt. Vis.			IVES USED	AND RECEI	VED		
time	νντ,	V15.			Time		V15.				Time		V15.					
													 					
									· · · · · · · · · · · · · · · · · · ·							•		
							 						†			,		
FROM	то	LL	TIME BREAKDO	FROM	то	1	TIME BREA	KDOWN		FROM	то	1	<u> </u>	BREAKDO	WN			
						Rig Time 540.					1					·		
		_						7 //// 2	,,,,,,									
					†											•	,	

_ =																·····		
REMARKS -					REMARKS –						REMARK	s _					·	
REMARK	3 –				·						1021071101							
	11	LCA	Warer	45.1														
		070	14781						· · · · · · · · · · · · · · · · · · ·									
											<u> </u>							
					†									~				

											-			and the same of				
					1			744			<u> </u>		ORF) 				