

#1 30-045-09449
#7 30-045-20846
#215 30-045-27075

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit SW Sec. 15 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced SUNRAY B #1, #7, #215
cps 2068w

Elevation 6344' Completion Date 5/17/63 Total Depth 200' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1445 lbs.

Depths anodes placed: 170', 164', 158', 152', 146'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1


RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

WELL NAME SUNRAY NO. 1-B ^{#1} ^{#7} ^{#215} DATE May 17, 1963
LOCATION 5K⁹ Sec. 15 T. 30 N. R. 10 W CPS NO. 207W ^{2008W}
WORK ORDER NUMBER 184-40542-50-02
ANODE HOLE DEPTH 200'
TOTAL DRILLING RIG TIME 6 1/2 Hrs.
DRILLING TIME FOR RECTIFIER POLE HOLE 0
TYPE AND SIZE BIT USED 6 1/4 Rock WM 2802
NUMBER SACKS MUD USED 0
NUMBER SACKS LOST CIRCULATION MAT'L USED 0
ANODE DEPTHS #1 170, #2 164, #3 158, #4 152 5 146
TOTAL LBS. COKE USED 1445 17 sacks
ANODE OUTPUTS 12.2 VOLTS, #1 3.0, #2 3.8, #3 3.8, #4 3.3 5 31
TOTAL CIRCUIT RESISTANCE: VOLTS 11.6 AMPERES 8.0 OHMS 1.45
NUMBER FEET SURFACE CABLE CONDUIT 347
DRILLING LOG (ATTACH HERETO).
FORMATION LOG (ATTACH HERETO).
REMARKS: Static c/s. 76 R 600' SW
Good All Rectifier 28V 12A Ser#62C6162



ALL CONSTRUCTION COMPLETED

Sorrels

SIGNATURE

GROUND BED LAYOUT SKETCH

ORIGINAL & 1 COPY
ALL REPORTS

6 3/4

1217'

LEASED 15-7-80 J-BW WELL NO.

CONTRACTOR
D. E. Wilcox

RIG NO. 7-0

REPORT NO.

DATE 11/17

196

MORNING

DAYLIGHT

EVENING

Driller						Total Men In Crew						Driller						Total Men In Crew					
FROM	TO	FORMATION	WT. BIT	R.P.M.		FROM	TO	FORMATION	WT. BIT	R.P.M.		FROM	TO	FORMATION	WT. BIT	R.P.M.		FROM	TO	FORMATION	WT. BIT	R.P.M.	
0	45	Sand	2802			150	155	Shell	2002														
45	57	Shell	X			155	160	Shell	X														
57	142	Sand	X			180	200	Mud + ss	X														
142	150	Sand																					

[illegible]

REMARKS:

REMARKS:

REMARKS:—

MM16 - moved 11:30 sta D/189 12:00 Drilled 200' But 5:00
MM17 - left 8:00am Field 6:00 Arrived at Hg 7:00 cleared out hole + thinned down. Finished 8:00

SIGNED: Toolpusher

Company Supervisor

W. A. Burdick