

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>Williams Production Co., LLC</u> Telephone: <u>505-634-4219</u> e-mail address: <u>myke.lane@williams.com</u>		
Address: <u>POB 640, Aztec, NM 87410</u>		
Facility or well name: <u>Rosa 091B</u> API #: <u>30-039-2668400</u> U/L or Qtr/Qtr <u>P</u> Sec <u>35</u> T <u>32N</u> R <u>06W</u>		
County: <u>Rio Arriba</u> Latitude _____ Longitude _____ NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/>		
Surface Owner: Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
RCVD APR 10 '08		
<b>Pit</b> Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	<b>Below-grade tank</b> Volume: <u>120</u> bbl Type of fluid: <u>Produced Water</u> Construction material: <u>Fiberglass with Plastic Liner</u> Double-walled, with leak detection? Yes <input checked="" type="checkbox"/> If not, explain why not. _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet ✓ 100 feet or more	(10 points) ✓ ( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	✓ No	✓ ( 0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	✓ 200 ft or more, but less than 1000 feet 1000 feet or more	✓ (10 points) ( 0 points)
<b>Ranking Score (Total Points)</b>		10

**If this is a pit closure:** (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
<b>Replace Fiberglass BGT with SGT steel tank. Composite soil sample collected following removal of tank and liner. 3/26/2008</b>
<b>See attached site diagram and soil sample results.</b>

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 04-3-2008

Printed Name/Title Michael K. Lane/EH&S Specialist

Signature

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Deputy Oil & Gas Inspector,  
District #3

Approval:

Printed Name/Title \_\_\_\_\_

Signature

Date:

**MAY 30 2008**

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Williams	Project #:	04108-003-4087
Sample ID:	Rosa 91B	Date Reported:	04-01-08
Laboratory Number:	44676	Date Sampled:	03-26-08
Chain of Custody No:	4087	Date Received:	03-27-08
Sample Matrix:	Soil	Date Extracted:	03-28-08
Preservative:		Date Analyzed:	03-31-08
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Rosa 091B.



  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Williams	Project #:	04108-003-4087
Sample ID:	Rosa 91B	Date Reported:	04-01-08
Laboratory Number:	44676	Date Sampled:	03-26-08
Chain of Custody:	4087	Date Received:	03-27-08
Sample Matrix:	Soil	Date Analyzed:	03-31-08
Preservative:	Cool	Date Extracted:	03-28-08
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96.0 %
	1,4-difluorobenzene	96.0 %
	Bromochlorobenzene	96.0 %


References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Rosa 091B.



  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Williams	Project #:	04108-003
Sample ID:	Rosa 91B	Date Reported:	04-01-08
Lab ID#:	44676	Date Sampled:	03-26-08
Sample Matrix:	Soil	Date Received:	03-27-08
Preservative:		Date Analyzed:	03-31-08
Condition:	Intact	Chain of Custody:	4087

Parameter


Concentration (mg/Kg)


Total Chloride


20.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.


Comments: Rosa 091B.



Analyst 

  
Review

Williams Production Company  
 Rosa 91 B M.V. St # 8337401  
 Rosa 91 B DK. St # 8337501  
 Sec. 35 (P) T32N R6W 1070' FSL 295' FEL  
 Rio Arriba County N.M.



Sep. Dakota Side 2 Ph. Ser. # 202893 Pesco Refurbished 9-21-01 Year 1995  
 Sep. Mesa Verde Side 2 Ph. Ser. # 202891 Pesco Refurbished 8-21-01 Year 1994  
 Rectifier J A Electronic 180/240 Volt Ser. # 2020325  
 Pit 120 Bbl. Shared By Both Formation's Lined & Leak Detection