

District I
3625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
February 16, 2007

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator <u>Elm Ridge Resources</u> Telephone: <u>(505) 632-3476</u> e-mail address: <u>amackey1@elmridge.net</u>		
Address <u>P.O. Box 156, Bloomfield, New Mexico, 87413</u>		
Facility or well name <u>Jic Joint Venture KD #6</u> API #: <u>3003921442</u> U/L or Qtr/Qtr <u>J</u> Sec <u>3</u> T. <u>23N</u> R <u>3W</u>		
County: <u>Rio Arriba</u> Latitude <u>36° 15.43' N</u> Longitude <u>107° 08.48' W</u> NAD: 1927 ☒ 1983 ☐		
Surface Owner: Federal ☐ State ☐ Private ☐ Indian ☒		
Pit Type: Drilling ☐ Production ☐ Disposal ☐ Workover ☐ Emergency ☐ Lined ☐ Unlined ☐ Liner type: Synthetic ☐ Thickness _____ mil Clay ☐ Pit Volume _____ bbl	Below-grade tank Volume: <u>90</u> bbl Type of fluid: <u>Produced Water and Incidental Oil</u> Construction material: <u>Fiberglass</u> Double-walled, with leak detection? Yes ☐ If not, explain why not <u>Tank installed prior to Rule 50</u>	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points) 10
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) 0
Distance to surface water. (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) 10
Ranking Score (Total Points)		20

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☒ If offsite, name of facility Envirotech Landfarm #2. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results
(5) Attach soil sample results and a diagram of sample locations and excavations

Additional Comments:	
Site ranked at 100 ppm TPH closure due to being on the Jicarilla Reservation. Wall sample passed 100 ppm TPH standard using USEPA Method 418.1 and the 100 ppm OVM standard at the extent of excavation. Bottom reached maximum reasonable extent at 12' BGS due to sandstone.	
RCUD MAY 29 '08 OIL CONS. DIV. DIST. 3	

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 5/28/08

Printed Name/Title Ms. Amy Mackey, Production Technician

Signature [Signature]

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations

Approval: **DEPUTY OIL & GAS INSPECTOR, DIST. 3**

Printed Name/Title _____

Signature [Signature]

Date: JUN 02 2008

CLIENT <u>Elmhurst</u>	ENVIROTECH INC. ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 64-3014 FARMINGTON, NEW MEXICO 87401 PHONE: (505) 632-0615	LOCATION NO: _____ CDC NO: _____
------------------------	---	-------------------------------------

FIELD REPORT: CLOSURE VERIFICATION		PAGE No: _____ of _____
LOCATION: NAME <u>JICARILLA Well #6</u> PIT: _____ QUAD/UNIT: <u>J</u> SEC: <u>3</u> TWP: <u>23W</u> RNG: <u>A3N</u> PM: <u>NM</u> CNTY: <u>RA</u> STATE: _____ QTR/FOOTAGE: <u>1950 FSL 1850 FEL</u> CONTRACTOR: _____		DATE STARTED: <u>7-Apr-08</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>JKirchner</u>

EXCAVATION APPROX. <u>12</u> FT. x <u>15</u> FT. x <u>10</u> FT. DEEP. CUBIC YARDAGE: <u>67</u>
DISPOSAL FACILITY: <u>N/A</u> REMEDIATION METHOD: <u>N/A</u>
LAND USE: <u>GRAZING</u> LEASE: <u>30-03921-442</u> FORMATION: _____

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>65'</u> FT. <u>165°</u> FROM WELLHEAD
DEPTH TO GROUNDWATER: <u>50-100</u> NEAREST WATER SOURCE: <u>7,000</u> NEAREST SURFACE WATER: <u>200-1000</u>
NMOC D RANKING SCORE <u>20</u> NMOC D TPH CLOSURE STD: <u>100</u> PPM

SOIL AND EXCAVATION DESCRIPTION:	CHECK ONE: ☐ PIT ABANDONED ☒ STEEL TANK INSTALLED
----------------------------------	--

90 BBL Fiberglass TK Removed

Pit Failed, Superpave will be removed & 1 call Re-ordered.

... Pit closure will be completed @ LATE DATE

SAMPLE 1 @ 8' BGS

SAMPLE 2 wall composite
of west wall

FIELD 418.1 CALCULATIONS

TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
915	200510				1	261	
	1		5	26	4	4568	18272
	2		5	20	4	3402	13608

SCALE




0 FT

PIT PERIMETER


OVN RESULTS

PIT PROFILE



SAMPLE ID	FIELD HEADSPACE PID (ppm)
1 100	98.7
2 1	45.9
3 2	37
4	
5	

SAMPLE ID	ANALYSIS	TIME



TRAVEL NOTES.	CALLOUT: _____	ONSITE: _____
---------------	----------------	---------------

CLIENT: _____	ENVIROTECH INC. ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 64-9014 FARMINGTON, NEW MEXICO 87401 PHONE: (505) 632-0815	LOCATION NO: _____ C.O.C. NO: _____
---------------	---	--


FIELD REPORT: CLOSURE VERIFICATION	PAGE No: _____ of _____
---	-------------------------

LOCATION: NAME: <u>Jicarilla</u> KD WELL #. <u>6</u> PIT. <u>Sep</u> QUAD/UNIT: <u>5</u> SEC: <u>3</u> TWP: <u>23N</u> RNG: <u>3W</u> PM: <u>16PM</u> CNTY: <u>RA</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1850' FSL 1850' FEL</u> CONTRACTOR: _____	DATE STARTED <u>4/</u> DATE FINISHED: <u>4/14/00</u> ENVIRONMENTAL SPECIALIST: <u>Guxc</u>
---	--

EXCAVATION APPROX <u>25</u> FT. x <u>10</u> FT. x <u>12</u> FT. DEEP.	CUBIC YARDAGE: _____
DISPOSAL FACILITY: <u>Envirotech LF #2</u>	REMEDIAATION METHOD: <u>Landfarm</u>
LAND USE: <u>grazing</u>	API LEASE: <u>30-03921442</u> FORMATION: _____

FIELD NOTES & REMARKS:	PIT LOCATED APPROXIMATELY <u>43'</u> FT. <u>165°</u> FROM WELLHEAD. DEPTH TO GROUNDWATER: <u>50-100</u> NEAREST WATER SOURCE: <u>>1,000</u> NEAREST SURFACE WATER: <u>200-1000</u>
------------------------	--

NMOC D RANKING SCORE: <u>20</u> NMOC D TPH CLOSURE STD: <u>100</u> PPM SOIL AND EXCAVATION DESCRIPTION: _____	CHECK ONE : ☐ PIT ABANDONED ☒ STEEL TANK INSTALLED
--	---



FIELD 418.1 CALCULATIONS							
TIME	SAMPLE ID.	LAB No.	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC ppm
1410	Wallcomp		5.0	20	4	0	ND
1415	Bottom comp @ 12"		5.0	20	4	378	1512
	200 STD						182

PIT PERIMETER

OVM RESULTS

PIT PROFILE

	<table border="1" style="width:100%"> <tr> <th>SAMPLE ID</th><th>FIELD HEADSPACE PID (ppm)</th></tr> <tr><td>1 wall</td><td>0.6</td></tr> <tr><td>2 bottom</td><td>122</td></tr> <tr><td>3</td><td></td></tr> <tr><td>4</td><td></td></tr> <tr><td>5</td><td></td></tr> </table>	SAMPLE ID	FIELD HEADSPACE PID (ppm)	1 wall	0.6	2 bottom	122	3		4		5								
SAMPLE ID	FIELD HEADSPACE PID (ppm)																			
1 wall	0.6																			
2 bottom	122																			
3																				
4																				
5																				
LAB SAMPLES <table border="1" style="width:100%"> <tr> <th>SAMPLE ID</th><th>ANALYSIS</th><th>TIME</th></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>			SAMPLE ID	ANALYSIS	TIME															
SAMPLE ID	ANALYSIS	TIME																		

TRAVEL NOTES.	CALLOUT: _____ ONSITE: _____
---------------	------------------------------

EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

Client: Elm Ridge Resources
Sample No.: 1
Sample ID: Bottom @ 8' BGS
Sample Matrix: Soil
Preservative: Cool
Condition: Cool and Intact

Project #: 03056-0104
Date Reported: 5/5/2008
Date Sampled: 4/7/2008
Date Analyzed: 4/7/2008
Analysis Needed: TPH-418.1

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----------	--------------------------	--------------------------


Total Petroleum Hydrocarbons	18,300	5.0
------------------------------	--------	-----

ND = Parameter not detected at the stated detection limit.


References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **Jic Joint Venture KD #6**

Instrument calibrated to 200 ppm standard. Zeroed before each sample


Analyst

Joshua M. Kirchner
Printed


Review

Nicole Hayworth
Printed

**EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS**

Client: Elm Ridge Resources
Sample No.: 2
Sample ID: West Wall Composite
Sample Matrix: Soil
Preservative: Cool
Condition: Cool and Intact

Project #: 03056-0104
Date Reported: 5/5/2008
Date Sampled: 4/7/2008
Date Analyzed: 4/7/2008
Analysis Needed: TPH-418.1


Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	13,600	5.0

ND = Parameter not detected at the stated detection limit.


References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **Jic Joint Venture KD #6**

Instrument calibrated to 200 ppm standard. Zeroed before each sample


Analyst

Joshua M. Kirchner
Printed


Review


Nicole Hayworth
Printed

CONTINUOUS CALIBRATION
EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

Cal. Date: 7-Apr-08

Parameter	Standard Concentration mg/L	Concentration Reading mg/L
TPH	100	201
	200	
	500	
	1000	


The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.


Analyst

Joshua M. Kirchner

Printed

16-MAY-08
Date


Review

Nicole Hayworth

Printed

05/16/08
Date

EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

Client: Elm Ridge Resources
Sample No.: 3
Sample ID: Wall Composite
Sample Matrix: Soil
Preservative: Cool
Condition: Cool and Intact

Project #: 03056-0104
Date Reported: 5/5/2008
Date Sampled: 4/14/2008
Date Analyzed: 4/14/2008
Analysis Needed: TPH-418.1

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----------	--------------------------	--------------------------

Total Petroleum Hydrocarbons	ND	5.0
------------------------------	----	-----

ND = Parameter not detected at the stated detection limit.


References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: Jic Joint Venture KD #6

Instrument calibrated to 200 ppm standard. Zeroed before each sample


Analyst

Greg Crabtree
Printed


Review

Nicole Hayworth
Printed

**EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS**

Client:	Elm Ridge Resources	Project #:	03056-0104
Sample No.:	4	Date Reported:	5/5/2008
Sample ID:	Composite, Bottom @ 12' BGS	Date Sampled:	4/14/2008
Sample Matrix:	Soil	Date Analyzed:	4/14/2008
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	1,510	5.0

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **Jic Joint Venture KD #6**


Instrument calibrated to 200 ppm standard. Zeroed before each sample



Analyst

Greg Crabtree

Printed



Review

Nicole Hayworth

Printed

Cal. Date: 14-Apr-08

Parameter	Standard Concentration mg/L	Concentration Reading mg/L
TPH	100	182
	200	
	500	
	1000	

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.



Analyst

4/14/08

Date

Greg Crabtree

Printed


Review

04/14/08

Date

Nicole Hayworth

Printed

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Elm Ridge Resources	Project #:	03056-0104
Sample ID:	Bottom @ 12'	Date Reported:	04-21-08
Laboratory Number:	44983	Date Sampled:	04-14-08
Chain of Custody No:	4212	Date Received:	04-14-08
Sample Matrix:	Soil	Date Extracted:	04-18-08
Preservative:	Cool	Date Analyzed:	04-18-08
Condition:	Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	136	0.1
Total Petroleum Hydrocarbons	136	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Jicarilla KD #6.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	04-18-08 QA/QC	Date Reported:	04-21-08
Laboratory Number:	44944	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	04-18-08
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	05-07-07	9.8950E+002	9.8990E+002	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	9.9773E+002	9.9813E+002	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	14.8	14.7	0.7%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	250	100%	75 - 125%
Diesel Range C10 - C28	14.8	250	262	98.9%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 44944 - 44947, 44977 - 44979, 44983, 45001 and 45031.

Analyst 

Christine M. Walters
Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Elm Ridge Resources	Project #:	03056-0104
Sample ID:	Bottom @ 12'	Date Reported:	04-21-08
Laboratory Number:	44983	Date Sampled:	04-14-08
Chain of Custody:	4212	Date Received:	04-14-08
Sample Matrix:	Soil	Date Analyzed:	04-18-08
Preservative:	Cool	Date Extracted:	04-18-08
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Jicarilla KD #6.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	04-18-BTEX QA/QC	Date Reported:	04-21-08
Laboratory Number:	44945	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	04-18-08
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff:	Blank Conc	Detect Limit
		Accept: Range 0 - 15%			
Benzene	5.1707E+007	5.1811E+007	0.2%	ND	0.1
Toluene	4.3365E+007	4.3452E+007	0.2%	ND	0.1
Ethylbenzene	3.2811E+007	3.2877E+007	0.2%	ND	0.1
p,m-Xylene	6.5984E+007	6.6116E+007	0.2%	ND	0.1
o-Xylene	3.1535E+007	3.1598E+007	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff	Accept Range	Detect. Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	50.0	50.0	100%	39 - 150
Toluene	ND	50.0	49.0	98.0%	46 - 148
Ethylbenzene	ND	50.0	50.0	100%	32 - 160
p,m-Xylene	ND	100	98.0	98.0%	46 - 148
o-Xylene	ND	50.0	49.8	99.6%	46 - 148

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 44945, 44983 and 45031.

Analyst 

Review 

CHAIN OF CUSTODY RECORD

4212

Client: <i>Elm Ridge Resources</i>			Project Name / Location: <i>Jicarilla KD #6</i>			ANALYSIS / PARAMETERS													
Client Address:			Sampler Name <i>G. Crabtree</i>			TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	PAH	TPH (418.1)				Sample Cool	Sample Intact
Client Phone No.:			Client No.: <i>03056-0104</i>																
Sample No./ Identification	Sample Date	Sample Time	Lab No.	Sample Matrix	No /Volume of Containers	Preservative H ₂ O ₂ HNO ₃													
<i>Bottom @ 12'</i>	<i>4/14/08</i>	<i>1500</i>	<i>44983</i>	<i>Soil</i>	<i>1-4oz</i>			<i>X</i>	<i>X</i>									<i>✓</i>	<i>✓</i>
Relinquished by: (Signature) <i>Greg Crabtree</i>					Date <i>4/14/08</i>	Time <i>1730</i>	Received by: (Signature) <i>Unto B...</i>					Date <i>4/14/08</i>	Time <i>1530</i>						
Relinquished by: (Signature)							Received by: (Signature)												
Relinquished by: (Signature)							Received by: (Signature)												

ENVIROTECH INC.

5796 U.S. Highway 64 • Farmington, New Mexico 87401 • (505) 632-0615