

submitted in lieu of Form 3160-5

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
Sundry Notices and Reports on Wells

RECEIVED

MAY 23 2008

Bureau of Land Management
Farmington Field Office

1. Type of Well
Oil

2. Name of Operator
Pride Energy Company

3. Address & Phone No. of Operator
PO Box 701950, Tulsa, OK 74170-1602

Location of Well, Footage, Sec., T, R, M
Unit C, 460' FNL & 1980' FWL, Section 7, T-20N, R-2W, NMPM

5. Lease Number
NM NM44453

6. If Indian, All. or
Tribe Name

7. Unit Agreement Name

8. Well Name & Number
San Isidro #7-3

9. API Well No.
30-043-20860

10. Field and Pool
Rio Puerco Gallup

11. County & State
Sandoval County, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment

Type of Action

☒ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☐ Other -

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut off

☐ Conversion to Injection

13. Describe Proposed or Completed Operations

Pride Energy plugged and abandoned this well on May 7, 2008 per the attached report.

RCVD MAY 28 '08

OIL CONS. DIV.

DIST. 3

14. I hereby certify that the foregoing is true and correct.

Signed

William F. Clark

Title Contractor

Date 5/22/08

William Clark

(This space for Federal or State Office use)

APPROVED BY

Title

Date

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOCD

MAY 27 2008

FARMINGTON FIELD OFFICE

A-PLUS WELL SERVICE, INC.

P.O. BOX 1979
Farmington, New Mexico 87499
505-325-2627 * fax: 505-325-1211

Pride Energy Company
San Isidro No. 7-3

May 12, 2008
Page 1 of 1

460' FNL & 1980' FWL, Section 7, T-20-N, R-2-W
Sandoval County, NM
Lease Number: NMNM-44453
API #30-043-20860

Plug and Abandonment Report

Notified BLM on 5/6/08

Work Summary:

- 05/06/08 MOL and RU. Check well pressure: casing, 160 PSI; tubing, 90 PSI. Monitor well for H₂S. Lay relief lines to pit. Blow down well. NU BOP. Begin TOH with 2.875" tubing. Tubing too short to rack in derrick. Shut in well. Will proceed tomorrow after float is on location. SDFD.
- 05/07/08 Open well, no pressure. TOH with tubing. Round trip gauge ring to 3857'. RIH with 7" PlugWell CIBP and set at 3850'. Load hole with 160 bbls of water. Pressure test casing to 500 PSI, held OK.
Plug #1 with CIBP at 3850', spot 19 sxs Class G cement (22 cf) inside casing above CIBP from 3850' up to 3749' to isolate the Gallup interval.
PUH to 1708'.
Plug #2 spot 29 sxs Class G cement (34 cf) inside casing from 1708' up to 1549' to cover the Mesaverde top.
PUH to 964'.
Plug #3 spot 96 sxs Class G cement (111 cf) inside casing from 964' up to 449' to cover the Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo tops.
TOH with tubing. Attempt to dig out bradenhead valve. Solid cement around 7" casing and bradenhead. Shut in well. SDFD.
- 05/08/08 Open well, no pressure. TIH with tubing to 175'. Load hole with 3 bbls of water.
Plug #4 mix and pump 40 sxs Class G cement (46 cf) down the 7" casing from 175' to surface, circulate good cement returns out casing.
TOH and LD all tubing. ND BOP. Issue Hot Work Permit. Cut off wellhead.
Found cement down 15' in the 7" casing.
Mix 15 sxs Class G cement and install P&A marker.
RD. MOL.

Rick Romero, BLM representative, was on location.