

DISTRICT I
1625 N. French Dr., Hobbs, N.M. 88240

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised October 12, 2005

DISTRICT II
1301 West Grand Avenue, Artesia, N.M. 88210

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit to Appropriate District Office

State Lease - 4 Copies
Fee Lease - 3 Copies

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Ces Drilled Plat JAN 2 2008

RCVD JUN 4 '08
AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION

OIL CONS. DIV.

DIST. 3

API Number 30-039- 30448		Pool Code 72319/71599		Pool Name BASIN DAKOTA/BLANCO MESAVERDE	
Property Code 7465		Property Name SAN JUAN 29-7 UNIT			Well Number 80N
OGRID No. 14538		Operator Name BURLINGTON RESOURCES OIL AND GAS COMPANY LP			Elevation 6685'


10 Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	34	29-N	7-W		1730'	SOUTH	1510'	EAST	RIO ARRIBA

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	34	29-N	7-W		719'	SOUTH	639'	EAST	RIO ARRIBA
Dedicated Acres 320.00 E/2		Joint or Infill		Consolidation Code		Order No.			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling, order heretofore entered by the division.

Shonda Rogers 6-2-08
Signature Date
Shonda Rogers
Printed Name

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

9-27-07
Date of Survey
Signature and Seal of Professional Surveyor:

15703
Certificate Number

P.A.

28

Survey Data

Date	MD (ftKB)	Incl (°)	Method	Survey Company
4/2/2008	3,397.00	20.50	MWD	H&B
4/2/2008	3,493.00	20.40	MWD	H&B
4/2/2008	3,586.00	21.20	MWD	H&B
4/2/2008	3,680.00	20.50	MWD	H&B
4/2/2008	3,773.00	20.40	MWD	H&B
4/2/2008	3,864.00	18.00	MWD	H&B
4/2/2008	3,959.00	16.20	MWD	H&B
4/2/2008	4,052.00	13.30	MWD	H&B
4/2/2008	4,146.00	11.00	MWD	H&B
4/2/2008	4,239.00	8.90	MWD	H&B
4/2/2008	4,335.00	6.00	MWD	H&B
4/2/2008	4,429.00	4.30	MWD	H&B
4/2/2008	4,523.00	2.70	MWD	H&B
4/15/2008	8,129.00	0.75	FINAL BHS	PHOENIX

RCVD JUN 4 '08

OIL CONS. DIV.

DIST. 3

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

82 DM

Subscribed and sworn to me this 6-2-08

Richard S. Rogers

Notary Public in and for San Juan County, New Mexico

My Commission expires

January 10, 2011

Operator BURLINGTON RESOURCES OIL & GAS COMPANY	Legal WellName SAN JUAN 29-7 UNIT #60N	API / UWI 3003930448	County RIO ARRIBA	State/Province NEW MEXICO
Surface Legal Location 034-29N-007W	N/S Dist (ft) 1,730.00	N/S Ref FSL	E/W Dist (ft) 1,510.00	E/W Ref FEL

Survey Data

Date	MD (ftKB)	Incl (°)	Method	Survey Company
3/5/2008	120.00	0.50	DEVIATION	MOTE
3/5/2008	225.00	0.50	DEVIATION	MOTE
4/1/2008	272.00	0.50	MWD	H&B
4/1/2008	363.00	3.50	MWD	H&B
4/1/2008	455.00	5.70	MWD	H&B
4/1/2008	548.00	8.70	MWD	H&B
4/1/2008	637.00	11.30	MWD	H&B
4/1/2008	760.00	13.40	MWD	H&B
4/1/2008	853.00	16.10	MWD	H&B
4/2/2008	947.00	17.90	MWD	H&B
4/2/2008	1,042.00	20.30	MWD	H&B
4/2/2008	1,138.00	22.50	MWD	H&B
4/2/2008	1,231.00	23.00	MWD	H&B
4/2/2008	1,325.00	23.10	MWD	H&B
4/2/2008	1,420.00	23.00	MWD	H&B
4/2/2008	1,514.00	23.20	MWD	H&B
4/2/2008	1,610.00	22.40	MWD	H&B
4/2/2008	1,704.00	22.50	MWD	H&B
4/2/2008	1,800.00	22.30	MWD	H&B
4/2/2008	1,892.00	22.10	MWD	H&B
4/2/2008	1,987.00	22.10	MWD	H&B
4/2/2008	2,080.00	22.50	MWD	H&B
4/2/2008	2,175.00	22.70	MWD	H&B
4/2/2008	2,271.00	22.50	MWD	H&B
4/2/2008	2,365.00	22.50	MWD	H&B
4/2/2008	2,459.00	22.30	MWD	H&B
4/2/2008	2,551.00	23.00	MWD	H&B
4/2/2008	2,644.00	23.70	MWD	H&B
4/2/2008	2,783.00	24.20	MWD	H&B
4/2/2008	2,833.00	24.40	MWD	H&B
4/2/2008	2,927.00	23.80	MWD	H&B
4/2/2008	3,022.00	23.70	MWD	H&B
4/2/2008	3,117.00	23.60	MWD	H&B
4/2/2008	3,210.00	22.80	MWD	H&B
4/2/2008	3,304.00	22.10	MWD	H&B

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

ACKNOWLEDGMENT

State of California

County of Kern


On May 28 2008 before me, Denise E. Riddle, Notary
(insert name and title of the officer)

personally appeared Richelle L. Siemens,
who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are
subscribed to the within instrument and acknowledged to me that he/she/they executed the same in
his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the
person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing
paragraph is true and correct.

WITNESS my hand and official seal.

Signature Denise E. Riddle (Seal)



RCVD JUN 4 '08
OIL CONS. DIV.
DIST. 3



Job Number: NM08005
 Company: BURLINGTON RESOURCES
 Lease/Well: SJ 29-7 60N
 Location: SECTION 34
 Rig Name: AZTEC #730
 RKB: ☐
 G.L. or M.S.L.: ☐

State/Country: NEW MEXICO
 Declination: 10.02
 Grid: ☐
 File name: C:\WINSERVE\NM08005.SVY
 Date/Time: 28-May-08 / 13:08
 Curve Name: AS DRILLED


Hathaway Burnham LLC

RCVD JUN 4 '08
 OIL CONS. DIV.
 DIST. 3

WINSERVE SURVEY CALCULATIONS

*Minimum Curvature Method
 Vertical Section Plane 139 27*

*Vertical Section Referenced to Wellhead
 Rectangular Coordinates Referenced to Wellhead*



Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	CLOSURE Distance FT	Direction Deg	Dogleg Severity Deg/100
00	.00	.00	.00	.00	.00	00	.00	.00	.00
272.00	.50	50 00	272.00	76	.91	.02	1.19	50.00	.18
363.00	3.50	138.50	362.94	-1.06	3.05	2.80	3.23	109.19	3.87
455.00	5.70	142.80	454.64	-6 81	7.68	10.17	10.26	131.55	2.42
546.00	8.70	144 90	544.91	-16.04	14.37	21.53	21.53	138.14	3.31
637.00	11 30	144.30	634.52	-28 91	23.53	37.26	37 28	140 86	2 86
760.00	13.40	142 90	754.67	-50.07	39.16	63 49	63.56	141.97	1.72
853.00	16 10	140.00	844.59	-68.54	53.95	87.15	87.23	141.79	3.01
947 00	17.90	139.30	934.48	-89.48	71.75	114.63	114.70	141.27	1.93
1042.00	20.30	137.80	1024 25	-112.76	92.35	145 71	145.75	140.68	2.58
1138.00	22.50	136.80	1113.62	-138.49	116.11	180.71	180.73	140.02	2.32
1231.00	23.00	136.30	1199.39	-164.60	140.84	216.63	216.63	139.45	.58
1325.00	23.10	135.00	1285.88	-190 92	166.57	253.36	253.37	138.90	.55
1420.00	23.00	138.40	1373.30	-217 97	192 07	290.51	290.52	138.61	1.41
1514.00	23.20	135 90	1459.77	-245.00	217.15	327.35	327.39	138.45	1.06
1610.00	22.40	139 30	1548.27	-272.45	242.24	364.52	364.57	138.36	1.61
1704.00	22.50	142.70	1635.15	-300.34	264.82	400.39	400.42	138.60	1.39
1800.00	22.30	140.60	1723.91	-329.03	287.51	436.93	436.94	138.85	.86
1892.00	22.10	140.70	1809.09	-355.91	309 55	471.68	471.69	138.98	.22
1987.00	22 10	139.30	1897.11	-383.28	332.52	507.42	507.42	139.06	.55
2080 00	22.50	142.50	1983.16	-410.67	354 77	542.68	542.68	139.18	1.37
2175.00	22.70	141.60	2070 86	-439 45	377 22	579.15	579.15	139.36	.42
2271.00	22.50	140.80	2159.49	-468.20	400.33	616.02	616.02	139.47	.38
2365.00	22.50	141 20	2246 34	-496.16	422 97	651.97	651 98	139 55	.16

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	C L O S U R E		Dogleg Severity Deg/100
2459.00	22.30	139.50	2333.24	-523.74	445.82	687.78	687.79	139.59	.72
2551.00	23.00	140.20	2418.15	-550.82	468.67	723.21	723.22	139.61	.82
2644.00	23.70	139.00	2503.53	-578.89	492.56	760.07	760.08	139.61	.91
2738.00	24.20	137.80	2589.44	-607.42	517.89	798.22	798.23	139.55	.74
2833.00	24.40	139.10	2676.02	-636.67	543.82	837.31	837.31	139.50	.60
2927.00	23.80	138.20	2761.83	-665.49	569.18	875.69	875.69	139.46	.75
3022.00	23.70	136.90	2848.78	-693.72	595.00	913.93	913.93	139.38	.56
3117.00	23.60	138.40	2935.81	-721.88	620.67	952.02	952.02	139.31	.64
3210.00	22.80	141.20	3021.29	-749.85	644.32	988.64	988.65	139.33	1.46
3304.00	22.10	140.70	3108.16	-777.72	666.93	1024.52	1024.53	139.39	.77
3397.00	20.50	140.00	3194.81	-803.74	688.48	1058.30	1058.30	139.42	1.74
3493.00	20.40	140.20	3284.76	-829.47	710.00	1091.84	1091.84	139.44	.13
3586.00	21.20	139.10	3371.70	-854.63	731.38	1124.86	1124.87	139.44	.96
3680.00	20.50	138.30	3459.54	-879.77	753.46	1158.31	1158.32	139.42	.80
3773.00	20.40	136.20	3546.68	-903.63	775.51	1190.78	1190.78	139.36	.80
3864.00	18.00	137.10	3632.61	-925.38	796.07	1220.67	1220.67	139.30	2.66
3959.00	16.20	139.30	3723.41	-946.18	814.70	1248.60	1248.60	139.27	2.01
4052.00	13.30	138.30	3813.33	-964.01	830.28	1272.27	1272.27	139.26	3.13
4146.00	11.00	142.40	3905.22	-979.19	842.95	1292.04	1292.04	139.28	2.61
4239.00	8.90	138.80	3996.82	-991.63	853.10	1308.09	1308.09	139.29	2.35
4335.00	6.00	137.40	4092.00	-1000.91	861.39	1320.54	1320.54	139.28	3.03
4429.00	4.30	135.70	4185.62	-1007.05	867.18	1328.97	1328.97	139.27	1.82
4523.00	2.70	140.10	4279.44	-1011.27	871.06	1334.70	1334.70	139.26	1.72
projection to bit									
4600.00	1.30	140.10	4356.39	-1013.33	872.78	1337.38	1337.38	139.26	1.82