District I

1625 N French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St. Francis Dr , Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** 

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 June 16, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individue Please be advised that approval of this request does not relieve the operator of liability environment. Nor does approval relieve the operator of its responsibility to comply with	tal pit, closed-loop system, below-grade tank or alternative request hity should operations result in pollution of surface water, ground water or the
Operator: ConocoPhillips Company	OGRID#: 217817
Address: PO Box 4289, Farmington, NM 87499	RCVD JUL 15'08
Facility or well name: Jicarilla B #13M	OIL CONS. DIV.
API Number: 30-039-25773 OC	D Permit Number: DIST. 3
	Range:       4W       County:       Rio Arriba         ongitude:       107.2086000' W       NAD:       1927 X 1983         al Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC  Temporary: Drilling Workover Permanent Emergency Cavitation Lined Unlined  Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced  Seams: Welded Factory Other Volume: bbl Dimensions: L xW xD	X Closed-loop Systems: Subsection H of 19.15.17.11 NMAC   Drying Pad X Tanks
Below-grade tank:  Volume: bbl  Type of fluid:  Tank Construction Material:  Secondary containment with leak detection  Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls and liner  Visible sidewalls only  Other:  Other:  Other:  Other:	Fencing: Subsection D of 19.15.17.11 NMAC  Chain link, six feet in height, two strangs of barbed wire at top  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Netting: Subsection E of 19.15.17.11  Screen Netting Other  Monthly inspections  Signs: Subsection C of 19.15.17.11 NMAC  12"x 24", 2" lettering, provided Operator's name, site location, and emergency telephone numbers  Signed in compliance with 19.15.3.103 NMAC
Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. (Fencing in Design Plan)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No
(Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	□No
- Written confirmation or verification from the municipality; Written approval obtained from the municipality  Within 500 feet of a wetland.		□N <sub>0</sub>
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	∐Yes	
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	□Yes	□No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	Yes	□No
Society; Topographic map Within a 100-year floodplain	□Yes	□No
- FEMA map		LI
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.	.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the d	ocuments ar	re attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintence Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	NMAC	
Previously Approved Design (attach copy of API Number: or Permit		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached.  Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.10 N  Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 N	9.15.17.9	re
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  X Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of API Number:		

Form C-144 Oil Conservation Division Page 2 of 4

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are of	ttached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC	
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC	
Quality Control/Quality Assurance Construction and Installation Plan	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Nuisance or Hazardous Odors, including H2S, Prevention Plan	
Emergency Response Plan	
Oil Field Waste Stream Characterization	
Monitoring and Inspection Plan	
Erosion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
D 101 1015 17 12 NWAG	
Proposed Closure: 19.15.17.13 NMAC	
Type: Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank X Closed-loop System Alto	ernative
Proposed Closure X Waste Excavation and Removal	
On-site Closure Method (only for temporary pits and closed-loop	
In-place On-site Trench	
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau	for
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC	
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommentations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate	
district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of	
approval. Justification and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	
Ground water is less than 50 feet below the bottom of the buried waste.	□Yes□No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	NA NA
Ground water is between 50 and 100 feet below the bottom of the buried waste	
- NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells	☐ Yes ☐ No
· ·	☐Yes ☐No ☐NA
Ground water is more than 100 feet below the bottom of the buried waste.	│ <b> </b>
	NA NA
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal	□NA □Yes□No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal  (measured from the ordinary high-water mark).	NA Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal  (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	NA Yes No NA Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal  (measured from the ordinary high-water mark).	NA Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal  (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA Yes No NA Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal  (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	NA Yes No NA Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal  (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic	NA Yes No NA Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time	NA Yes No NA Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark).  Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal	NA Yes No NA Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark).  Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	NA  Yes No  NA  Yes No  Yes No  Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark).  Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal	NA Yes No NA Yes No Yes No Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes,or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality  Within 500 feet of a wetland.	NA  Yes No  NA  Yes No  Yes No  Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark).  Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes,or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  Written confirmation or verification from the municipality; Written approval obtained from the municipality	NA Yes No NA Yes No Yes No Yes No
Ground water is more than 100 feet below the bottom of the burned waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes,or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland.  proposed site Within the area overlying a subsurface mine.	NA Yes No NA Yes No Yes No Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality  Within 500 feet of a wetland.  proposed site	NA   Yes   No   NA   Yes   No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality  Within 500 feet of a wetland.  proposed site  Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.	NA   Yes   No   NA   Yes   No   Yes   No   Yes   No   Yes   No   Yes   No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes,or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality  Within 500 feet of a wetland.  proposed site  Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM	NA   Yes   No   NA   Yes   No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal  (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality  Within 500 feet of a wetland.  proposed site  Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	NA   Yes   No   NA   Yes   No   Yes   No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes,or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality  Within 500 feet of a wetland.  proposed site  Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM	NA   Yes   No   NA   Yes   No

Form C-144 Oil Conservation Division Page 3 of 4

Waste Excavation and Removal Closure Plan Checklist: (19.15.17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicfate, by a check mark in the box, that the documents are attached.							
To the closure plan. Please indictate, by a check mark in the box, that the documents are attached.  X Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC							
Confiramtion Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC							
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)							
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC							
X Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17 13 NMAC							
X Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17 13 NMAC							
Waste Removal Closure for Closed-loop Systems That Utilize Haul-off Bins Only: (19 15 17 13 D NMAC) Instructions: Please identify the faculty or							
acilities for the disposal of liquids, drilling fluids and drill cuttings.  Disposal Facility Name. Envirotech, Basin Disposal Disposal Facility Permit Number: NM-01-0011 & NM-01-005							
<u>Dn-Site Closure Plan Checklist:</u> (19 15 17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a heck mark in the box, that the documents are attached.							
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC							
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC							
Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC							
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC							
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC							
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC							
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be							
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC							
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC							
Operator Application Certification:							
hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief  Vame (Print): Crystal Tafova  Title: Regulatory Technician							
Name (Print) Crystal Tafoya Title: Regulatory Technician							
Signature: Date 7/14/2008							
e-mail address. crystal.tafoya@conocophilles.com Telephone 505-326-9837							
OCD Approval: The Parmit Application (including clasure plan)							
OCD Approval: Permit Application (including closure plan) Closure Plan (only)							
OCD Approval: Permit Application (including closure plan)  Closure Plan (only)  Approval Date: 7-15-08							
OCD Representative Signature: 7-15-08 Approval Date: 7-15-08							
OCD Representative Signature: Approval Date: 7-15-08  Gitle: Enjicalge OCD Permit Number  Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC							
OCD Representative Signature: Bl. 64 Approval Date: 7-15-08  Citle: Enj; (5/2)pec OCD Permit Number							
OCD Representative Signature: Approval Date: 7-15-08  Gitle: Enjicalge OCD Permit Number  Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC							
OCD Representative Signature: Approval Date: 7-15-08  Gitle: Enjicalge OCD Permit Number  OCD Permit Number  Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC  Closure Completion Date:							
OCD Representative Signature: Approval Date: 7-15-08  Gitle: Enjicalaper OCD Permit Number  Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC  Closure Completion Date:							
Approval Date: 7-/5-08  Citle: Enjicalper OCD Permit Number  Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC  Closure Method:  Waste Excavation and Removal On-Site Closure Alternative Closure							
Approval Date: 7-/5-08  Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC  Closure Method:  Waste Excavation and Removal On-Site Closure Alternative Closure  If different from approved plan, please explain  Closure Report Attactment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the documents are attached.							
Approval Date: 7-/5-08  Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC  Closure Method:  Waste Excavation and Removal On-Site Closure Alternative Closure  If different from approved plan, please explain  Closure Report Attactment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the documents are attached.  Proof of Closure Notice							
Approval Date: 7-/5-08  Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC  Closure Method:  Waste Excavation and Removal On-Site Closure Alternative Closure  If different from approved plan, please explain  Closure Report Attactment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the documents are attached.							
Approval Date: 7-15-08  Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC  Closure Method:  Waste Excavation and Removal On-Site Closure Alternative Closure  If different from approved plan, please explain  Closure Report Attactment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the fox, that the documents are attached.  Proof of Closure Notice  Proof of Deed Notice (if applicable)							
Approval Date: 7-/5-08  Gitle: Enciral Spec OCD Permit Number    Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC    Closure Completion Date:     Waste Excavation and Removal   On-Site Closure   Alternative Closure     If different from approved plan, please explain    Closure Report Attactment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the sox, that the documents are attached.     Proof of Closure Notice   Proof of Deed Notice (if applicable)     Plot Plan   Confirmation Sampling Analytical Results     Waste Material Sampling Analytical Results     Waste Material Sampling Analytical Results							
Approval Date: 7-15-08  Gitle: Enjirolspec OCD Permut Number  Closure Report (required within 60 days of closure completion): Subsection K of 1915 17.13 NMAC  Closure Method:  Waste Excavation and Removal On-Site Closure Alternative Closure  If different from approved plan, please explain  Closure Report Attactment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number							
Approval Date: 7-15-08    Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC   Closure Completion Date:   Closure Closure   Alternative Closure   Alternative Closure   If different from approved plan, please explain   Closure Report Attactment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the foot, that the documents are attached.   Proof of Closure Notice   Proof of Deed Notice (if applicable)   Plot Plan   Confirmation Sampling Analytical Results   Waste Material Sampling Analytical Results   Disposal Facility Name and Permit Number   Soil Backfilling and Cover Installation   Soil Backfilling and							
Approval Date: 7-/5-08    Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC   Closure Completion Date:   Closure Completion Date:   Closure Method:   Closure Method:   Closure Completion Date:   Closure Method:   Closure Method:   Closure Completion Date:   Closure Method:   Closure Method:   Closure Completion Date:   Closure Method:   Closure Report Attactment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the look, that the documents are attached.   Proof of Closure Notice   Proof of Deed Notice (if applicable)   Plot Plan   Confirmation Sampling Analytical Results   Waste Material Sampling Analytical Results   Disposal Facility Name and Permit Number   Soil Backfilling and Cover Installation   Re-vegetation Application Rates and Seeding Technique							
Approval Date: 7-/5-08    Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC   Closure Method:   Closure Completion Date:							
Approval Date: 7-15-08    Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17,13 NMAC   Closure Completion Date:   Closure Method:   Mate Excavation and Removal   On-Site Closure   Alternative Closure   Alternative Closure   If different from approved plan, please explain   Closure Report Atlantemation Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the loos, that the documents are attached.   Proof of Closure Notice   Proof of Closure Notice (if applicable)   Plot Plan   Confirmation Sampling Analytical Results   Waste Material Sampling Analytical Results   Disposal Facility Name and Permit Number   Soil Backfilling and Cover Installation   Rev-vegetation Application Rates and Seeding Technique   Site Reclamation (Photo Documentation)   On-site Closure   Latitude.   Longitude:   NAD   1927   1983							
Approval Date: 7-/5-08    Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC   Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC   Closure Method:							
Approval Date: 7-15-08    Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17,13 NMAC   Closure Completion Date:   Closure Method:   Mate Excavation and Removal   On-Site Closure   Alternative Closure   Alternative Closure   If different from approved plan, please explain   Closure Report Atlantemation Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the loos, that the documents are attached.   Proof of Closure Notice   Proof of Closure Notice (if applicable)   Plot Plan   Confirmation Sampling Analytical Results   Waste Material Sampling Analytical Results   Disposal Facility Name and Permit Number   Soil Backfilling and Cover Installation   Rev-vegetation Application Rates and Seeding Technique   Site Reclamation (Photo Documentation)   On-site Closure   Latitude.   Longitude:   NAD   1927   1983							
Approval Date: 7-15-08    Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC   Closure Completion Date:   Closure Completion Date:   Closure Method:   Closure Completion Date:   Closure Method:   Closure Completion Date:   Closure Method:   Closure Metho							
Approval Date: 7-15-08    Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC   Closure Completion Date:   Closure Method:   Closure Completion Date:   Closure Completion Date:   Closure Report Attactment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the loss, that the documents are attached.   Proof of Closure Notice   Proof of Deed Notice (if applicable)   Plot Plan   Confirmation Sampling Analytical Results   Disposal Facility Name and Permit Number   Soil Backfilling and Cover Installation   Re-vegetation Application Rates and Seeding Technique   Site Reclamation (Photo Documentation)   On-site Closure Latitude.   Longitude:   NAD   1927   1983   Decease Certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I							
Approval Date: 7-15-08    Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC   Closure Completion Date:   Closure Completion Date:   Closure Method:   Closure Completion Date:   Closure Method:   Closure Completion Date:   Closure Method:   Closure Metho							
Approval Date: 7-15-08    Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC   Closure Completion Date:   Closure Method:   Closure Completion Date:   Closure Completion Date:   Closure Report Attactment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the loss, that the documents are attached.   Proof of Closure Notice   Proof of Deed Notice (if applicable)   Plot Plan   Confirmation Sampling Analytical Results   Disposal Facility Name and Permit Number   Soil Backfilling and Cover Installation   Re-vegetation Application Rates and Seeding Technique   Site Reclamation (Photo Documentation)   On-site Closure Latitude.   Longitude:   NAD   1927   1983   Decease Certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I							

Form C-144 Oil Conservation Division Page 4 of 4

Hustrict I (17) Box - 1900, Hobbs, NM 88241-1900 (N) Drawer DD, Artenia, NM 98211-0719

# State of New Mexico Energy, Mineral & Valural Resources Department

OIL CONSERVATION DIVISION

Form C 102 Revised February 21, 1994 Instructions on back

Submit to Appropriate District Office

Outret III 1000 Ria Brazas Rd., Aztec. NM 17410				Sar	PO Bo ita Fe, NM	x 2088 1 87504-2088	J.,		r ,	State	Lease - 4 Copies Lease - 3 Copies
District IV P) Box 1008, Santa Fc, NM 87504-2088										AME	NDED REPORT
		WF		CATION	IANDAC	REAGE DEDI	CA	TION PI	AT		
	Pt Numbe			' Pool Code		NEAGE BEB!		Pool N			
30-0	39-25	5773	7	1599/7	2319	Basin Da	akot	a/Blan	ıco Mes	ave:	rde
* Property (					1 Proper				T T		Well Number
18018				Ji	.carilla		···				1 3 M
OGRID No.				CC	Operat NOCO T						* Elevation 7089 *
05073 CONOCO, INC. 7089 '  **O Surface Location**									7009		
UL or lot no.	Section	Township	Range	Lot ida	Foot from the	North/South line	F	i from the	EastWat	1	
D	36	1			1060	North	1	1040	We		R.A.
		L	11 Boti	tom Hole		If Different Fr	om				1
UL or lot no.	Section	Toweskip	Range	Lot Ida	Fort from the	North/South line		s from the	East/West	liae	County
12 Dedicated Age		<u> </u>									
/040'	78/			THE THE PERSON NAMED IN COLUMN TO TH	· · · · · · · · · · · · · · · · · · ·			Signature Mike	L. Mank	lan	knowledge and belief
5280.00					30E		5280.00	I hareby can was plotted j or under my	ify that the we from fleld note	il locations of action und that in the city.	ΓΙΓΙCATION  In shown on this plan at surveys made by ma the same is true and
13.				© []	LU KAL	135 <u>U</u>		Date of Surv Signature an	157	C.1	DWARD S

## ConocoPhillips Company Closed-loop Plans

#### Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

### **Closed-loop Operating and Maintenance Plan**

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

#### **Closed-loop Closure Plan**

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.