Submit 3 Copies To Appropriate District Office	State of N	State of New Mexico		Form C-103
District I	Energy, Minerals and Natural Resources		es /	Revised March 25, 1999
1625 N. French Dr., Hobbs, NM 88240 District II			WELL API NO	. <b>20 68 6</b> 10-045-60686
811 South First, Artesia, NM 88210	OIL CONSERVATION DIVISION		5. Indicate Typ	
District III 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.		STATE	FEE X
District IV	Santa Fe, NM 87505		<u> </u>	Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505	ancis Dr., Santa Fe, NM			
SUNDRY NOTICES AND REPORTS ON WELLS			7. Lease Name	or Unit Agreement Name:
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A			A	
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUGH PROPOSALS.)			Gutie	errez Gas Com C
1. Type of Well:				
Oil Well Gas Well	Other Man			
2. Name of Operator	Au. 14. A. I.	12 - 1 . Ju 501	8.\ Well No.	
BP America Production Company  3. Address of Operator	Attn: Mary Corley	2 C	9. Pool name or	- Wildoot
P.O. Box 3092 Houston, TX 77253	}	The law .	Blanco Pictur	1
4. Well Location		120		
Unit Letter A 800 feet from the North line and 960 feet from the East line				
Section 04	Township 29N Ra	ange 9W	NMPM San Juan	County
	10. Elevation (Show wh			
5611' GR				
11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data				
			SUBSEQUENT R	
PERFORM REMEDIAL WORK  PLUG AND ABANDON  REMEDIAL WORK  ALTERING CASING				ALTERING CASING
TEMPORARILY ABANDON	CHANGE PLANS	COMMEN	CE DRILLING OPNS. 🗌	
PULL OR ALTER CASING	MULTIPLE	☐ CASING T	EST AND	ABANDONMENT X
	COMPLETION CEMENT JOB			•
OTHER:		OTHER:		
12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date				
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.				
08/16/2002 MIRUSU. NDWH. NU BOPs. TOH w/1.25" TBG. TIH W/CIBP & set @ 2225'.				
Plug # 1: 2225' – 1850' w/30 SXS CMT. PU to 1201'. Plug # 2: 1201' – 1000' w/16 SXS CMT. PU to 246'.				
Plug # 3: 246' surface w/24 SXS CMT.				
Dig Cellar. Cut off wellhead. Top w/8 SXS CMT. Install dry hole marker.				
RDMOSU. Rig release @ 1800 hrs.				
Surface location turned over to environmental group for surface restoration.				
I hereby certify that the information above is true and complete to the best of my knowledge and belief.				
SIGNATURE TITLE Sr. Regulatory Analyst DATE 09/23/2002				
Type or print name (Mary Corley)  Telephone No. 281-366-4491				
1/				
APPPROVED BY H. VIUNUEUW TITLE DATE  Conditions of approval if any:				

10-24-03