

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTRECEIVED  
SUBMIT IN DUPLICATE  
(Other instructions on reverse side)FORM APPROVED  
OMB NO 1004-0137

Expires: February 28, 1995

SEP 02 2008

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5 LEASE DESIGNATION AND SERIAL NO

NM-42059

6 IF INDIAN, ALLOTTEE OR TRIBE NAME

7 UNIT AGREEMENT NAME

Report to lease

8 FARM OR LEASE NAME, WELL NO

Champ #90S

9 API Well No

30-045-34233-0001

10 FIELD AND POOL, OR WILDCAT

Basin Fruitland Coal

11 SEC., T., R., M., OR BLOCK AND SURVEY  
OR AREA

Unit P

Sec. 5, T23N, R10W

12 COUNTY OR PARISH

San Juan

13 STATE

NM

1 a TYPE OF WELL

OIL

WELL

☐

GAS

WELL

☒

DRY

☐

OTHER

b TYPE OF COMPLETION

NEW

Well

☒

WORK

OVER

☐

DEEP-

EN

☐

PLUG

BACK

☐

DIFF

CENTR

☐

OTHER

2 Name of Operator

Dugan Production Corp.

3 Address and Telephone No

P.O. Box 420, Farmington, NM 87499 (505) 325 - 1821

4 LOCATION OF WELL (Report location clearly and in accordance with any State requirements)\*

At surface 1200' FSL &amp; 800' FEL (SE/4 SE/4)

At top prod interval reported below

same

At total depth

same

14 PERMIT NO

DATE ISSUED

15. DATE SPUDDED

1/15/2008

16 DATE T D REACHED

1/22/2008

17 DATE COMPL

(Ready to prod)

8/27/2008

18 ELEVATIONS (DF, RKB, RT, GR, ETC)\*

6556' GL

19 ELEV CASINGHEAD

20 TOTAL DEPTH, MD &amp; TVD

1120'

21 PLUG BACK T D, MD &amp; TVD

1070'

22 IF MULTIPLE COMPL.,

HOW MANY\*

23. INTERVALS

DRILLED BY

ROTARY TOOLS

TD

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION - TOP, BOTTOM, NAME (MD AND TVD)\*

898'-924' (Fruitland Coal)

no

26 TYPE ELECTRIC AND OTHER LOGS RUN

GR-CNL-CCL

27 WAS WELL CORED

no

28

## CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB / FT	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
8-5/8" J-55	24#	127'	12-1/4"	95 sx Type 5 cement w/2% CaCl2 & 1/4# celloflake/sx	
5-1/2" J-55	15.5#	1110'	7"	60 sx Type 5 cement w/2% Lodense, 2# PhenoSeal & 1/4# celloflake/sx	
				Tail w/50 sx Type 5 cement w/2# PhenoSeal & 1/4# celloflake/sx	
				190 cu ft total slurry	

29

## LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SBT (MD)
					2-3/8"	992'	N/A

## TUBING RECORD

31 PERFORATION RECORD (Interval, size and number)

898'-924' w/4 spf (total 26', 103 holes)

32 ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC

DEPTH INTERVAL (MD)

AMOUNT AND KIND OF MATERIAL USED

898'-924'

46,000 gals DynaFrac gel, 91,000# 20/40 sand

33 \*

## PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping - size and type of pump)	WELL STATUS (Producing or shut in)
N/A	Flowing	Shut in

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL - BBL	GAS - MCF	WATER - BBL	GAS - OIL RATIO
8/27/2008	24	2"		0	30	40	

FLOW TUBING PRESS	CASING PRESSURE	CALCULATED 24 - HOUR RATE	OIL - BBL	GAS - MCF	WATER - BBL	OIL GRAVITY - API (CORR)
2	40		0	30	40	

34 DISPOSITION OF GAS (Sold, used for fuel, vented, etc)

Vented - to be sold

TEST WITNESSED BY


OIL CONS. DIV.

35 LIST OF ATTACHMENTS

DIST. 3

36 I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED



Title

Vice-President


Date

8/28/2008

\*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations or to submit any matter within its jurisdiction

NMOCB



37 SUMMARY OF POROUS ZONES (Show all important zones of porosity and contents thereof cored intervals, and all drill-stem, tests, including depth interval tested on used, time tool open, flowing and shut-in pressures, and recoveries)

38

GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC	NAME	TOP	
					MEAS DEPTH	TRUE VERT DEPTH
				Ojo Alamo	47'	
				Kirtland	130'	
				Fruitland	592'	
				Pictured Cliffs	929'	
				Total Depth	1120'	

2704/2002/20

2704/2002/20