District I

1625 N French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S. St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

July 21, 2008

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinance

environment Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499
Facility or well name: Federal B 1
API Number: 30-045-08923 OCD Permit Number:
U/L or Qtr/Qtr: M(SWSW) Section: 31 Township: 30N Range: 11W County: San Juan
Center of Proposed Design: Latitude: 36.763730' N Longitude: 108.033910' W NAD: X 1927 1983
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
Pett: Subsection F or G of 19.15 17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions L x W x D
Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well X Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVD Other Liner Seams: Welded Factory Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type: Thickness mil HDPE PVC Other
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

·,	Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, instituted from the foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	ition or church,)
7	Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
8	Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC		
9	Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.	leration of appr	oval.
10	Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
	Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes Yes	□No
	 Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Yes NA	No
	Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes NA	∐No
	purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - 1WATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	□No
The second secon	 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. 	☐ Yes ☐ Yes ☐ Yes	□No □No □No
	- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain - FEMA map	Yes	□No

Form C-144 Oil Conservation Division Page 2 of 5

	Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc	
,	Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19	
	Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsecti	
	Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
	Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
	Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
	Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of S	Subsection C of
	19.15.17.9 NMAC and 19.15.17.13 NMAC	
	Previously Approved Design (attach copy of design) API or Permit	
	Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the docu Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Su Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	bsection B of 19.15.17.9
	X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
	X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of S NMAC and 19.15.17.13 NMAC	Subsection C of 19.15.17.9
	Previously Approved Design (attach copy of design) API	
	Previously Approved Operating and Maintenance Plan API	
	13	
3	Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	
,	Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the a	locuments are attached.
	Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC	
	Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
	Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	
	Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC	
	Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
	Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NM	IAC
	Quality Control/Quality Assurance Construction and Installation Plan	
	Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
	Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	$e^{-\frac{1}{2}} f_{i}$
•	Nuisance or Hazardous Odors, including H2S, Prevention Plan	* .
	Emergency Response Plan	1.5 Table
	Oıl Field Waste Stream Characterization	, ,
	Monitoring and Inspection Plan	,
	Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 N	MAC
		IMIT C
	Proposed Closure: 19.15.17.13 NMAC	
	Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
	Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X	Closed-loop System
	Alternative	
	Proposed Closure Method: Waste Excavation and Removal X Waste Removal (Closed-loop systems only)	The state of the s
	X Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)	
•	In-place Burial On-site Trench	
	Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental But	roon for consideration)
		cau for consideration)
	Waste Excavation and Removal Closure Plan Checklist (19 15.17.13 NMAC) Instructions: Each of the following items must Please indicate, by a check mark in the box, that the documents are attached.	at be attached to the closure plan.
	Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.1	7 13 NMAC
	Confirmation Sampling Plan (If applicable) - based upon the appropriate requirements of Subsection F of 19.15.1 Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)	7.13 INIVIAC
	Disposar Facility Name and Ferritt Number (for inquites, drifting fluids and drift cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.1:	5.17.13 NMAC
, ,	Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	1 11
	— — Total and the state of the	
	Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	, .,

Form C-144 Oil Conservation Division

Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above G	round Steel Tanks or Haul-off Bins Only:(19.15 17.13.D NMAC)
Instructions Please identify the facility or facilities for the disposal of liquidation facilities are required.	ds, drilling fluids and drill cuttings Use attachment if more than tw	vo
Disposal Facility Name: Envirotech	Disposal Facility Permit #: NM-01-0011	
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: NM-01-005	
Will any of the proposed closed-loop system operations and associa Yes (If yes, please provide the information No	ated activities occur on or in areas that will nbe used for future	re service and
Required for impacted areas which will not be used for future service and one of the service of the s	he appropriate requirements of Subsection H of 19.15.17.13 of Subsection I of 19 15.17 13 NMAC	NMAC
17 Siting Criteria (Regarding on-site closure methods only: 19.15 17 Instructions Each siting criteria requires a demonstration of compliance in the closis certain siting criteria may require administrative approval from the appropriate distribution for consideration of approval Justifications and/or demonstrations of equivale	ure plan Recommendations of acceptable source material are provided belt rict office or may be considered an exception which must be submitted to the	
Ground water is less than 50 feet below the bottom of the buried water. NM Office of the State Engineer - tWATERS database search, USGS		Yes No
Ground water is between 50 and 100 feet below the bottom of the b	ouried waste	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS		N/A
fround water is more than 100 feet below the bottom of the buried	waste.	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS	s, Data obtained from nearby wells	N/A
In thin 300 feet of a continuously flowing watercourse, or 200 feet of any one as ured from the ordinary high-water mark)	other significant watercourse or lakebed, sınkhole, or playa lake	Yes No
- Topographic map; Visual inspection (certification) of the proposed si	te	
ithin 300 feet from a permanent residence, school, hospital, institution, or - Visual inspection (certification) of the proposed site, Aerial photo; sat	• •	Yes No
Vithin 500 horizontal feet of a private, domestic fresh water well or spring turposes, or within 1000 horizontal fee of any other fresh water well or spr '- NM Office of the State Engineer - iWATERS database; Visual inspec	ing, in existence at the time of the initial application.	Yes No
Vithin incorporated municipal boundaries or within a defined municipal fres ursuant to NMSA 1978, Section 3-27-3, as amended	·	Yes No
 Written confirmation or verification from the municipality, Written application of a wetland US Fish and Wildlife Wetland Identification map, Topographic map; 		Yes No
Vithin the area overlying a subsurface mine.		Yes No
- Written confiramtion or verification or map from the NM EMNRD-M	ining and Mineral Division	
Vithin an unstable area. - Engineering measures incorporated into the design; NM Bureau of Ge	cology & Mineral Resources; USGS; NM Geological Society;	Yes No
Topographic map		Type Chi-
Vithin a 100-year floodplain. FEMA map		Yes No
8 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instruction y a check mark in the box, that the documents are attached.	ons: Each of the following items must bee attached to the c	losure plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the	11	
Proof of Surface Owner Notice - based upon the appropriate	•	
Construction/Design Plan of Burial Trench (if applicable) by		
Construction/Design Plan of Temporary Pit (for in place but		nts of 19.15.17.11 NMAC
Protocols and Procedures - based upon the appropriate required Confirmation Sampling Plan (if applicable) - based upon the		MAC.
Waste Material Sampling Plan - based upon the appropriate	•• • •	. , ,
Waste Material Sampling Plan - based upon the appropriate Disposal Facility Name and Permit Number (for liquids, dril	•	ards cannot be achieved)
Soil Cover Design - based upon the appropriate requirement	•	-
Re-vegetation Plan - based upon the appropriate requirement		1 1 2 2 2 2
Site Reclamation Plan - based upon the appropriate requirem		

	- and a submitted with this approach	tion is true, accurate and complete to the		
Name (Print):	Rhonda Rogers	Title:	Regulatory Technician	
Signature:	home los	Date:	9/16/2008	
e-mail address:	rogerrs@conocophillips	<u>com</u> Telephone:	505-599-4018	
OCD Approval:	Permit Application (including clo		• • •	ttachment) 9-25-08
itle: <u>Eu</u> i	irolspec	OCD P	ermit Number:	
nstructions. Operators a eport is required to be si	e required to obtain an approved clo		osure activities and submitting the clo	
2				
Closure Method: Waste Excavation	and Removal On-site Cl	losure Method Alternative Clos	ure Method Waste Removal	(Closed-loop systems only)
Disposal Faculity Nam Disposal Faculity Nam Were the closed-loop	e:	Disposal Factivities performed on or in areas that will	ılity Permit Number:	
Required for impacted Site Reclamation Soil Backfilling a	areas which will not be used for futual (Photo Documentation) and Cover Installation olication Rates and Seeding Technique.	re service and operations:		
the box, that the docu	ments are attached.	: Each of the following items must be c	ittached to the closure report. Pleas	e indicate, by a check mark in
Proof of Deed N	e Notice (surface owner and divis lotice (required for on-site closure -site closures and temporary pits	e)		
Plot Plan (for of	ampling Analytical Results (if app	•		
Confirmation Salvaste Material Disposal Facility	Sampling Analytical Results (if a v Name and Permit Number	pplicable)		
Confirmation Salvaterial Waste Material Disposal Facilit Soil Backfilling Re-vegetation A Site Reclamatio	y Name and Permit Number and Cover Installation pplication Rates and Seeding Tec n (Photo Documentation)	chnique	nan F	1927
Confirmation S Waste Material Disposal Facilit Soil Backfilling Re-vegetation A Site Reclamatio On-site Closure Perator Closure Cer hereby certify that the in	y Name and Permit Number and Cover Installation pplication Rates and Seeding Techn (Photo Documentation) Location: Latitude:	Chnique Longitude: with this closure report is ture, accura] 1927 [] 1983 wledge and belief: I also certify that
Confirmation S: Waste Material Disposal Facilit Soil Backfilling Re-vegetation A Site Reclamatio On-site Closure perator Closure Centereby certify that the interest of the colosure of the colosure complies with	y Name and Permit Number and Cover Installation pplication Rates and Seeding Techn (Photo Documentation) Location: Latitude:	chnique Longitude:	te and complete to the best of my kno	
Confirmation S: Waste Material Disposal Facilit Soil Backfilling Re-vegetation A Site Reclamatio On-site Closure perator Closure Centereby certify that the in	y Name and Permit Number and Cover Installation pplication Rates and Seeding Techn (Photo Documentation) Location: Latitude:	Chnique Longitude: Longitude: with this closure report is ture, accuration to the approved	te and complete to the best of my kno	

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.