District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 CLEZ

July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: X Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: McElvain Oil & Gas Properties, Inc. OGRID #: 22044
Address: 1050 17th St., Suite 1800, Denver, CO, 80265-1801
Facility or well name: Dewey No. 1S OIL CONS. DIV.
API Number: <u>30-045-34618</u> OCD Permit Number: <u>DIST. 3</u>
U/L or Qtr/Qtr C Section 19 Township 30N Range 13W County: San Juan
Center of Proposed Design: Latitude 36.80298°N Longitude 108.25044°W NAD: 1927 X 1983
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
2. X Closed-loop System: Subsection H of 19.15.17.11 NMAC Operation: X Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) ☐ P&A ☐ Above Ground Steel Tanks or ☐ Haul-off Bins
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC X Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number:
5. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.
Disposal Facility Name: Solids-JFJ Landfarm Disposal Facility Permit Number: 10
Disposal Facility Name: <u>Liquids-Key Four Corners, Inc.</u> Disposal Facility Permit Number: 9
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) X No
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
6. Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Robert E. Fielder Title: Agent
Signature: Robert E. Firld Date: <u>September</u> 23, 2008
e-mail address: pmci@advantas.net Telephone: (505)320-1435

7. OCD Approval: Permit Application (including closure plan) Closure Plan (only)					
OCD Representative Signature:	Approval Date: 9-25-08					
- 12 (Permit Number:					
8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:						
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Ut Instructions: Please indentify the facility or facilities for where the liquids, drilling fluit two facilities were utilized.						
Disposal Facility Name: Dispos	sal Facility Permit Number:					
Disposal Facility Name: Dispos	sal Facility Permit Number:					
Were the closed-loop system operations and associated activities performed on or in areas Yes (If yes, please demonstrate compliance to the items below) No						
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique						
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is belief. I also certify that the closure complies with all applicable closure requirements and						
Name (Print):	tle:					
Signature:	Date:					
e-mail address:	elephone:					

Closed Loop

Operating and Maintenance Procedures

McElvain Oil & Gas Properties, Inc. (MOG)

Dewey No. 1S

I. Design and Construction Specifications

- a. Prior to the start of location levelling, MOG will strip 1-3 inches of topsoil from the pad area and stockpile on the location perimeter, as shown on the attached Wellsite Layout, for future reclamation during final reclamation.
- b. In lieu of a pit sign, MOG will install and maintain a sign on the wellsite in accordance with the provisions of Rule 103.
- c. The proposed depression and steel tank will be fenced on all sides with a four foot hogwire fence installed on steel tee posts since this location is over 1000 feet from the nearest residential building. This fence will be maintained to insure no access by livestock or wildlife as long as there is fluid in the steel tank.
- d. After the location leveling is complete, MOG will construct a 35 ft. long X 15 ft. wide X 3 ft. deep depression with vertical walls to set the steel tank in. This is necessary due to the limited height (3 ft. ± above GL) of the flow nipple of the D & D Services rig we propose to use for this operation. The soil removed for this excavation will be stockpiled on the pad surface between the depression area and corner 5, outside of the fence perimeter. A one foot tall berm, using the excavated soil for material, will be constructed around the perimeter of the depression to prevent run on from entering the depression.
- e. No drying pads or sumps will be used in conjunction with this closed loop system.

II. Operational Plan

- a. MOG will operate and maintain the closed loop system to contain the liquids and solids associated with the drilling phase of this operation, prevent contamination of the fresh water supply and protect the public health and the environment.
- b. MOG will not dispose of or store any hazardous material in this steel tank. All workover and completion fluids associated with flow back or circulation during these operations will be stored in a flow back tank on location.
- c. MOG will monitor the condition of the installed steel tank from the date it is installed until the drilling operation is completed to insure there are no leaks from the steel tank to the depression. Any leak noted will be repaired and reported within 48 hours or in accordance with applicable regulations and procedures in effect at the time.
- d. One foot of freeboard will be maintained in the steel tank while drilling operations are in progress during the day. The liquid level will pulled down to the two feet of freeboard level each evening, before drilling operations are suspended for the night, by


- transferring fluid to the circulating tank. MOG will not discharge any drilling fluids or solids to the depression.
- e. Solids will be removed by vacuum truck from the solids bin of the steel tank as needed during the drilling operation. The solids will be hauled to the JFJ Landfarm, NM permit # 10.
- f. MOG will remove all free liquid from the steel tank and haul it to the circulating fluid tank for the next well or to the Key Four Corners facility, permit # 9 if another well is not planned, immediately upon cessation of the drilling operation. All fluids associated with drilling or workover operations that are accumulated and stored in the flow back tank will be removed within 30 days of cessation of these operations and hauled to the Key Four Corners facility. Accumulated solids in the steel mud tank and the flowback tank will be removed by a vacuum truck and hauled to the JFJ Landfarm as soon as the liquids are removed.
- g. The steel tank will be maintained free of any solid refuse. This will be stored in a trash basket on the location.

III. Closure Plan

- a. MOG will close this closed loop system within 60 days of the release of the drilling rig.
- b. MOG will remove the steel tank as soon as the liquids and solids removal is complete. A sample collection program, in accordance with the closure requirements of 19.15.17.13.B(1)(b)(i) will be initiated as soon as the steel tank is removed of any areas stained by accidental discharge to the depression. The samples will be analyzed and reported in accordance with the regulations.
 - If the testing of the soil meets the quality standards of 19.15.17.13.B(1)(b)(i), shown in the table below, MOG will proceed with reclamation as outlined in c. below.
 - If test results of the soil do not meet the quality standards of 19.15.17.13.B(1)(b)(i), shown in the table below, MOG will consult with the Aztec district office and the applicable closure method determined by this office will be initiated.

Components	Tests Method	Limit (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	2500
GRO/DRO	EPA SW-846 8015M	500
Chlorides	EPA 300.1	1 :000 /500

- c. MOG will use the depression dirt stockpile to provide a compacted fill over the depression area. This area will then be used as part of the producing well pad for future operations. MOG will file the applicable closure report with attachments within 60 days of completion of closure.
- d. The depression area will be re-contoured and seeded to the BLM specifications, contained in the approved permit to drill, at the time of final abandonment.



toe of fill e existing drainage Main Cut trees to 18' lengths Haul to road area at top of hill Drainage Thank U mam Stumps and slash pushed to toe of fill and covered with fill dirt. Drain ditch below cut slope New access C8 @ wellstake F28 Round 3 In 20 ft to keep fill to less than 20 ft. Edge of canyon rimrock Hi wall cut slope on initial construction Contour to 31 at final clean up.

Drain berm/ditch above cut slope

Round Corner 2 In to keep

Scale: 1 Inch = 60 feet

McElvain Oil & Gas Properties, Inc.

Wellsite Layout

Dewey No. 1S

1101' FNL & 473' FWL
Section 19, T30N, R13W, NMPM
San Juan Co., New Mexico

DISTRICT-1 . 1625 N. French Dr., Hobbs, N.M. 88240

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

DISTRICT II 1301 W. Grand Avenue, Artesia, N.M. 88210

DISTRICT III 1000 Rio Brezos Rd., Aztec, N.M. 87410

Dedicated Acres

259.19 Acres - (N/2)

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit to Appropriate District Office State Lease — 4 Copies Fee Lease — 3 Copies

AMENDED REPORT

Date

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT


API Number Pool. Code				1	Pool Name FRUITLAND COAL				
Property C	Property Code Property Name DEWEY				•	Well Number			
OGRID No.)	*Operator Name McELVAIN OIL AND GAS PROPERTIES, INC.						^o Elevation 5746°	
					10 Surface	Location			
UL or lot no.	Section, 19	Township 30N	Range 1/3W	Lot Idn	Feet from the	North/South line	Feet from the	East/West line WEST	County SAN JUAN
			ii Bott	om Hole	Location I	f Different Fr	om Surface		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

15 Order No.


Consolidation Code

18 Joint or infill



Aerial Map







McElvain Well & 300' Radius

Aerial Source-NM Resource Geographic Information System Program made available by the Univ. of NM and the State of NM.

State of NM.
2005-2006 vintage Digital Orthophoto
Quarter-Quadrangles were derived
from the NM Statewide
Orthophotography Project source
imagery flown at 35,000' above average
ground.



USGS Topographic Map





O McElvain Well & 300' Radius

McElvain Well & 200' Radius

