

District I
1625 N. French Dr., Hobbs NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87504-2088

Form C-102

Revised October 12, 2005

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

RCVD OCT 6 '08
AMENDED REPORT
OIL CONS. DIV.

WELL LOCATION AND ACREAGE DEDICATION PLAT

DIST. 3

1 API Number 32-045-34656 & 96175		2 Pool Code 96175		3 Pool Name Bosa Pictured Cliff	
4 Property Code NEBU		5 Property Name		6 Well Number # 255H	
7 OGRID No. 6137		8 Operator Name Devon Energy Production Company, L.P.		9 Elevation 6431	

10 Surface Location


UL or Lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	6	31 N	6 W		420	SOUTH	205	WEST	SAN JUAN

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	7	31 N	6 W		1932	NORTH	1951	WEST	SAN JUAN

12 Dedicated Acres	13 Joint or Infill	14 Consolidation Code	15 Order No.

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Hattie Lam 10-6-08
Signature Date
Hattie Lam 10-6-08
Printed Name

18 SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

(Sept. 16, 2008 as drilled) Revised: Oct. 6, 2008

Restaked March 25, 2008

Date of Survey

Signature and Seal of Professional Surveyor



7016

Certificate Number

(R) - GLO Record

30-045-34656



Job Number:
 Company: Devon Energy
 Lease/Well: NEBU 255H
 Location: San Juan County
 Rig Name:
 RKB:
 G.L. or M.S.L.:

State/Country: NM
 Declination:
 Grid:
 File name: J:\CUST08~1\SURVEYS\DEVON\08218.SVY
 Date/Time: 26-Aug-08 / 09:41
 Curve Name: As Drilled

Inwell Inc

WINSERVE SURVEY CALCULATIONS
 Minimum Curvature Method
 Vertical Section Plane 143.40
 Vertical Section Referenced to Wellhead
 Rectangular Coordinates Referenced to Wellhead

RCVD SEP 19 '08

OIL CONS. DIV.

DIST. 3

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	CLOSURE Distance FT	Direction Deg	Dogleg Severity Deg/100
.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
2215.00	.00	.00	2215.00	.00	.00	.00	.00	.00	.00
2245.00	1.40	21.20	2245.00	.34	.13	-.20	.37	21.20	4.67
2275.00	1.90	21.20	2274.98	1.15	.44	-.66	1.23	21.20	1.67
2306.00	1.90	60.50	2305.97	1.88	1.08	-.87	2.17	29.84	4.12
2338.00	2.90	99.90	2337.94	2.00	2.34	-.21	3.08	49.43	5.85
2369.00	5.20	118.70	2368.86	1.19	4.34	1.63	4.50	74.65	8.47
2398.00	7.60	124.80	2397.68	-.53	7.07	4.64	7.09	94.32	8.59
2429.00	10.20	127.20	2428.31	-3.36	10.94	9.22	11.45	107.09	8.47
2460.00	12.40	133.80	2458.70	-7.33	15.53	15.14	17.17	115.26	8.22


Filed amended "As Drilled" plat
 & 3/60-4 for Corr. producing interval

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	C L O S U R E		Dogleg Severity Deg/100
							Distance FT	Direction Deg	
Start MWD Surveys									
2492.00	14.20	137.80	2489.85	-12.61	20.65	22.44	24.20	121.42	6.31
2523.00	15.70	141.80	2519.80	-18.73	25.80	30.41	31.88	125.98	5.87
2555.00	16.50	143.90	2550.54	-25.80	31.15	39.29	40.45	129.64	3.09
2586.00	17.80	146.00	2580.16	-33.29	36.39	48.42	49.32	132.45	4.64
2617.00	19.20	147.40	2609.56	-41.51	41.79	58.24	58.90	134.81	4.74
2648.00	20.80	147.10	2638.69	-50.43	47.53	68.82	69.29	136.70	5.17
2679.00	22.30	147.10	2667.52	-59.99	53.71	80.18	80.52	138.16	4.84
2710.00	24.30	147.30	2695.99	-70.29	60.35	92.42	92.65	139.35	6.46
2742.00	27.00	148.10	2724.84	-82.00	67.75	106.23	106.37	140.44	8.51
2773.00	29.90	149.00	2752.09	-94.60	75.45	120.93	121.01	141.43	9.46
2804.00	32.40	149.60	2778.62	-108.39	83.63	136.88	136.91	142.35	8.13
2835.00	35.20	149.80	2804.38	-123.28	92.33	154.02	154.02	143.17	9.04
2864.00	37.90	149.90	2827.67	-138.21	101.00	171.18	171.19	143.84	9.31
2895.00	40.30	149.80	2851.73	-155.12	110.82	190.61	190.64	144.46	7.74
2927.00	42.90	149.30	2875.65	-173.43	121.59	211.73	211.81	144.97	8.19
2958.00	45.50	148.20	2897.88	-191.90	132.81	233.24	233.37	145.31	8.74
2990.00	47.70	147.10	2919.86	-211.54	145.25	256.43	256.61	145.53	7.31
3021.00	49.90	146.40	2940.28	-231.04	158.04	279.71	279.92	145.63	7.30
3051.00	52.60	145.30	2959.06	-250.40	171.18	303.09	303.32	145.64	9.44
3082.00	56.00	143.80	2977.14	-270.90	185.78	328.25	328.48	145.56	11.65
3113.00	59.60	142.00	2993.66	-291.81	201.61	354.47	354.68	145.36	12.61
3144.00	63.20	141.10	3008.50	-313.12	218.53	381.67	381.84	145.09	11.89
3180.00	67.20	141.00	3023.60	-338.53	239.07	414.32	414.44	144.77	11.11
3205.00	70.70	141.00	3032.57	-356.66	253.75	437.63	437.72	144.57	14.00
3237.00	71.50	141.10	3042.94	-380.21	272.78	467.88	467.94	144.34	2.52
3329.00	71.20	141.30	3072.36	-448.14	327.40	554.98	555.00	143.85	.39
3423.00	70.10	141.30	3103.51	-517.35	382.86	643.61	643.61	143.50	1.17
3515.00	69.40	142.80	3135.35	-585.41	435.94	729.90	729.90	143.33	1.71

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	C L O S U R E		Dogleg Severity Deg/100
							Distance FT	Direction Deg	
3609.00	71.40	142.20	3166.88	-655.66	489.84	818.43	818.44	143.24	2.21
3703.00	71.80	142.50	3196.55	-726.28	544.33	907.61	907.62	143.15	.52
3797.00	73.10	143.50	3224.90	-797.86	598.26	997.23	997.24	143.14	1.72
3891.00	73.00	143.60	3252.30	-870.10	651.68	1087.15	1087.16	143.17	.15
3984.00	73.70	143.80	3278.95	-941.99	704.43	1176.25	1176.25	143.21	.78
4078.00	72.40	144.00	3306.35	-1014.64	757.41	1266.16	1266.16	143.26	1.40
4170.00	73.10	144.00	3333.63	-1085.72	809.05	1354.01	1354.02	143.31	.76
4268.00	71.90	143.10	3363.10	-1160.90	864.58	1447.48	1447.48	143.32	1.51
4337.00	72.20	146.90	3384.37	-1214.66	902.22	1513.08	1513.08	143.40	5.26
4368.00	73.10	146.80	3393.62	-1239.44	918.40	1542.61	1542.61	143.46	2.92
4398.00	74.10	145.80	3402.09	-1263.38	934.36	1571.35	1571.36	143.51	4.62
4429.00	76.30	143.90	3410.01	-1287.88	951.62	1601.31	1601.32	143.54	9.25
4460.00	79.20	142.10	3416.58	-1312.07	969.85	1631.60	1631.61	143.53	10.94
4519.00	82.40	141.20	3426.02	-1357.74	1005.98	1689.81	1689.81	143.46	5.63
4551.00	85.90	140.80	3429.28	-1382.47	1026.01	1721.61	1721.61	143.42	11.01
4585.00	89.00	139.80	3430.79	-1408.60	1047.71	1755.52	1755.52	143.36	9.58
4617.00	92.20	139.90	3430.46	-1433.06	1068.34	1787.45	1787.46	143.30	10.00
4648.00	93.00	139.90	3429.05	-1456.74	1088.29	1818.36	1818.37	143.24	2.58
4679.00	93.40	140.00	3427.32	-1480.44	1108.20	1849.26	1849.27	143.18	1.33
4773.00	92.00	141.20	3422.89	-1552.99	1167.80	1943.04	1943.07	143.06	1.96
4867.00	92.70	142.50	3419.04	-1626.85	1225.81	2036.92	2036.97	143.00	1.57
4960.00	91.90	144.40	3415.30	-1701.49	1281.15	2129.84	2129.89	143.02	2.22
5054.00	90.20	145.50	3413.58	-1778.43	1335.12	2223.79	2223.82	143.10	2.15
5149.00	91.20	145.80	3412.42	-1856.86	1388.72	2318.70	2318.72	143.21	1.10
5242.00	89.00	144.90	3412.26	-1933.36	1441.59	2411.64	2411.65	143.29	2.56
5334.00	89.70	144.90	3413.30	-2008.62	1494.49	2503.61	2503.61	143.35	.76
5427.00	91.20	144.80	3412.57	-2084.66	1548.03	2596.57	2596.57	143.40	1.62
5521.00	90.30	143.50	3411.34	-2160.84	1603.07	2690.55	2690.55	143.43	1.68
5614.00	88.80	143.40	3412.07	-2235.55	1658.45	2783.55	2783.55	143.43	1.62

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	C L O S U R E		Dogleg Severity Deg/100
							Distance FT	Direction Deg	
5711.00	89.60	142.90	3413.43	-2313.16	1716.62	2880.53	2880.53	143.42	.97
Projected to Bit									
5760.00	89.60	142.90	3413.77	-2352.24	1746.18	2929.53	2929.53	143.41	.00

Company: Devon Energy
 Lease/Well: NEBU 255H
 Location: San Juan County



COPY

D & J DRILLING, LLC
P. O. BOX 49
FARMINGTON, NM 87499

DATE: 08/29/08

TO: DEVON ENERGY CORPORATION
P. O. BOX 1678
OKLAHOMA CITY, OK 73101-1678

ATTN: MR. JEFF WILLIFORD

THIS LETTER IS TO CERTIFY THAT D & J DRILLING, DID RUN DEVIATION SURVEYS AT
THE LISTED DEPTH ON YOUR NEBU #255H, IN SEC06-T31N-R06W, IN SAN JUAN COUNTY,
NEW MEXICO. API WELL NUMBER - 30-045-34656

DEPTH	DEGREE DEVIATION
290'	1/4
784'	3/4
1284'	1
1284'	1


RCVD SEP 19 '08

OIL CONS. DIV.

DIST. 3

TO THE BEST OF MY KNOWLEDGE, I SWEAR THIS INFORMATION TO BE TRUE.

STATE OF NEW MEXICO
COUNTY OF SAN JUAN


NOTARY PUBLIC, L. NANETTE RAHM

SINCERELY,


OWNER/PARTNER- CLARENCE D. KEENOM



09/02/2008 11:15AM (GMT-05:00)