

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTSUBMIT IN DUPLICATE
(See other instructions on reverse side)FOR APPROVED
OMB NO. 1004-0137

Expires: December 31, 1991

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL:		OIL WELL <input type="checkbox"/>	GAS WELL <input checked="" type="checkbox"/>	DRY <input type="checkbox"/>	Other <input type="checkbox"/>		
b. TYPE OF COMPLETION:		NEW WELL <input checked="" type="checkbox"/>	WORK OVER <input type="checkbox"/>	DEEP. EN <input type="checkbox"/>	PLUG BACK <input type="checkbox"/>	DIFF. RESVR <input type="checkbox"/>	Other <input type="checkbox"/>
2. NAME OF OPERATOR		BURLINGTON RESOURCES OIL & GAS COMPANY				7. UNIT AGREEMENT NAME San Juan 29-7 Unit	
3. ADDRESS AND TELEPHONE NO.		PO Box 4289, Farmington, NM 87499 (505) 326-9700				8. FARM/LEASE NAME, WELL NO. San Juan 29-7 Unit #189	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*		At surface 770'FNL, 320'FWL				9. API WELL NO. 30-039-27313	
At top prod. interval reported below						10. FIELD AND POOL, OR WILDCAT Basin FTC/Blanco PC	
At total depth						11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA Sec. 14, T-29-N, R-7-W	
14. PERMIT NO.		DATE ISSUED		12. COUNTY OR PARISH Rio Arriba		13. STATE New Mexico	
15. DATE SPUDDED 6/25/03	16. DATE T.D. REACHED 7/30/03	17. DATE COMPL. (Ready to prod.) 10/17/03		18. ELEVATIONS (DF, RKB, RT, BR, ETC.)* 6235' GR, 6247' KB		19. ELEV. CASINGHEAD	
20. TOTAL DEPTH, MD & TVD 3375'		21. PLUG, BACK T.D., MD & TVD 3325'		22. IF MULTIPLE COMPL., HOW MANY* 2		23. INTERVALS DRILLED BY 0-3375'	
24. PRODUCTION INTERVAL (S) OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)* 2814-3051' Fruitland Coal Commingled w/Pictured Cliffs		25. WAS DIRECTIONAL SURVEY MADE No		26. TYPE ELECTRIC AND OTHER LOGS RUN SD-DSN-DR, HRI		27. WAS WELL CORED No	
28. CASING RECORD (Report all strings set in well)							
CASING SIZE/GRADE		WEIGHT, LB./FT.		DEPTH SET (MD)		HOLE SIZE	
7" J-55		20#		137'		9 7/8"	
4 1/2" J-55		10.5#		3371'		6 1/4"	
29. LINER RECORD							
SIZE		TOP (MD)		BOTTOM (MD)		SACKS CEMENT*	
30. TUBING RECORD							
SIZE		TOP (MD)		BOTTOM (MD)		SACKS CEMENT*	
2 3/8"				3139'			
31. PERFORATION RECORD (Interval, size and number)							
2814-2816', 2882-2885', 2998-3000', 3007-3014', 3020-3022', 3027-3038', 3044-3047', 3047-3051' w/44 0.32" diameter holes							
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.							
DEPTH INTERVAL (MD)				AMOUNT AND KIND OF MATERIAL USED			
2814-3051'				511 bbl 20# linear gel, 80,000# 20/40 Arizona sd			
				344,000 SCF N2			
33. PRODUCTION							
DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing				WELL STATUS (Producing or shut-in) SI	
DATE OF TEST 10/17/03		HOURS TESTED 1		CHOKE SIZE 2"		PROD'N FOR TEST PERIOD OIL-BBL 606 MCF/D Pitot Gauge	
FLOW. TUBING PRESS. SI 353		CASING PRESSURE SI 389		CALCULATED 24-HOUR RATE OIL-BBL 606 MCF/D		WATER-BBL GAS-MCF WATER-BBL	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) To be sold							
35. LIST OF ATTACHMENTS None							
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records							

SIGNED Amy Ottomano TITLE Senior Staff Specialist

DATE 10/20/03

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department of agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOC

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, ETC.
Ojo Alamo	2140'	2296'	White, cr-gr ss.
Kirtland	2296'	2812'	Gry sh interbedded w/tight, gry, fine-gr ss.
Fruitland	2812'	3067'	Dk gry-gry carb sh, coal, grn silts, light-med gry, tight, fine gr ss.
Pictured Cliffs	3067'	3196'	Bn-Gry, fine grn, tight ss.
Lewis	3196'	3375'	Shale w/siltstone stringers

38.

GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Ojo Alamo	2140'	
Kirtland	2296'	
Fruitland	2812'	
Pic.Cliffs	3067'	
Lewis	3196'	