
... Submit 3 Copies to Appropriate District Office District 1

State of New Mexico Energy, Minerals and Natural Resources

1625 N. French Dr., Hobbs, NM 8 OIL CONSERVATION DIVISION	
<u>District II</u> 1220 South St. Francis Dr.	WELL API NO
1301 W. Grand Ave, Artesia, NM Santa Fe, New Mexico 87505	30-045-07994 5. Indicate type of Lease
District III 1000 Rio Brazos Rd , Aztec, NM 87410	STATE FEE X
District IV 1220 S. St. Francis Dr., Santa Fe, NM	6. State Oil & Gas Lease No. DOIN GOT TO WILL
87505	KWIII IV VI
	OIL CONS. DIV.
SUNDRY NOTICES AND REPORTS ON WELLS	NST. 3
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT"	7. Lease Name or Unit Agreement Name
(FORM C-101) FOR SUCH PROPOSALS.)	Valdez
	8. Well No.
1. Type of Well Gas Well X Other	9 OGRID Number
2. Name of Operator	1
El PamCo, Inc.	006834
3 Address of Operator P. O. Box 14738, Albuquerque, NM 87191	10 Pool name or Wildcat Aztec Fruitland
4 Well Location	Aztet Fi ultianu
Unit Letter I : 1710 feet from the South line and	1110 feet from the East line
Section 24 Township 29N Range 11W	NMPM County
11. Elevation (Show whether DR, RKB, RT, C 5570' KB	GR, etc)
12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING	
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS P AND A PULL OR ALTER CASING MULTIPLE COMPL CASING /CEMENT JOB	
DOWNHOLE COMMINGLE	
OTHEROTHER	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting	
any proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.	
El Pamco, Inc. proposes to plug and abandon the subject well as follows: 1. Set CIBP at 1500', pressure test casing to 500 psi and cap with 100' plug from 1400' to 1500'.	
2. Place 400' plug from 350' to 750'.	
3. Place 200' plug from 200' to surface.	
4. Cut off wellhead, erect dry hole marker, remove equipment, and clean location.	
· S	
Spud Date: Rig Release Date:	
I hereby certify that the information above is true and complete to the best of my knowle	dge and belief.
Dia Mach	
SIGNATURE WILL JULIAN TITLE V.P. DATE 10-9-08	
Type or print name William J. Mayhaw E-mail address: B.116 m Hayaland PHONE: 505-296-5508	
For State Use Only	
Deputy Oil & Gas Inspector, OCT 2 1 2000	
APPROVED BY: Deputy Off & Gas hispector, OCT 2 1 2008	
AFFROVEDBY. DATE	
Conditions of Approval (If any):	

Valdez No.1 (As Is)

1710' FSL, 1110' FEL Sec. 24, T29N, R11W



Valdez No.1 (Proposed)

1710' FSL, 1110' FEL Sec. 24, T29N, R11W

8 5/8", 24# CSA 125'
CMT W/ 100 SX CMT

Plug from 0' to 200'

Plug trom 350' to 750'

Plug trom 1400' to 1500'
Set CIBP at 1500'
1510'
Aztec Fruitland
1542'

5 1/2", 14#

CASING SET AT 1575'
W/ 150 SX CMT