District I

1625 N French Dr., Hobbs, NM 88240

1301 W. Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade

tanks, submit to the appropriate NMOCD District Office.

Form C-144

July 21, 2008

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

Derator: Burli	ngton Resources Oil & G	as Company, LP		OGRID#: 14538	 	
	ox 4289, Farmington, NM					
	name: San Juan 30-6 Uni					
API Number:	30-039-	25636	OCD Permit Nu	mber:		
J/L or Qtr/Qtr:	C(NENW) Section:	27 Township: 30	– N Range:	6W County: I	Rio Arriba	
	ed Design: Latitude:	36.788390' N		107.453470' W	NAD: X 1927	1983
urface Owner:	X Federal	State Private	Tribal Trust or In			
Pit: Subsect Temporary: Permanent Lined String-Reinfo	ction F or G of 19.15.17.11 Nl Drilling Workover Emergency Cavitatic Unlined Liner typorced	on P&A	mil	HDPE PVC	Other	
Liner Seams:	Welded Factory	Other	Volume:	bbl Dimensions L	x Wx D) <u> </u>
X Closed-loo Type of Operation		f 19.15.17.11 NMAC ng a new well X Workov notice o	rer or Dulling (Applie	es to activities which requi	re prior approval of a per	mit or
Drying Pace Lined Liner Seams:	d X Above Ground Stee Unlined Liner type: Welded Factory	Tanks Haul-off Bin Thickness r Other		HDPE PVD C	RECF	\$78070 \$\frac{1}{2}
Below-grad	de tank: Subsection I of 19.	15.17.11 NMAC Type of fluid:			off 25222	2008
Tank Construction	on material:				/c.2	-3
Secondary co	ontainment with leak detection		, liner, 6-inch lift and	automatic overflow shut-o	2223 ₂₄ Bo	12026
Visible side Liner Type:	ewalls and liner m	Visible sidewalls only Lil	Other Other			
	ve Method: exception request is required.	Exceptions must be submitt	ed to the Santa Fe En	vironmental Bureau office	for consideration of appr	roval.

Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institu	ution or churc	h)
Four foot height, four strands of barbed wire evenly spaced between one and four feet	, •	
Alternate. Please specify		
7		
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
Simus Cobaction Co-610 15 17 11 NMAC		
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19.15.3.103 NMAC		
9		·····
Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for considerations and the santa Fe Environmental Bure	deration of app	oroval.
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
Siting Criteria (regarding permitting) 19.15.17.10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the		
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for	r	
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells	Yes	L
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake		
(measured from the ordinary high-water mark).		_
- Topographic map; Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	· []Yes	
application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)		
Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	. L	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	Г
(Applied to permanent pits)	∏ _{NA}	
Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.		
NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	
adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality, Written approval obtained from the municipality	. ,	
Within 500 feet of a wetland.	Yes	
US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	_	
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	L
Within an unstable area.	Yes	
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological		
Society; Topographic map	□ v	
Within a 100-year floodplain	Yes	L
	<u>'61</u> 	
Form C-144 Oil Conservation Division Page	2 of 5	
Tage	5.00	
sign for the months of the control		

ć	Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15:17.9 NMAC						
;	Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.						
4	Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC						
;	· 🔲	Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9					
3	Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC						
1	Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC						
1	Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC						
ı	Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of						
-	ـــا	19.15.17.9 NMAC and 19.15.17.13 NMAC					
	$\overline{}$	viously Approved Design (attach copy of design) API or Permit					
į		The state of the s					
Ì	12 Closed	d-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC					
		tions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached					
		Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9					
		Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC					
		Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC					
	=	Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
	=						
		Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9					
	_	NMAC and 19.15.17.13 NMAC					
	Pre	viously Approved Design (attach copy of design) API					
	Pre	viously Approved Operating and Maintenance Plan API					
	Perma	anent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC					
1	Instruc	tions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
		Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC					
-	Ħ	Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
,	· H	Climatological Factors Assessment					
í	一	Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC					
-		Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC					
,	=	Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC					
		Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC					
j		Quality Control/Quality Assurance Construction and Installation Plan					
χ,	H	Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
		Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
. `		Nuisance or Hazardous Odors, including H2S, Prevention Plan					
ı	•	Emergency Response Plan					
	Ħ	Oil Field Waste Stream Characterization					
	· H	Monitoring and Inspection Plan					
,		Erosion Control Plan					
		Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
1							
	14 Propo	sed Closure: 19.15.17.13 NMAC					
	Instruc	tions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
	Type:	Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System					
,		Alternative					
	Propos	sed Closure Method: Waste Excavation and Removal					
	(a)51.	X Waste Removal (Closed-loop systems only)					
,		On-site Closure Method (only for temporary pits and closed-loop systems)					
**	- 1	In-place Burial On-site Trench					
1	· ,	Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
5							
,	15 Weste	Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.					
,		indicate, by a check mark in the box, that the documents are attached.					
'	, <u>'</u>	Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
,		Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
,	, \ <u> </u>	Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)					
	9, ===	Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
7	. 14,	Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
1	. ==	· · · · · · · · · · · · · · · · · · ·					
-	Ш	Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15.17.13 D NMAC) Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two					
facilities are required	, and the second				
Disposal Facility Name: Envirotech		The same of the sa			
Disposal Facility Name: Basin Disposal Facility					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will nbe used for future service and Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements or					
Site Reclamation Plan - based upon the appropriate requirement	s of Subsection G of 19 15 17 13 NMAC				
17					
Siting Criteria (Regarding on-site closure methods only: 19 15.17.1					
Instructions Each siting criteria requires a demonstration of compliance in the closure certain siting criteria may require administrative approval from the appropriate distric					
office for consideration of approval Justifications and/or demonstrations of equivalence					
Ground water is less than 50 feet below the bottom of the buried was	te.	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS	Data obtained from nearby wells	□N/A			
Ground water is between 50 and 100 feet below the bottom of the bur	ried waste	☐Yes ☐No			
- NM Office of the State Engineer - iWATERS database search; USGS, I	Data obtained from nearby wells				
Ground water is more than 100 feet below the bottom of the buried w	vaste	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; I					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any oth (measured from the ordinary high-water mark).	er significant watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or c	hurch in existence at the time of initial application.	Yes No			
- Visual inspection (certification) of the proposed site; Aerial photo, satell	lite image				
	, •	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that purposes, or within 1000 horizontal fee of any other fresh water well or spring					
- NM Office of the State Engineer - iWATERS database; Visual inspection	• •	1. P			
Within incorporated municipal boundaries or within a defined municipal fresh	water well field covered under a municipal ordinance adopted	Yes No			
pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written app	royal obtained from the municipality	· ·			
Within 500 feet of a wetland	are management	Tyes TNo			
- US Fish and Wildlife Wetland Identification map; Topographic map, V	isual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine.		Yes No			
-Written confiramtion or verification or map from the NM EMNRD-Min	ing and Mineral Division				
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geol	one & Minaral Decourage USCS: NM Conlocial Society	Yes No			
Topographic map	ogy & Milicial Resources, 0303, NW Geological Society,	Al and			
Within a 100-year floodplain.		Yes No			
FEMA map		of September 5			
. 18					
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instruction. by a check mark in the box, that the documents are attached.	s: Each of the following items must bee attached to the cl	osure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the a	ppropriate requirements of 19.15.17.10 NMAC	}			
Proof of Surface Owner Notice - based upon the appropriate re					
Construction/Design Plan of Burial Trench (if applicable) base	ed upon the appropriate requirements of 19.15.17.11 NMA	c			
Construction/Design Plan of Temporary Pit (for in place buria	•	P ==			
Protocols and Procedures - based upon the appropriate require	ments of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the a	ppropriate requirements of Subsection F of 19.15.17.13 N	MAC			
Waste Material Sampling Plan - based upon the appropriate re	quirements of Subsection F of 19.15.17.13 NMAC.	1 State of the sta			
Disposal Facility Name and Permit Number (for liquids, drilling	ng fluids and drill cuttings or in case on-site closure standar	rds cannot be achieved)			
Soil Cover Design - based upon the appropriate requirements		Line of the special states of the special st			
Re-vegetation Plan - based upon the appropriate requirements Site Reclamation Plan - based upon the appropriate requirements					

Form C-144 Oil Conservation Division Page 4 of 5

?"19					
Operator Application (
10.45	ormation submitted with this application is true, acc				~
Name (Print):	Rhonda Rogers	Title:	Regulatory Technician	The state of the s	· ·
Signature:	Ellond - loves	Date:	10/3/2008	<u> </u>	
e-mail address:	rogerrs@conocophillips.com	Telephone:	505-599-4018		
20 OCD Approval: S OCD Representative S	Permit Application (including closure plan)	Closure Plan (only)	`	achment) 11-3-08	_
Title: En	siro/spec	OCD Peri	nit Number:	and the same of th	_
Instructions: Operators are report is required to be sub	red within 60 days of closure completion): So required to obtain an approved closure plan prior mitted to the division within 60 days of the completible been obtained and the closure activities have been obtained and the closure activities.	to implementing any closus ion of the closure activities completed	e activities and submitting the clos	•	=
Closure Method: Waste Excavation	and Removal On-site Closure Method approved plan, please explain.	Alternative Closure	Method Waste Removal (0	Closed-loop systems only)	
, 23					
Instructions: Please identifier utilized. Disposal Facility Name Disposal Facility Name Were the closed-loop sy Yes (If yes, please Required for impacted of Site Reclamation (I	: vstem operations and associated activities performed demonstrate complilane to the items below) ureas which will not be used for future service and o Photo Documentation) d Cover Installation	Disposal Facility Disposal Facility Disposal Facility On or in areas that will not	gs were disposed. Use attachment Permit Number: Permit Number:	if more than two facilities	
	lication Rates and Seeding Technique				·
the box, that the docume Proof of Closure Proof of Deed No	achment Checklist: Instructions: Each of the forments are attached. Notice (surface owner and division) office (required for on-site closure) -site closures and temporary pits)	ollowing items must be atta	•	indicate, by a check mark in	,
Confirmation San Waste Material S Disposal Facility	mpling Analytical Results (if applicable) sampling Analytical Results (if applicable) Name and Permit Number				•
y · ==	and Cover Installation oplication Rates and Seeding Technique				
Site Reclamation	(Photo Documentation)				,
On-site Closure I	Location: Latitude:	Longitude:	NAD	1927 [1983	, , <u>.</u>
			•	1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	
	ification: commation and attachments submitted with this closus applicable closure requirements and conditions s			ledge and belief. I also cert	
Name (Print):		Title:		*	
Signature:		Date:			
e-mail address:		Telephone:			

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.