1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S St. Francis Dr , Santa Fe, NM 87505

Type of action:

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

ł	Q8Q	
١	809	

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method

Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oil & Gas Company, LP Address: PO Box 4289, Farmington, NM 87499 OGRID#: 14538
Facility or well name: Mexico Federal N 1
API Number: 30-045-08332 OCD Permit Number:
U/L or Qtr/Qtr: F(SENW) Section: 15 Township: 29N Range: 11W County: Rio Arriba Center of Proposed Design: Latitude: 36.727780' N Longitude: 107.981870' W NAD: X 1927 1983 Surface Owner: Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions L x W x D
Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well X Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type: Thickness mil HDPE PVC Other
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Form C-144

Oil Conservation Division

Page 1 of 5

(* north half of UL'F' is Fed surf: south half is Private)

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hosp Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	pital, institu	tion or church)
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	e for consid	eration of appr	oval.
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		,	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		Yes	□No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or play (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	a lake	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		☐ Yes ☐ NA	□No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		☐Yes ☐NA	□No
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock was purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	atering	Yes	□No
NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality. Written approval obtained from the municipality		Yes	□No
Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed	site	Yes	□No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		∐Yes	□No
Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geology & Society; Topographic map	ogical	∐Yes	∐No
Within a 100-year floodplain FEMA map		Yes	∐No

		orary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19.15.17.9 NMAC
l	i —	tions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
	. =	Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
١	==	Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
I		Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
	1 1	Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Į	. =	Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
	, —	Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
1	r	viously Approved Design (attach copy of design) API or Permit
		Violisiy Appiloved Design (attach copy of design) Art on remint
	Instruct	H-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC tions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Į	🗆 :	Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
١	X	Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
		Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
		Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
	Prev	viously Approved Design (attach copy of design) API
		viously Approved Operating and Maintenance Plan API
1	- 13 ,	
	1 2 "	nent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
٤		tions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
		Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
	l 🗆 :	Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
		Climatological Factors Assessment .
١	🔲 '	Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
	. =	Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
,	. =	Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
,	l ——	Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
	_	Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
	. =	Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
	, <u> </u>	Nuisance or Hazardous Odors, including H2S, Prevention Plan
,		Emergency Response Plan
ı		Oil Field Waste Stream Characterization
		Monitoring and Inspection Plan
	_	Erosion Control Plan
	L	Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
I	, 14,	
		sed Closure: 19.15.17.13 NMAC tions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
	Type:	Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System
		Alternative
	Propos	ed Closure Method: Waste Excavation and Removal
	35	X Waste Removal (Closed-loop systems only)
l		On-site Closure Method (only for temporary pits and closed-loop systems)
1	1	In-place Burial On-site Trench
	L_	Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Ì	15	
-		Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
,	7 1	indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
		Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
	_	Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
		Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
	1. =	Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
1,		Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
	. –	

Form C-144 Orl Conservation Division Page 3 of 5

] 16-		
Waste Removal Closure For Closed-loop Systems That Utilize Above Groun Instructions. Please identify the facility or facilities for the disposal of liquids, dr	d Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)
facilities are required.	uting fluids and artif cuttings. Use attachment if more than tw	, · ·
Disposal Facility Name: Envirotech	Disposal Facility Permit #: NM-01-0011	
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: NM-01-005	5 6 - 5 1 6 1 5 6 - 5 1 6 1
Will any of the proposed closed-loop system operations and associated a Yes (If yes, please provide the information No		re service and
Required for impacted areas which will not be used for future service and operated Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Signature Site Reclamation Plan - based upon the appropriate requirements of Signature Reclamation Plan - based upon the appropriate requirements of Signature Reclamation Plan - based upon the appropriate requirements of Signature Reclamation Plan - based upon the appropriate requirements of Signature Reclamation Plan - based upon the appropriate requirements of Signature Reclamation Plan - based upon the appropriate requirements of Signature Reclamation Plan - based upon the appropriate requirements of Signature Reclamation Plan - based upon the appropriate requirements of Signature Reclamation Plan - based upon the appropriate requirements of Signature Reclamation Plan - based upon the appropriate requirements of Signature Reclamation Plan - based upon the appropriate requirements of Signature Reclamation Plan - based upon the appropriate requirements of Signature Reclamation Plan - based upon the appropriate requirements of Signature Reclamation Plan - based upon the appropriate requirements of Signature Reclamation Plan - based upon the appropriate requirements of Signature Reclamation Plan - based upon the appropriate requirements of Signature Reclamation Plan - based upon the appropriate Reclamation Plan	propriate requirements of Subsection H of 19.15.17.13 ubsection I of 19 15 17 13 NMAC	NMAC .
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 N Instructions Each siting criteria requires a demonstration of compliance in the closure pla certain siting criteria may require administrative approval from the appropriate district off office for consideration of approval Justifications and/or demonstrations of equivalency as	in Recommendations of acceptable source material are provided bela fice or may be considered an exception which must be submitted to the	ow Requests regarding changes to Santa Fe Environmental Bureau
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No
- NM Office of the State Engineer - iWATERS database search; USGS: Dat	ta obtained from nearby wells	N/A
Ground water is between 50 and 100 feet below the bottom of the buried	1 wasta	Yes No
- NM Office of the State Engineer - iWATERS database search, USGS; Data		N/A
	•	
Ground water is more than 100 feet below the bottom of the buried wast		Yes No
- NM Office of the State Engineer - iWATERS database search, USGS; Data	a obtained from nearby wells	∐N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other s (measured from the ordinary high-water mark).	ignificant watercourse or lakebed, sinkhole, or playa lake	Yes No
- Topographic map; Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or chur - Visual inspection (certification) of the proposed site; Aerial photo; satellite		Yes No
		Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that le purposes, or within 1000 horizontal fee of any other fresh water well or spring, ir - NM Office of the State Engineer - iWATERS database; Visual inspection (n existence at the time of the initial application.	
Within incorporated municipal boundaries or within a defined municipal fresh wat pursuant to NMSA 1978, Section 3-27-3, as amended.	ter well field covered under a municipal ordinance adopted	Yes No
- Written confirmation or verification from the municipality, Written approv	al obtained from the municipality	
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map: Topographic map; Visua	al inspection (certification) of the proposed site	YesNo
Within the area overlying a subsurface mine.		Yes No
- Written confiramtion or verification or map from the NM EMNRD-Mining	and Mineral Division	
Within an unstable area.		Yes No
- Engineering measures incorporated into the design; NM Bureau of Geology Topographic map	& Mineral Resources; USGS; NM Geological Society;	
Within a 100-year floodplain.		Yes No
FEMA map		
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: by a check mark in the box, that the documents are attached.	Each of the following items must bee attached to the c	losure plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the appr	ropriate requirements of 19.15 17.10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate requ		
Construction/Design Plan of Burial Trench (if applicable) based		ıc.
Construction/Design Plan of Temporary Pit (for in place burial of		1
Protocols and Procedures - based upon the appropriate requireme		in of 15.15.17.11 TWING
Confirmation Sampling Plan (if applicable) - based upon the app		MAC
Waste Material Sampling Plan - based upon the appropriate requi	• •	
Disposal Facility Name and Permit Number (for liquids, drilling		ards cannot be achieved)
Soil Cover Design - based upon the appropriate requirements of	-	and tames of achiever,
Re-vegetation Plan - based upon the appropriate requirements of		
Site Reclamation Plan - based upon the appropriate requirements		

Form C-144 Oil Conservation Division

Page 4 of 5

Operator Application Certification: Thereby certify that the information submitted with this application is true, accu	irate and complete to the best of m	, knowledge and belief	The State of
Name (Print): Rhonda Rogers		Regulatory Technician	
Signature: Souls	Date:	10/6/2008	
e-mail address: rogerrs@conocophi/lipb.com	Telephone:	505-599-4018	
20			
OCD Approval: Permit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see attac	hment)
OCD Representative Signature:	<u>u </u>	Approval Date:	11-5-00
Title: Enviro/spec	OCD Permit Nur	nber:	
21			
Closure Report (required within 60 days of closure completion): Sul			
*Instructions: Operators are required to obtain an approved closure plan prior t report is required to be submitted to the division within 60 days of the completic		•	=
approved closure plan has been obtained and the closure activities have been co		uo noi compiete una accioni	y inc form with an
	Closure Com	oletion Date:	
Closure Method:			
Waste Excavation and Removal On-site Closure Method	Alternative Closure Method	Waste Removal (Clo	sed-loop systems only)
If different from approved plan, please explain			out loop systems only
in directit from approved plan, please explain			
23		177) II (679)	
Closure Report Regarding Waste Removal Closure For Closed-loop System Instructions: Please identify the facility or facilities for where the liquids, drill			
were utilized.	ing fluids and arm callings were	изрозеи. Озе инисптет у	
Disposal Facility Name:	Disposal Facility Permit	Number:	A September 2
Disposal Facility Name:	Disposal Facility Permit	Number	
Were the closed-loop system operations and associated activities performed	on or in areas that will not be use	d for future service and opeai	tions?
Yes (If yes, please demonstrate compliane to the items below)	∐No		
Required for impacted areas which will not be used for future service and of	perations:		
Site Reclamation (Photo Documentation)			
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique			* * * * * * * * * * * * * * * * * * *
Re-vegetation Approach Rates and Seeding Technique			
24 Closure Poport Attachment Checklists Instructions Foot of the fel	Havring items want be attached to	the elegans vaport. Plagge in	dinata bu a abaak wank in
Closure Report Attachment Checklist: Instructions: Each of the fol	nowing items must be attached to	ne ciosure report. Fieuse in	uicaie, by a check mark in
Proof of Closure Notice (surface owner and division)			2 4 () 4 = 2 *
Proof of Deed Notice (required for on-site closure)			्र स्ट्री इ
Plot Plan (for on-site closures and temporary pits)			
Confirmation Sampling Analytical Results (if applicable)			
Waste Material Sampling Analytical Results (if applicable)			
Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number			
Disposal Facility Name and Permit Number			
Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation		_	
Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	Longitude:	NAD	1927
Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude:	Longitude:	NAD	1927 1983
Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	Longitude:	NAD	927 1983
Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude:			
Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: Operator Closure Certification: Thereby certify that the information and attachments submitted with this closure.	e report is ture, accurate and com	plete to the best of my knowle	
Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure the closure complies with all applicable closure requirements and conditions sp	re report is ture, accurate and comp pecified in the approved closure pla	plete to the best of my knowle	
Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: Operator Closure Certification: Thereby certify that the information and attachments submitted with this closure.	e report is ture, accurate and com	plete to the best of my knowle	
Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure the closure complies with all applicable closure requirements and conditions sp	re report is ture, accurate and comp pecified in the approved closure pla	plete to the best of my knowle	

Page 5 of 5

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.