#### District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District II

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S. St Francis Dr , Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

 $\label{eq:July 21, 2008} \label{eq:July 21, 2008}$  For temporary pits, closed-loop sytems, and below-grade

Form C-144

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application
Type of action:  X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request  Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oil & Gas Company, LP  Address: PO Box 4289, Farmington, NM 87499
Facility or well name: Lea Federal 1E
API Number: 30-045-25980 OCD Permit Number:  U/L or Qtr/Qtr: C(NENW) Section: 34 Township: 31N Range: 13W County: San Juan  Center of Proposed Design: Latitude: 36.861583' N Longitude: 108.194517' W NAD: X 1927 1983  Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
Pit:       Subsection F or G of 19.15.17.11 NMAC         Temporary:       Drilling       Workover         Permanent       Emergency       Cavitation       P&A         Lined       Unlined       Liner type:       Thickness       mil       LLDPE       HDPE       PVC       Other         String-Reinforced         Liner Seams:       Welded       Factory       Other       Volume:       bbl       Dimensions L       x W       x D
3   X   Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A   Drilling a new well   X   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad   X   Above Ground Steel Tanks   Haul-off Bins   Other   Drying Pad   Unlined   Liner type: Thickness   Mil   LLDPE   HDPE   PVD   Other   Other
Liner Seams: Welded Factory Other  4
Below-grade tank: Subsection I of 19.15.17.11 NMAC   Volume: bbl Type of fluid: OIL CONS. DIV. DIST. 3
Below-grade tank: Subsection I of 19.15.17.11 NMAC  Volume: bbl Type of fluid:  Tank Construction material:  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls and liner Visible sidewalls only Other  Liner Type: Thickness mil HDPE PVC Other
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

1.

6		3 4 4 5
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution of the control of the cont	ution or church)	' ' '
Four foot height, four strands of barbed wire evenly spaced between one and four feet		
Alternate. Please specify		
7		
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
8		
Signs: Subsection C of 19.15.17.11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19.15.3.103 NMAC		
9		
Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consi	deration of ann	mval.
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	deration of appi	Ovai.
;10 ···		
Siting Criteria (regarding permitting) 19.15.17.10 NMAC	:	l
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the	,	
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for		
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
The state of the s		* **** *** **
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	□No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No
(measured from the ordinary high-water mark).  Topographic map; Visual inspection (certification) of the proposed site		
Topographic map, visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	∐No l
application.	- Data	93.342
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
	l	,
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No
(Applied to permanent pits)	∐NA	
Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	ا	_ \
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	No
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	,	
NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.	t magazina Tampina	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	√ ∏Yes	□No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended	12.	
Written confirmation or verification from the municipality, Written approval obtained from the municipality		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	∐No.
	 	□N <sub>2</sub>
Within the area overlying a subsurface mine.  Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	∐No
Within an unstable area.	Yes	ΠNo
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological		ا ۳۰۰
Society; Topographic map		. *, *
Within a 100-year floodplain	Yes	No
於軍 · FEMA map	. I + -=	

.*		rary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC ons. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	,
	1	Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC	,
12		Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19:15.17.9	Š
٠.	==	Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
ž,			
	ı ⊨	Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
		Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
		Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 9.15.17.9 NMAC and 19.15.17.13 NMAC	
	l —		
		iously Approved Design (attach copy of design) API or Permit	
	12 Closed	-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC	
		ons: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	
		Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9	
		Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC	
	<u>X</u> 1	Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
	$\overline{\mathbf{x}}$	Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
	I =	Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9	
		NMAC and 19.15.17.13 NMAC	
	Prev	iously Approved Design (attach copy of design) API	
, ,	Prev	iously Approved Operating and Maintenance Plan API	
			,
1	Perman	nent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	
,		ions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	
Ġ	G '	Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC	
		Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
۰,	. —	Climatological Factors Assessment	•
		Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	• •
	1 · ==	Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC	
٠	L	Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
	_	Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC (1984)	
	1 / ==	Quality Control/Quality Assurance Construction and Installation Plan	
	1 /2 =	Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	٠
		Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
,	: =	Emergency Response Plan	
, ;	. =	Dil Field Waste Stream Characterization	
٠		Monitoring and Inspection Plan	٠,
	! ===	Erosion Control Plan	
	, —	Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
	14	9.7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	Propos	ed Closure: 19.15.17.13 NMAC	
	Instructi	ions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
	Type:	Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System	:
,		Alternative	,
	Propose	d Closure Method: Waste Excavation and Removal	
7		X Waste Removal (Closed-loop systems only)	t
	garden er	On-site Closure Method (only for temporary pits and closed-loop systems)	
	13.75	In-place Burial On-site Trench	
		Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)	
1	15		
-		Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.	
		Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC	
	1 <del></del>	Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	
,		Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)	,
٠,		Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
	= '	Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	
	ı. =	Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	;
٦	. –		

Form C-144 Oil Conservation Division Page 3 of 3

The second second second in

1	16	Short Toules on Yand of Direction (10.15.17.12.D.) DAGEN			
	Waste Removal Closure For Closed-loop Systems That Utilize Above Ground: Instructions. Please identify the facility or facilities for the disposal of liquids, drill	ing fluids and drill cuttings. Use attachment if more than two	為其種的	11, 3	
1	facilities are required.		' . '	•	ľ
	Disposal Facility Name: Envirotech	Disposal Facility Permit #: NM-01-0011	<del></del>		
	Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: NM-01-005	· ,		
	Will any of the proposed closed-loop system operations and associated act  Yes (If yes, please provide the information No	avities occur on or in areas that will nbe used for future	service and		
	Required for impacted areas which will not be used for future service and operation  Soil Backfill and Cover Design Specification - based upon the appr		DAAC		· ],
	Re-vegetation Plan - based upon the appropriate requirements of Sub	•	WAC		. '
	Site Reclamation Plan - based upon the appropriate requirements of S				-
	17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NM	IAC			
	Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. certain siting criteria may require administrative approval from the appropriate district office	Recommendations of acceptable source material are provided below			
	office for consideration of approval Justifications and/or demonstrations of equivalency are		anıa re Environm	entai Bureat	'
	Ground water is less than 50 feet below the bottom of the buried waste.		Yes	ΠNo	
	- NM Office of the State Engineer - 1WATERS database search; USGS: Data	obtained from nearby wells			
	Ground water is between 50 and 100 feet below the bottom of the buried v	waste	☐Yes	□No	
	- NM Office of the State Engineer - iWATERS database search; USGS; Data of				
				<del></del>	
	Ground water is more than 100 feet below the bottom of the buried waste.		Yes	∐No	
;	- NM Office of the State Engineer - iWATERS database search; USGS; Data of	obtained from hearby wells	N/A	<i>#-</i> ,	
	Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sig (measured from the ordinary high-water mark).	nificant watercourse or lakebed, sinkhole, or playa lake	Yes	No	. ]
	'''- Topographic map; Visual inspection (certification) of the proposed site	** 1		100	
	Within 300 feet from a permanent residence, school, hospital, institution, or church	in existence at the time of initial application	Пyes	$\square_{N_0}$	
	- Visual inspection (certification) of the proposed site; Aerial photo; satellite in			<u>ا</u> رْ،	
		·	Yes	⊡No	14
	Within 500 horizontal feet of a private, domestic fresh water well or spring that less		रश स्कृतिस्ट		1. : [
. '	purposes, or within 1000 horizontal fee of any other fresh water well or spring, in e		*.		• • • • • • • • • • • • • • • • • • • •
,	Within incorporated municipal boundaries or within a defined municipal fresh water	7.	`!^ ∏Yes	□No	
- 1	Spursuant to NMSA 1978, Section 3-27-3, as amended.	1. 10 4 11 11			
	Within 500 feet of a wetland	obtained from the municipality		*/\_No	TRAFFICE (F
	US Fish and Wildlife Wetland Identification map; Topographic map; Visual	inspection (certification) of the proposed site	Lites		
	Within the area overlying a subsurface mine.	· A	Yes.	No	41
	- Written confiramtion or verification or map from the NM EMNRD-Mining and	nd Mineral Division	i de la companya de l		· . : [
	Within an unstable area.	ه النمان بالنبار	Yes_	No.	المساح أسيا
	Fig. 6: Engineering measures incorporated into the design; NM Bureau of Geology &	t Mineral Resources; USGS; NM Geological Society;	A STATE OF	Frame and a	- /*
	Within a 100-year floodplain.	,,	□Yes	□ No	, `\
	FEMA map				`` '
Ì	. 18		12 9 W		1 2 8 2
	On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Ediby a check mark in the box, that the documents are attached.	ach of the following items must bee attached to the clo	sure plan. Pl	ease indic	ate, :'
4	Siting Criteria Compliance Demonstrations - based upon the approp	priate requirements of 19.15.17.10 NMAC		<b>3</b> "	
	Proof of Surface Owner Notice - based upon the appropriate requir			1351	1. 1.
	Construction/Design Plan of Burial Trench (if applicable) based up	on the appropriate requirements of 19.15.17.11 NMAC			
İ	Construction/Design Plan of Temporary Pit (for in place burial of a	•	25 management	1 NMAC	- Branish
	Protocols and Procedures - based upon the appropriate requirement			the same	
	Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Confirmation Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Conf	priate requirements of Subsection F of 19.15.17.13 NM	IAC TOTAL		
	Waste Material Sampling Plan - based upon the appropriate require	ements of Subsection F of 19.15.17.13 NMAC		5 7 4	
-	Disposal Facility Name and Permit Number (for liquids, drilling flu	uids and drill cuttings or in case on-site closure standard	ls cannot be ac	chieved)	
-	Soil Cover Design - based upon the appropriate requirements of Su	,		1 244	
;	Re-vegetation Plan - based upon the appropriate requirements of St		1286	F	
٠.	Site Reclamation Plan - based upon the appropriate requirements of	r Subsection G of 19.15.17.13 NMAC		<b></b>	1.1.2.5

19		1	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	-, -, -, -, -, -, -, -, -, -, -, -, -, -
Operator Application Certification:		, ,		
Thereby certify that the information submitted with this application is true, accur		•		十九二
Name (Print): Rhonda Rogers	Title:	Regulatory Technician	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	140
Signature: Ollonda Doces	Date:	11/5/2008	The state of the	三河, 传统, 河
e-mail address: rogerrs@conocophillips.com	Telephone:	505-599-4018		<i>'</i>
20				
OCD Approval: Permit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see atta	chment)	
OCD Representative Signature:	201		11 5 7.	7
Oct Representative Signature.	all	Approval Date:	11-18/-0	6
OCD Representative Signature: Skanelon To	OCD Perm	nit Number:		{
	<del></del>			
Closure Report (required within 60 days of closure completion): Sut Instructions: Operators are required to obtain an approved closure plan prior to report is required to be submitted to the division within 60 days of the completion approved closure plan has been obtained and the closure activities have been considered.	to implementing any closure on of the closure activities. completed.	e activities and submitting the closu	•	
· 22			,	
Closure Method:				[
Waste Excavation and Removal On-site Closure Method	Alternative Closure	Method Waste Removal (C	losed-loop systems only)	. 3,3
If different from approved plan, please explain.				* * * * * * * * * * * * * * * * * * * *
				7,72
23 Closure Report Regarding Waste Removal Closure For Closed-loop System	ns That Litilian About Cus	and Steel Tealer on Houl off Dine	0-1	130
Instructions: Please identify the facility or facilities for where the liquids, drill				
were utilized.		, 11	A THE STATE OF THE	
Disposal Facility Name:	_ Disposal Facility	Permit Number:		
Disposal Facility Name:	Disposal Facility	Permit Number:	to the contract of the contrac	
Were the closed-loop system operations and associated activities performed	on or in areas that will not	be used for future service and oper	artions?	
Yes (If yes, please demonstrate complilane to the items below)	□No		and the second s	
Required for impacted areas which will not be used for future service and op	perations ·			
Site Reclamation (Photo Documentation)		in the state of the state of	Company of the second	,
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				1 17.
24				_ ′ .
Closure Report Attachment Checklist: Instructions: Each of the following	llowing items must be attac	hed to the closure report. Please i	ndicate, by a check mark in	an a might state state of the s
the box, that the documents are attached.	_	•		1, 10
Proof of Closure Notice (surface owner and division)			1 1 2 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13.11
Proof of Deed Notice (required for on-site closure)		, 14	The state of the	11 m
Plot Plan (for on-site closures and temporary pits)			The second of th	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
Confirmation Sampling Analytical Results (if applicable)				
Waste Material Sampling Analytical Results (if applicable)			The state of the s	Transport and the same of the
Disposal Facility Name and Permit Number		· · · · · · · · · · · · · · · · · · ·	A STANCT OF STANCE	,
Soil Backfilling and Cover Installation		· , •		
Re-vegetation Application Rates and Seeding Technique		the state of the s		
Site Reclamation (Photo Documentation)				
On-site Closure Location: Latitude:	Longitude:	NAD TT	1927 1983	
Will Maria	Bongitude.		1927; L.J. (2700)	e erafiguette fe
1965 24 × 5 3		a transfer	ร์ นด้าะได้เหมือน ได้เก็มหมือน	7 , 2 (1) h
125rm b				1 7 7 1
Operator Closure Certification:	a ranort is turn annuels -	nd complete to the basi of my !	adag and halias I also	G. that
I hereby certify that the information and attachments submitted with this closure the closure complies with all applicable closure requirements and conditions sp	-	sure plan	The state of the s	y <sub>i</sub> nai <sub>i</sub> e e e e e e e e e e e e e e e e e e e
A CONTRACTOR OF THE CONTRACTOR	••		Blockling file of the second	
Name (Print):	Title:			- f.,
Signature:	Date:	ar by an	AND THE PROPERTY OF THE PARTY O	
44 C . C . C . C . C . C . C . C . C . C	Date.	·	1, 13 St 31 - 3	
Te-mail address:	Telephone:		4 - 20 10 10 10 10 10 10 10 10 10 10 10 10 10	The second secon

# Burlington Resources Oil & Gas Company, LP Closed-loop Plans

#### Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

#### **Closed-loop Operating and Maintenance Plan**

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

### **Closed-loop Closure Plan**

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.

· wath the

7-11-13 N. W. W.