District I

District III

1625 N French Dr., Hobbs, NM 88240

1301 W. Grand Ave., Artesia, NM 88210

Energy Minerals and Natural Resources

Form C-144 July 21, 2008

Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

State of New Mexico

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

1000 Rio Brazos Rd, Aztec, NM 874	10
District IV	
1220 S. St Francis Dr., Santa Fe, NM	87505
2590	Propo

Saina FC, 14W 87505
Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water ground water or the

perator: Burlington Resources Oil & Gas Company, LP	OGRII	D#: 14538	
ddress: PO Box 4289, Farmington, NM 87499		14330	
cility or well name: Allen Com 100			
	D Permit Number:		
L or Qtr/Qtr: L(NWSW) Section: 11 Township: 29N	Range: 7W	County: Rio Arriba	
		•	X 1927 1983
	l Trust or Indian Allotm		
String-Reinforced	LLDPE HDPE Colume: bbl	PVC Other Dimensions L x.W	x D
<u> </u>		PVD Other	22232425262 BECEIVED
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid: Tank Construction material:			OIL CONS. DIV. DIST
Secondary containment with leak detection Visible sidewalls, liner, 6- Visible sidewalls and liner Visible sidewalls only Other Liner Type: Thickness mil HDPE PVC	inch lift and automatic ov	verflow shut-off	Excriorear,
Alternative Method:			
Submittal of an exception request is required. Exceptions must be submitted to the	Santa Fe Environmental	Bureau office for considera	tion of approval.
Form C-144 Oil Conservation		and the second s	Page 1 of 5

1,0	Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)	£1	•	
1 3		and the second section of the second	المراجع	
	Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent resident	ce, school, hospital, instit	ution or church	1)
	Four foot height, four strands of barbed wire evenly spaced between one and four feet			
	Alternate. Please specify			
	7			
	Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other			
	Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)			
	Internally inspections (1) neuring of severing is not physically feature)			
	8 Signs: Subsection C of 19.15.17.11 NMAC			
	12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers			
,	X Signed in compliance with 19.15.3.103 NMAC			
•	9			
	Administrative Approvals and Exceptions:			
	Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.			
	Please check a box if one or more of the following is requested, if not leave blank:			
	Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environment.	al Bureau office for consi	deration of app	roval.
	Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
1 11/1/2	6 " · · · · · · · · · · · · · · · · · ·	All and a second a	10.00 C - 1	
- Kar - <u>1</u>	10 Siting Criteria (regarding permitting) 19.15.17.10 NMAC	, , ,	3.	
4.8 G	Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendation	ons of acceptable		
*********	source material are provided below. Requests regarding changes to certain siting criteria may require administrative appro		er sely	ı
	. ; consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance.			
	idoes not apply to drying pads or above grade-tanks associated with a closed-loop system.	a a a a a a a a a a a a a a a a a a a	المناجع المراجع المراجع المراجع	
	Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade	tank.	Yes	□No
:	NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	, ,	1	
-4;	Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sink	chole, or playa lake	Yes	No
\$ 12.	(measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site	ه الرواة بعده أ. الرها تساطعتهم واست المداهد المداهد الم الرها تعلق المداهد ا	No.	
			,	
31. ·	Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the ti application.	me of initial	Yes	∐No
87	(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	*	□NA	, , , , ,
	Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	The second secon		
	Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial ap	pplication.	Yes	□No
ā	(Applied to permanent pits)	- 48 -	∥∏NA	
	- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	. , .	ك; ا	
	Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domes	10.55	Yes	No
	purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial applications of the street of the stre	ation.	ALLES .	
	NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the pro-	posed site.		هُ أَمَّا أَنْ يَوْلُونُونِهِ عَلَيْسَلِمُ . و مَوْلِي إِنْ يُولُونُونِهِ عَلَيْسَلِمُ
- 3, 13 - 938	Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a munici	pal ordinance	Yes	No
1	adopted pursuant to NMSA 1978, Section 3-27-3, as amended	The space with the first		. ****
1	Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland.	V _E which we have	Yes	□No.
, s.	US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of	the proposed site		
*	Within the area overlying a subsurface mine.		Yes	□No
;	- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division			134
,	Within an unstable area.		Yes	No
· 乾江	Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USG	5, INIVI Geological		100
P. S.	ない。		Yes	· [] No. C
	FEMA map	10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -		
\$ 1.73 \$ 5.71 \$		The state of the s	NYCL POLE I	对抗器
20.	Form C-144 Oil Conservation Division	Page	2 of 5	
rancii nai	the state of the s	الرائية أن يعالم حقياً المرائية المرائية الم	Mar Kala	W. Wilet
	and the state of t	् अहिंग सैन्द्र	ANTE ANTONIO	I have the

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubse			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection	8 + 1 Wells		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 1915 17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 N	MAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	1		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirer 19.15.17.9 NMAC and 19.15.17.13 NMAC	ments of Subsection C of		
Previously Approved Design (attach copy of design) API or Pen	mit		
12			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, the Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph	· · · · · · · · · · · · · · · · · · ·		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requi	rements of 19.15.17.10 NMAC		
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirer	ments of Subsection C of 19 15 17 9		
NMAC and 19.15.17.13 NMAC	ment of Subsection Cot 17.10.11.7		
Previously Approved Design (attach copy of design) API	:		
Previously Approved Operating and Maintenance Plan API	1 pp 1		
1 Torroboty Approved Operating and Maintenance Flair	The second secon		
	The second secon		
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box	3 () 注 () () () () () () () () (
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NN			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 N	MAC		
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	And the state of t		
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.1	I NMAC distriction ()		
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	TO A DE CONTRACTOR DE CONTRACT		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15. Quality Control/Quality Assurance Construction and Installation Plan	TYTTI NMAC (INC. 1877)		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 h	a contrata and the feet from the contrata to t		
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan	or the classification to the control of the control		
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan	3. (A.) 经基础的 [1] [1] [1] [1] [1] [1] [1] [1] [1] [1]		
Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.1	5.17.13 NMAC		
147 (14.5) (2.3)	THE HEALTH CONTRACTOR		
Proposed Closure: 19.15.17.13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade	Tank X Closed-loop System		
Alternative			
Proposed Closure Method: Waste Excavation and Removal			
X Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)	The state of the s		
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environ	mental Bureau for consideration)		
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following Please indicate, by a check mark in the box, that the documents are attached.	g items must be attached to the closure plan.		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F	of 19.15.17.13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection	H of 19.15.17-13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	The state of the s		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMA	C		
Reservation 1 in Substitution of Substitution of Substitution Co. 13/13/1/13 14/14			

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only (19.15.17.13.D NMAC) Instructions. Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two				
facilities are required. Disposal Facility Name: Envirotech	Dienogal Facility Downit # NIM 01 0011			
triffelden level	Disposal Facility Permit #: NM-01-001 Disposal Facility Permit #: NM-01-005			
Will any of the proposed closed-loop system operations and associated activity Yes (If yes, please provide the information No		service and		
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the approp	riate requirements of Subsection H of 19.15.17.13 N	IMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Pl				
17				
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan Re		Requests regarding changes to		
certain siting criteria may require administrative approval from the appropriate district office or office for consideration of approval. Justifications and/or demonstrations of equivalency are req	may be considered an exception which must be submitted to the S			
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS: Data obt	tained from nearby wells	□N/A		
Ground water is between 50 and 100 feet below the bottom of the buried was	ste	Yes No		
NM Office of the State Engineer - iWATERS database search; USGS; Data obta	ained from nearby wells	□N/A		
Ground water is more than 100 feet below the bottom of the buried waste.	South Control	Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obta	ained from nearby wells	N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significance (measured from the ordinary high-water mark).	icant watercourse or lakebed, sinkhole, or playa lake	Yes No		
Topographic map; Visual inspection (certification) of the proposed site	and the second s			
Within 300 feet from a permanent residence, school, hospital, institution, or church in Visual inspection (certification) of the proposed site; Aerial photo; satellite imag	A DEFECT OF MARKET SERVICES SERVICES	Yes No		
A TO COLOR OF THE		Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less that purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist				
NM Office of the State Engineer - iWATERS database; Visual inspection (certification)				
Within incorporated municipal boundaries or within a defined municipal fresh water we pursuant to NMSA 1978, Section 3-27-3, as amended		Yes No		
Within confirmation or verification from the municipality; Written approval obtains 500 feet of a wetland	tained from the municipality			
US Fish and Wildlife Wetland Identification map, Topographic map; Visual ins	pection (certification) of the proposed site	Lies, Lino		
Within the area overlying a subsurface mine.	10 m	Yes No.		
- Written confiramtion or verification or map from the NM EMNRD-Mining and I	Mineral Division			
Within an unstable area.		Yes No		
Engineering measures incorporated into the design; NM Bureau of Geology & M	Imeral Resources; USGS; NM Geological Society;			
Within a 100-year floodplain.		Yes No		
FEMA map				
18: Stee Clasura Plan Charletints (10.15.17.12 NIMAC) Instructions. Exalt				
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	i vj ine jouowing items must bee attached to the clo	rsure pian: Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropri	ate requirements of 19.15.17.10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirem	・ 1 単 株分割 1 を 1 を 1 を 1 を 1 を 1 を 1 を 1 を 1 を 1			
Construction/Design Plan of Burial Trench (if applicable) based upon	the appropriate requirements of 19.15.17.11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a di	rying pad) - based upon the appropriate requirement	s of 19.15.17.11 NMAC		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.1713 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of S				

Form C-144 Oil Conservation Division

Operator Application Certification:	rate and complete to the h	or of my knowledge and ballef
Name (Print): Rhonda Rogers	Title:	Regulatory Technician
Signature: Morsk Dem	Date:	11/21/2008
e-mail address: rogerts@conocophillips.com	Telephone:	505-599-4018
	<u> </u>	
-20		
OCD Approval: Permit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see attachment)
OCD Representative Signature:	Vall	Approval Date: 11-24-08
OCD Representative Signature: Title: Envirolopec	OCD Por	
THE: ENVIOLE	OCD Fen	nit Number:
21		
Closure Report (required within 60 days of closure completion): Sub-		
Instructions. Operators are required to obtain an approved closure plan prior to report is required to be submitted to the division within 60 days of the completion		- · · · · · · · · · · · · · · · · · · ·
approved closure plan has been obtained and the closure activities have been co		, , , , , , , , , , , , , , , , , , , ,
	Closur	e Completion Date:
22		
Closure Method:		
Waste Excavation and Removal On-site Closure Method	Alternative Closure	Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain		
23.		
Closure Report Regarding Waste Removal Closure For Closed-loop System		1
Instructions: Please identify the facility or facilities for where the liquids, drill were utilized.	ing fiuias ana arili cuttin	gs were disposed. Use attachment if more than two facilities
Disposal Facility Name:	Disposal Facility	Permit Number:
Disposal Facility Name	Disposal Facility	Permit Number:
Were the closed-loop system operations and associated activities performed of		be used for future service and opeartions?
]No	ماند ئۇنىڭلىدىك ئىسىدىدىن دارىدىنىڭ دېۋىدىكىيىلىقىدىيەك ئۆگۈنلىدىدىدىن ئىلىدىدىن بىلىدىن بىلىدىن. ئالىدىكىيىدىك ئىسىدىدىن ئالىدىكى ئالىدىكى ئالىدىكى ئالىدىكى ئالىدىكى ئالىدىكى ئالىدىكى ئالىدىكى ئالىدىكى ئالىدى
Required for impacted areas which will not be used for future service and op Site Reclamation (Photo Documentation)	perations:	
Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
239t		
Closure Report Attachment Checklist: Instructions: Each of the foll	lowing items must be atta	ched to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.		
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure)		and the second s
Plot Plan (for on-site closures and temporary pits)		and the state of t
Confirmation Sampling Analytical Results (if applicable)		A Company of the Comp
Waste Material Sampling Analytical Results (if applicable)		
Disposal Facility Name and Permit Number		
Soil Backfilling and Cover Installation	4	
Re-vegetation Application Rates and Seeding Technique		A CONTRACT OF THE PROPERTY OF
Site Reclamation (Photo Documentation)		And the state of t
On-site Closure Location: Latitude:	Longitude:	NAD
and the state of t		The constitution of the state o
25 5		
Operator Closure Certification:	seport is tous second	nd complete to the barr of my behinded and belief the control of
I hereby certify that the information and attachments submitted with this closure the closure complies with all applicable closure requirements and conditions spo		
		muse 、 tuning worth, village to the transfer of the property
Name (Print):	Title: _	
Signature:	Date:	
The state of the s	Telephone:	
e-mail address:	reichnoue:	The state of the s

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.