District I 1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Proposed Alternative Method Powrit on Clasure Plan Application
Proposed Alternative Method Permit or Closure Plan Application  Type of action:  Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: <u>U. S. ENERCORP, LTD.</u> OGRID #: <u>240473</u>
Address: P. O. BOX 17098, SAN ANTONIO, TX 78217
Facility or well name: LAGUNA COLORADO 2/3 #1
API Number: 30-039-30272 OCD Permit Number:
U/L or Qtr/Qtr H Section 3 Township 23 N Range 1 W County. RIO ARRIBA
Center of Proposed Design: Latitude 36.251658° N Longitude 106.924737° W NAD: ☐ 1927 ☒ 1983
Surface Owner:   Federal  State  Private  Tribal Trust or Indian Allotment
2.  ☑ Pit: Subsection F or G of 19.15.17.11 NMAC
Temporary: ☑ Drilling ☐ Workover
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A
☐ Lined ☐ Unlined Liner type: Thickness 14 mil ☐ LLDPE ☐ PVC ☐ Other
String-Reinforced
Liner Seams: Welded Factory Other field welded & built before 6-16-08 Volume: 12,165 bbl Dimensions: L 78' x W 110' x D 10'
3. Closed-loop System: Subsection H of 19.15 17.11 NMAC
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of
intent)
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other
☐ Lined ☐ Unlined Liner type: Thickness mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other
Liner Seams:   Welded   Factory   Other      Below-grade tank: Subsection I of 19.15.17.11 NMAC     Volume:   bbl Type of fluid     Tank Construction material:     Secondary containment with leak detection   Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off     Visible sidewalls and liner   Visible sidewalls only   Other     Liner type: Thickness   mil   HDPE   PVC   Other
4.
Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume:
Tank Construction material: Oil CONS. DIV DIST. 3 \$\overline{\alpha}\rightarrow \text{ Construction material}  Co
Secondary containment with leak detection  Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other ☐
Liner type: Thicknessmil
5. Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.
Submitted to the Santa Dareau office for consideration of approval.

Fencing: Subsection D of 19.15 17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify minimum 36" hog wire topped with at least 1 strand of barbed wire = at least 48" high fence	hospital,
Netting: Subsection E of 19 15.17.11 NMAC (Applies to permanent puts and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC  ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  ☐ Signed in compliance with 19.15.3.103 NMAC	
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. See request for alternate marking on Page 2 of attachment  Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptant material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	ppriate district approval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	·□ Yes □ No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources, USGS; NM Geological Society; Topographic map</li> </ul>	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

,

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
<ul> <li>□ Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC</li> <li>□ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC</li> <li>□ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC</li> </ul>					
and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design) API Number or Permit Number:					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are					
attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19 15 17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
☐ Previously Approved Design (attach copy of design) API Number:					
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use					
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)					
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Proposed Closure: 19.15 17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Diilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative					
Proposed Closure Method:  Waste Excavation and Removal  Waste Removal (Closed-loop systems only)  On-site Closure Method (Only for temporary pits and closed-loop systems)  In-place Burial  On-site Trench Burial  Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St. Instructions: Please indentify the facility or facilities for the disposal of liquids, dr. facilities are required.						
•	risposal Facility Permit Number:					
	risposal Facility Permit Number:					
Will any of the proposed closed-loop system operations and associated activities occ ☐ Yes (If yes, please provide the information below) ☐ No	ir on or in areas that will not be used for future serv	rice and operations?				
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection I  Site Reclamation Plan - based upon the appropriate requirements of Subsection	equirements of Subsection H of 19.15.17.13 NMAC of 19.15.17.13 NMAC	C				
Siting Criteria (regarding on-site closure methods only): 19.15.17 10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closured below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmental I demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for	administrative approval from the appropriate distr Bureau office for consideration of approval. Justij	rict office or may be				
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search, USGS; Data of the State Engineer - iWATERS database search -	obtained from nearby wells	☐ Yes ☒ No ☐ NA				
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data of	obtained from nearby wells	<ul><li>☐ Yes ☑ No</li><li>☐ NA</li></ul>				
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data of the State Engineer - iWATERS database	obtained from nearby wells	⊠ Yes □ No □ NA				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	ficant watercourse or lakebed, sinkhole, or playa	☐ Yes ☑ No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in Visual inspection (certification) of the proposed site; Aerial photo; Satellite is		☐ Yes ⊠ No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less to watering purposes, or within 1000 horizontal feet of any other fresh water well or spring the NM Office of the State Engineer - 1WATERS database, Visual inspection (co	ing, in existence at the time of initial application.	☐ Yes ⊠ No				
Within incorporated municipal boundaries or within a defined municipal fresh water adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval	•	☐ Yes 🖾 No				
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual	inspection (certification) of the proposed site	☐ Yes ⊠ No				
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining a	nd Mineral Division	☐ Yes ⊠ No				
Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology Society; Topographic map	& Mineral Resources; USGS; NM Geological	☐ Yes ⊠ No				
Within a 100-year floodplain FEMA map		☐ Yes ⊠ No				
18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the	following items must be attached to the closure pl	an. Please indicate,				
by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.13 NMAC See 10 on APD Page 9 (Exhibit K)  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						

Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.					
Name (Print): BRIAN WOOD Title: CONSULTANT					
Signature Date: <u>11-26-08</u>					
e-mail address: <u>brian@permitswest.com</u> Telephone: (505) 466-8120					
20.  OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure Plan (only) ☐ OCD Conditions (see attachment)					
OCD Representative Signature: B46666 Approval Date: 12-3-08					
Title: Enviro 15pec OCD Permit Number:					
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.					
Closure Completion Date:					
Closure Method:  Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain.					
23.  Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.					
Disposal Facility Name Disposal Facility Permit Number:					
Disposal Facility Name: Disposal Facility Permit Number:					
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below) No					
Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique					
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (required for on-site closure)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location: Latitude  Longitude  NAD: 1927 1983					
25.					
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.					
Name (Print): Title:					
Signature: Date:					

e-mail address:

Telephone: \_\_

#### PAGE 1

#### Siting Criteria

1. Ground water is  $\geq 100$ ' below the bottom of the pit. This estimate is based on the closest water well (Exhibits A & B) which is  $\approx 2,900$ ' east at 1650 FNL & 1650 FWL 2-23n-1w. Water well produces from the Ojo Alamo sandstone. Pit is in the Nacimiento Formation.

7,295' graded ground - 10' deep pit 7,285' bottom of pit

7,228' water well ground elevation

-2,540' depth to water

4,688' water level elevation

7,285' bottom of pit
-4,688' water level
≈2,597' depth to water

- 2. Pit is not within 300' of a continuously flowing watercourse. Pit is not within 200' of any other significant watercourse as defined by OCD. Closest first order tributary of Almagre Arroyo is  $\approx 1,500$ ' east-northeast (Exhibit C).
- 3. Pit is not within 300' of any building. Closest buildings are  $\approx 1,000'$  east (Exhibits B & C).
- 4. Pit is not within 1,000' any fresh water well or spring (Exhibits A & B).
- 5. Pit is not within municipal boundaries or within a municipal fresh water well field (Exhibits A & C).
- 6. Pit is not within 500' of a wetland (Exhibit D).
- 7. Pit does not overly a mine (Exhibit E).
- 8. Pit is not in an unstable area. No evidence of earth movement was found during an October 13, 2008 inspection. Maximum grade is  $\approx$ 4% (Exhibit F).



U. S. Enercorp, Ltd.
Laguna Colorado 2/3 #1 temporary pit proposed closure 2068' FNL & 1220' FEL Sec. 3, T. 23 N., R. 1 W.
Rio Arriba County, New Mexico
API #30-039-30272

- 9. Pit is not within a 100 year flood plain (Exhibit G).
- 10. C-102 is attached as Exhibit H.
- 11. Closure notice to surface owner (BLM) is attached as Exhibit I.

#### Alternative for 19.15.17.13 F. (1) (d)

An alternate interim marking system will be used to allow for safer and more efficient operations. A minimum 4" O. D. steel pipe will be set at least 36" deep at the center of the pit. A threaded collar will be on the top of the pipe. A minimum 12" x 12" steel plate will welded atop the threaded collar. Top of the plate will be flush with ground level. The standard location information listed will be welded onto the plate, plus a notation that it marks an on site buried temporary pit. Upon plugging the well, the plate will be removed and the pit marked as described in 19.15.17.13 F. (1) (d).

#### Closure Plan

U. S. Enercorp will close the pit in accordance with OCD Rules 19.15.17.12. & 13. Post closure documents will be submitted within 60 days of pit closure and will include forms C-105 and C-144, cover details, pit diagram, inspection report, sample results, and a copy of deed notice to the county clerk.

All free standing liquids will be removed before back filling the pit and disposed of at T-N-T Environmental Inc. (NM-01-008 in 8-25n-3w) or at Basin Disposal's evaporation pond (NM-01-005 in 3-29n-11w).

The preferred method of closure will be on site in place burial assuming all criteria in 19.15.17.13 (B) are met.

The surface owner has been notified (attached).



U. S. Enercorp, Ltd. Laguna Colorado 2/3 #1 temporary pit proposed closure 2068' FNL & 1220' FEL Sec. 3, T. 23 N., R. 1 W. Rio Arriba County, New Mexico API #30-039-30272

Closure, including contouring and seeding, will be completed within 6 months of rig off.

After approval of this application, U. S. Enercorp will notify the OCD verbally or by other means at least 72 hours, but not more than one week, prior to any closure operation. The notice shall include the operator's name and the location to be closed by unit letter, section, township and range, well name & number, and API number.

All liner above the mud level will be cut and removed after stabilization. Removed liner will be disposed of in a licensed disposal facility.

U. S. Enercorp will stabilize or solidify the contents (analyses of the pit contents prior to any mixing are attached as Exhibit J) to a bearing capacity sufficient to support the temporary pit's final cover. U. S. Enercorp will not mix the contents with soil or other material at a mixing ratio of greater than 3:1, soil or other material to contents.

A 5 point composite sample will be taken of the pit and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). If the criteria are not met, then all contents will be handled per Subparagraph (a) of Paragraph (1)of Subsection B of 19.15.17.13. (i. e., dig & haul). If dig & haul are required, then disposal facility will be Envirotech (NM01-0011 in 6-25n-10w).

<u>Component</u>	Test Method	<u>Limit (mg/Kg)</u>
benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	2,500
GRO/DRO	EPA SW-846 8015M	500
chlorides	EPA 300.1	1,000 or background



PAGE 4

After completing solidification and testing, the pit area will be back filled with compacted, waste free, earth material. At least 4 feet of cover will be achieved. The cover will include 1 foot of suitable material to establish vegetation at the site, or the background thickness of the topsoil, whichever is greater.

Re-contouring of the location will match the fit, shape, line, form, and texture of the surrounding area. Reshaping will control drainage and prevent ponds and erosion. Natural drainages will be unimpeded. Water bars and/or silt traps will be placed where needed to prevent erosion on a large scale. Final re-contour will have a uniform appearance with smooth surface fitting the natural landscape.

Notice will be sent to the OCD when the reclaimed area is seeded.

Disturbed areas will be seeded the first growing season after the pit is closed. Seed will be drilled on the contour wherever practical or by other OCD approved method. BLM stipulated seed mix will be used. Vegetation cover will equal at least 70% of the native perennial vegetation cover prior to disturbance. Seed mix will include at least 3 native species, including at least 1 grass. Noxious weeds will be excluded. Vegetation cover will be maintained through 2 successive growing seasons. Repeat seeding or planting will be continued until successful vegetation growth occurs.



### New Mexico Office of the State Engineer POD Reports and Downloads

Township: 23N Range: 01W Sections: 2						
NAD27 X: Y: Zone: Search Radius:						
County: Basin: Suffix: Number: Suffix:						
Owner Name: (First) (Last) (Non-Domestic OAll						
(POD / Surface Data Report) (Avg Depth to Water Report) (Water Column Report)						
(Clear Form) (IWATERS Menu) (Help)						

POD / SURFACE DATA REPORT 10/18/2008

(quarters are 1=NW 2=NE 3=SW 4=SE) (acre ft per annum) (quarters are biggest to smallest X Y are in Feet UTM are in Meters) Finish Depth Depth (in feet) Well Water Start Source Tws Rng Sec q q q Zone X Y
Artesian 23N 01W 02 1 4 UTM\_Zone Easting Northing Date
13 328011 4013891 DB File Nbr Use Diversion Owner POD Number Date 12/16/2000 7917 2540 RG 80917 0 RIO CHAMA PETROLEUM RG 80917 EXP

Record Count: 1

http.//iwaters.ose.state.nm. us: 7001/iWATERS/WeilAndSurfaceDispatcher

Page 1 of 1









Image courtesy of the U.S. Geological Survey © 2004 Microsoft Corporation. **Terms of Use Privacy Statement** 





## MMQonline Public Version

### Aggregate & Stone Mines

Aggregate & Stone Mines

Coal Mines

Industrial Minerals Mines

Industrial Minerals Mills

Metal Mines and Mill Concentrate

Potash Mines & Refineries

Smelters & Refinery Ops.


Uranium Mines




SCALE 1: 1,948,803 20 0 20 40 60 MILES



EXHIBITE





DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240 DISTRICT II 1301 W. Grand Avenue, Artesia, N.M. 88210 DISTRICT III

1000 Rio Brazos Rd., Aztec, N.M 87410

1220 S. St. Francis Dr., Santa Fe, N.M. 67505

DISTRICT IV

State of New Mexico Energy, Minerals & Natural Resources Department

> OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, N.M. 87505

Form C-102 Revised October 12, 2005 Submit to Appropriate District Office

> State Lease - 4 Copies Fee Lease - 3 Copies

☐ AMENDED REPORT

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

¹API	Number			<sup>2</sup> Pool Code		<sup>a</sup> Pool Name			
*Property C	ode	<sup>6</sup> Property Name							Well Number
	LAGUNA COLORADO 2/3							Į.	
7 OGRID N	o.	*Operator Name *Elevation						<sup>e</sup> Elevation	
U.S. ENERCORP, LTD.						7295			
<sup>10</sup> Surface Location									
UL or lot no.	Section	Township	Range	Lot ldn	Feet from the	North/South line	Feet from the	East/West line	County
Н	3	23 N	I W		3250	SOUTH	1220	EAST	RIO ARRIBA

11 Bottom Hole Location If Different From Surface UL or lot no. Lot Idn Feet from the North/South line | Feet from the Section Township Range East/West line County 1870 RIO ARRIBA 2180 WEST 2 23 N I W K SOUTH 15 Joint or Infill 14 Consolidation Code 10 Order No.

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

15 N 89°19'17" E	2643.56'	NI AGGIOLIGE C	2617 561	
16 N 89°19'17" E	2043.30	N 89°19'18" E	2643.56'	17 OPERATOR CERTIFICATION
O = SURFACE LC ⊗ = BOTTOM HO	pit cent	LOT 4 Ter 251658° 924737°	LOT 3	I hereby certify that the information contained herein, is true and complete to the best of my knowledge and betief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofare entered by the division
LAT: 36.254457	°N./ ш		and a second	
LONG: 106.925208	`W			
3-74.00pes	9			Signature Date
***************************************	l "		*	Printed Name
	S			(
Salah control	SECTION 3	SECTION 2		
	0-011014 0	OLO HORA		
and the second		1870'		<sup>18</sup> SURVEYOR CERTIFICATION
		· · · · · · · · · · · · · · · · · · ·	•	I hereby certify that the well location shown on this plat
We self-acceptance with the self-acceptance wi	3250'	N LAT: 36.25 LONG: 106.9147		was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
				5/16/07  Date of Survey  Signature and Seaf of Projectional Surveyor.
	0°36'40" E		2180'	5 (6845) E
S 89°30'18" W	2646.21'	S 89°24'48" W	2639.81	Certificate Number
			1 2007.01	I Supplied the supplied to the

EXHIBITH

From: brian wood <bri>drian@permitswest.com>

Subject: US Enercorp Laguna Colorado 2/3 #1 pit closure notice

Date: October 18, 2008 12:53:43 PM MDTTo: BILL LIESS <Bill\_Liess@nm.blm.gov>



As required by NMOCD pit rule Subsection F of 19.15.17.13 NMAC, I am notifying BLM as surface owner that U. S. Enercorp plans to close its temporary (reserve) pit using on site closure (burial) in the same pit. The well is at 2068 FNL & 1220 FEL 3-23n-1w. The well is on lease NMNM-108021. API # 30-039-30272 Please call me if you have any questions.

Brian Wood Permits West, Inc. 37 Verano Loop, Santa Fe, NM 87508 Phone: 505 466-8120 FAX: 505 466-9682

EXHIBIT