#### District I

1625 N. French Dr., Hobbs, NM 88240

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

$\bigcirc$	i	$\overline{0}$	١	$\overline{}$
d		¥	1	- 1

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Please submit one o	application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative re

Instructions: I quest

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

Operator: Burlington Resou	arces Oil & Gas Company, LP	OGF	RID#: 14538	
Address: PO Box 4289, Fa	rmington, NM 87499		· <u></u>	
Facility or well name: Payn	e 11			
API Number:	30-045-26804	OCD Permit Number:		
U/L or Qtr/Qtr: A(NENE)	Section: 27 Township: 32N	Range: 10W	County: San Ju	ian
Center of Proposed Design:	Latitude: 36.961680' N	Longitude: 10°	7.862910' W	NAD: X 1927 1983
Surface Owner: X Fed	leral State Private	Tribal Trust or Indian Allo	otment	
Pit: Subsection F or G or Temporary: Drilling Permanent Emergence Lined Unlined String-Reinforced Liner Seams: Welded	Workover  Cy Cavitation P&A  Liner type: Thickness mi	l LLDPE HDPE		
X Closed-loop System: Type of Operation: P&  Drying Pad X Ab Lined Unlined Liner Seams: Welded	Subsection H of 19.15.17.11 NMAC  tA Drilling a new well X Workover notice of it ove Ground Steel Tanks Haul-off Bins  Liner type: Thickness mil  Factory Other	Other	PVD Other	18 PEOE
4    Below-grade tank: Survolume:    Tank Construction material:   Secondary containment with the sidewalls and link Liner Type: Thickness		ner, 6-inch lift and automatic Other C Other	overflow shut-off	DEC 2008 OIL CONS. DIV. DIST.
5 Alternative Method: Submittal of an exception requ	uest is required. Exceptions must be submitted	to the Santa Fe Environmen	tal Bureau office for co	nsideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3.103 NMAC					
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.	ia				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa la (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	lake Yes No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	Yes No				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes No				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock water purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	ering Yes No				
NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No				
Within 500 feet of a wetland.  US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	te Yes No				
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No				
Within an unstable area.  Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	in the state of th				
Within a 100-year floodplain FEMA map	Yes No				

	Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
	Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
1	Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
l	Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
	Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
J	Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
-	Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Į	Previously Approved Design (attach copy of design) API or Permit				
	Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
	X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9				
l	NMAC and 19.15.17.13 NMAC				
	Previously Approved Design (attach copy of design)  API				
-	Previously Approved Operating and Maintenance Plan API				
1					
1	Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
	Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
. ]	Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
	Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
	Climatological Factors Assessment				
	Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
1	Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
	Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
İ	Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
1	Quality Control/Quality Assurance Construction and Installation Plan				
	Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
İ	Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
۱	Nuisance or Hazardous Odors, including H2S, Prevention Plan				
1	Emergency Response Plan				
	Oil Field Waste Stream Characterization				
	Monitoring and Inspection Plan				
	Erosion Control Plan				
.	Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
	14 - अन्तर्भाष्ट्रीय स				
-	Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Ì	Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System				
	Alternative				
	Proposed Closure Method: Waste Excavation and Removal				
	X Waste Removal (Closed-loop systems only)				
	On-site Closure Method (only for temporary pits and closed-loop systems)				
	In-place Burial On-site Trench				
,	Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
i					
	Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.				
	Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
	Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
	Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
	Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15:17.13 NMAC				
	Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
	Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of

16  Waste Removal Closure For Closed-loop Systems That Utilize Above Grou		
Instructions Please identify the facility or facilities for the disposal of liquids, facilities are required.	drilling fluids and drill cuttings Use attachment if more than two	
Disposal Facility Name: Envirotech	Disposal Facility Permit #: NM-01-0011	
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: NM-01-005	ţ
Will any of the proposed closed-loop system operations and associated Yes (If yes, please provide the information No	d activities occur on or in areas that will nbe used for future service and	
Required for impacted areas which will not be used for future service and open	rations: appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Re-vegetation Plan - based upon the appropriate requirements of	•• •	
Site Reclamation Plan - based upon the appropraite requirements	s of Subsection G of 19.15 17 13 NMAC	ļ
	plan Recommendations of acceptable source material are provided below. Requests regardi office or may be considered an exception which must be submitted to the Santa Fe Environme	
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS: I		No
Ground water is between 50 and 100 feet below the bottom of the buri		□No
- NM Office of the State Engineer - iWATERS database search; USGS; D	; <u>; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; </u>	
Ground water is more than 100 feet below the bottom of the buried wa	aste.	No
- NM Office of the State Engineer - iWATERS database search; USGS; D	Data obtained from nearby wells	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any othe (measured from the ordinary high-water mark).	er significant watercourse or lakebed, sinkhole, or playa lake	□No
Topographic map; Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or ch - Visual inspection (certification) of the proposed site; Aerial photo; satelli	••	□No
	T Yes	∐No
Within 500 horizontal feet of a private, domestic fresh water well or spring that purposes, or within 1000 horizontal fee of any other fresh water well or spring  - NM Office of the State Engineer - iWATERS database; Visual inspection	, in existence at the time of the initial application.	
Within incorporated municipal boundaries or within a defined municipal fresh w pursuant to NMSA 1978, Section 3-27-3, as amended.	vater well field covered under a municipal ordinance adopted Yes	□No .
Written confirmation or verification from the municipality; Written appr Within 500 feet of a wetland		DNo.
- US Fish and Wildlife Wetland Identification map; Topographic map; Vi	sual inspection (certification) of the proposed site	1140
Within the area overlying a subsurface mine.	Yes	□No
<ul> <li>Written confirantion or verification or map from the NM EMNRD-Minii</li> <li>Within an unstable area.</li> </ul>	ng and Mineral Division	□No
- Engineering measures incorporated into the design; NM Bureau of Geolo	ogy & Mineral Resources; USGS; NM Geological Society;	INO ,
Topographic map		
Within a 100-year floodplain FEMA map	Yes	∐No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions by a check mark in the box, that the documents are attached.	: Each of the following items must bee attached to the closure plan. Plea	ise indicate,
Siting Criteria Compliance Demonstrations - based upon the ap	oppropriate requirements of 19,15,17,10 NMAC	, [
Proof of Surface Owner Notice - based upon the appropriate re		· .
Construction/Design Plan of Burial Trench (if applicable) base	d upon the appropriate requirements of 19.15.17.11 NMAC	1
Construction/Design Plan of Temporary Pit (for in place burial	of a drying pad) - based upon the appropriate requirements of 19,15,17,11	NMAC
Protocols and Procedures - based upon the appropriate requires	ments of 19.15.17.13 NMAC	, , , ,
Confirmation Sampling Plan (if applicable) - based upon the applicable	The state of the s	
Waste Material Sampling Plan - based upon the appropriate rec		. ]
	g fluids and drill cuttings or in case on-site closure standards cannot be ach	lieved)
Soil Cover Design - based upon the appropriate requirements o		
Re-vegetation Plan - based upon the appropriate requirements  Site Reclamation Plan - based upon the appropriate requirement	<u>.</u>	

± 19,		و پرده در کار در	大型中的主流的大型的工	一些認為的語
Operator Application Certification:  I hereby certify that the information submitted with this application is true, accu	rate and complete to the be	st of my knowledge and belief.	· 公司, 自己, 如此, 是其, 不开	in a fing the at the
Name (Print): Rhonda Rogers	Title:	Regulatory Technician		4
Signature: Konsk Tork	Date:	12/1/2008		
e-mail address: rogerrs@conocophillips.com	Telephone:	505-599-4018		
20 OCD Approval: Permit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see atta	achmont)	
	Closure Fian (only)	_		1
OCD Representative Signature:		Approval Date:	12-3-08	
Title: Enviro/sper	OCD Pern	nit Number:		
21				
Closure Report (required within 60 days of closure completion): Su	bsection K of 19.15 17.13 NMA	2		
Instructions. Operators are required to obtain an approved closure plan prior i				
report is required to be submitted to the division within 60 days of the completic approved closure plan has been obtained and the closure activities have been c		Please ao not complete this sectio	n oj tne jorm until an	
	Closure	Completion Date:		
22				
Closure Method:				
Waste Excavation and Removal On-site Closure Method	Alternative Closure	Method Waste Removal (C	Closed-loop systems only	)
If different from approved plan, please explain.				* 1 * 1
23		,,		7.727
Closure Report Regarding Waste Removal Closure For Closed-loop System				
Instructions: Please identify the facility or facilities for where the liquids, dril. were utilized.	ling fluids and drill cutting	s were disposed. Use attachment	if more than two faciliti	es :
Disposal Facility Name	Disposal Facility	Permit Number:		. :
Disposal Facility Name:	Disposal Facility	Permit Number:		
Were the closed-loop system operations and associated activities performed		be used for future service and ope	eartions?	/
Yes (If yes, please demonstrate compliane to the items below)	∐No		The second of the second	
Required for impacted areas which will not be used for future service and of Site Reclamation (Photo Documentation)	perations:	1	54	
Soil Backfilling and Cover Installation			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Re-vegetation Application Rates and Seeding Technique				,
24.			The same of the sa	
Closure Report Attachment Checklist: Instructions: Each of the for the box, that the documents are attached.	llowing items must be attac	hed to the closure report. Please	indicate, by a check mai	rk in · - · · ·
Proof of Closure Notice (surface owner and division)				أجر
Proof of Deed Notice (required for on-site closure)		-	er og glift eller og er State og	- * -
Plot Plan (for on-site closures and temporary pits)		•	र १५ हेव दुवरे ४	Ì
Confirmation Sampling Analytical Results (if applicable)		-	624 (" 4 - 461 g	
Waste Material Sampling Analytical Results (if applicable)			a manage pages and	
Disposal Facility Name and Permit Number			, ,	ı
Soil Backfilling and Cover Installation			* જરામી પૂર્વ જાણે મહે !	
Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)				- gripar d
On-site Closure Location: Latitude:	Longitude:	NAD 🗍	1927 [1] 1983	and the plant of the second of
25		F v ag	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Operator Closure Certification:				المؤلف ا
I hereby certify that the information and attachments submitted with this closure	-		ledge and belief. I also	certify that
the closure complies with all applicable closure requirements and conditions sp	pecytea in the approved clo	sure plan.		* ,
Name (Print):	Title:		*	
Signature:	Date:			
			in Supple	٠.
e-mail address:	Telephone:		2 1 - 8 July 1 - 5	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

Form C-144

# Burlington Resources Oil & Gas Company, LP Closed-loop Plans

### Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

### **Closed-loop Operating and Maintenance Plan**

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

#### Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.