# District I 1625 N. French, Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources** Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

01	138
$\mathcal{O}^{-}$	
	_ (that

# Closed-Loop System Permit or Closure Plan Application

only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: X Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a

closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.  Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
ı. Operator: McElvain Oil & Gas Properties, Inc. OGRID #: 22044
Address: 1050 17th St., Suite 1800, Denver, CO, 80265-1801
Facility or well name: Hagood No. 1R
API Number: 30-045- 34837 OCD Permit Number:
U/L or Qtr/Qtr B Section 24 Township 30N Range 14W County: San Juan
Center of Proposed Design: Latitude 36.80465°N Longitude 108.25861°W NAD: 1927 X 1983
Surface Owner: X Federal  State  Private Tribal Trust or Indian Allotment
2.
X Closed-loop System: Subsection H of 19.15.17.11 NMAC
Operation: X Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) P&A  Above Ground Steel Tanks or Haul-off Bins
3. Signs: Subsection C of 19.15.17.11 NMAC  12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3.103 NMAC  NOV 2008
Signs: Subsection C of 19.15.17.11 NMAC  12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  No. 10 10 15 2 102 NMAC
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
X Signed in compliance with 19.15.3.103 NMAC
4. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Fach of the following items must be attached to the application. Please indicate, by a check mark in the box that the documents are
attached.  X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
X Design Plan - based upon the appropriate requirements of 19.13.17.11 NMAC  X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
X Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API Number:
Previously Approved Operating and Maintenance Plan API Number:
S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)  Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.
Disposal Facility Name: Solids-JFJ Landfarm Disposal Facility Permit Number: 10
Disposal Facility Name: <u>Liquids-Key Four Corners, Inc.</u> Disposal Facility Permit Number: <u>9</u>
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?  Yes (If yes, please provide the information below) X No
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
6. Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Robert E. Fielder Title: Agent
Signature: Date: October 24, 2008
e-mail address: pmci@advantas.net Telephone: (505)320-1435

7.	
OCD Approval: Permit Application (including closure plan) Closure P	lan (only)
OCD Representative Signature:	Approval Date: 12-3-08
Title: Enviro/Spec	OCD Permit Number:
Subsection Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior The closure report is required to be submitted to the division within 60 days of section of the form until an approved closure plan has been obtained and the complete	to implementing any closure activities and submitting the closure report. the completion of the closure activities. Please do not complete this
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems Instructions: Please indentify the facility or facilities for where the liquids, dri two facilities were utilized.	
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	·
Were the closed-loop system operations and associated activities performed on one of Yes (If yes, please demonstrate compliance to the items below) No	r in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and operated Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	ions:
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure belief. I also certify that the closure complies with all applicable closure requirer	nents and conditions specified in the approved closure plan.
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:

#### **Closed Loop**

#### **Operating and Maintenance Procedures**

#### McElvain Oil & Gas Properties, Inc. (MOG)

#### Hagood No. 1R

#### I. Design and Construction Specifications

- Due to the location of the proposed wellsite on a rock ledge no topsoil will be stockpiled.
- b. In lieu of a pit sign, MOG will install and maintain a sign on the wellsite in accordance with the provisions of Rule 103.
- c. The proposed depression and steel tank will be fenced on all sides with a six foot chainlink rental fence because this location is primarily sandstone material. This location is over 1000 feet from the nearest residential building. This fence will be maintained to insure no access by livestock or wildlife as long as there is fluid in the steel tank.
- d. After the location leveling is complete, MOG will construct a 45 ft. long X 12 ft. wide X 3 ft. deep depression with vertical walls to set the steel tank in. This is necessary due to the limited height (3 ft. ± above GL) of the flow nipple of the D & D Services rig we propose to use for this operation. The soil removed for this excavation will be stockpiled on the pad surface between the depression area and corner 5, outside of the fence perimeter. A one foot tall berm, using the excavated soil for material, will be constructed around the perimeter of the depression to prevent run on from entering the depression.
- e. No drying pads or sumps will be used in conjunction with this closed loop system.

#### II. Operational Plan

- a. MOG will operate and maintain the closed loop system to contain the liquids and solids associated with the drilling phase of this operation, prevent contamination of the fresh water supply and protect the public health and the environment.
- b. MOG will not dispose of or store any hazardous material in this steel tank. All workover and completion fluids associated with flow back or circulation during these operations will be stored in a flow back tank on location.
- c. MOG will monitor the condition of the installed steel tank from the date it is installed until the drilling operation is completed to insure there are no leaks from the steel tank to the depression. Any leak noted will be repaired and reported within 48 hours or in accordance with applicable regulations and procedures in effect at the time.
- d. One foot of freeboard will be maintained in the steel tank while drilling operations are in progress during the day. The liquid level will pulled down to the two feet of freeboard level each evening, before drilling operations are suspended for the night, by


- transferring fluid to the circulating tank. MOG will not discharge any drilling fluids or solids to the depression.
- e. Solids will be removed by vacuum truck from the solids bin of the steel tank as needed during the drilling operation. The solids will be hauled to the JFJ Landfarm, NM permit # 10.
- f. MOG will remove all free liquid from the steel tank and haul it to the circulating fluid tank for the next well or to the Key Four Corners facility, permit # 9 if another well is not planned, immediately upon cessation of the drilling operation. All fluids associated with drilling or workover operations that are accumulated and stored in the flow back tank will be removed within 30 days of cessation of these operations and hauled to the Key Four Corners facility. Accumulated solids in the steel mud tank and the flowback tank will be removed by a vacuum truck and hauled to the JFJ Landfarm as soon as the liquids are removed.
- g. The steel tank will be maintained free of any solid refuse. This will be stored in a trash basket on the location.

#### III. Closure Plan

- a. MOG will close this closed loop system within 60 days of the release of the drilling rig.
- b. MOG will remove the steel tank as soon as the liquids and solids removal is complete. A sample collection program, in accordance with the closure requirements of 19.15.17.13.B(1)(b)(i) will be initiated as soon as the steel tank is removed of any areas stained by accidental discharge to the depression. The samples will be analyzed and reported in accordance with the regulations.
  - If the testing of the soil meets the quality standards of 19.15.17.13.B(1)(b)(i), shown in the table below, MOG will proceed with reclamation as outlined in c. below.
  - ii. If test results of the soil do not meet the quality standards of 19.15.17.13.B(1)(b)(i), shown in the table below, MOG will consult with the Aztec district office and the applicable closure method determined by this office will be initiated.

Components	Tests Method	Limit (mg/Kg)		
Benzene	EPA SW-846 8021B or 8260B	0.2		
BTEX	EPA SW-846 8021B or 8260B	50		
TPH	EPA SW-846 418.1	2500		
GRO/DRO	EPA SW-846 8015M	500		
Chlorides	EPA 300.1	-1 <del>000</del> /500		


- c. MOG will use the depression dirt stockpile to provide a compacted fill over the depression area. This area will then be used as part of the producing well pad for future operations. MOG will file the applicable closure report with attachments within 60 days of completion of closure.
- d. The depression area will be re-contoured and seeded to the BLM specifications, contained in the approved permit to drill, at the time of final abandonment.



Scale: 1 Inch = 60 feet

# McElvain Oil & Gas Properties, Inc.

Wellsite Layout
Hagood No. 1R
845' FNL & 1405' FEL
Section 24, T30N, R14W, NMPM
San Juan Co., New Mexico



DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240

# State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

DISTRICT II 1301 W. Grand Avenue, Artemia, N.M. 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410 OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505


### WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code	<sup>8</sup> Pool Name				
	78160/71629	HARPER HILL FRUITLAND SAND - PC/ BA	SIN FRUITLAND COAL			
*Property Code		• Well Number				
29126		1 R				
OGRID No.		Elevation				
22044	McELVAIN OIL	5851'				

10 Surface Location


UL or lot no.	Section 24	Township 30N	Range 14W	Lot Idn	Feet from the 825'	North/South line NORTH	Feet from the 1405'	East/West line EAST	SAN JUAN
			11 Bott	om Hole	Location I	f Different Fro	om Surface		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres NE/4  FRUITLAND COAL - 295.31 Acres E/2		lofill	<sup>14</sup> Consolidation C	Code	<sup>15</sup> Order No.	<u></u>	<u> </u>		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



## McELVAIN OIL AND GAS PROPERTIES, INC.

HAGOOD #1 R
825' FNL & 1405' FEL
LOCATED IN THE NW/4 NE/4 OF SECTION 24,
T30N, R14W, N:M.P.M.,
SAN JUAN COUNTY, NEW MEXICO
GROUND ELEVATION: 5851', NAVD 88
NO NEW ACCESS



U.S.G.S. QUAD: YOUNGS LAKE SCALE: 1" = 2000' (1:24,000)

JOB No.: MCLV014 DATE: 04/10/08 NEW OR RECONSTRUCTED ROADS MUST MEET SMA DESIGN STANDARDS INSTALL CULVERTS AS NEEDED



Russell Surveying 1409 W. Aztec Blvd. #2 Aztec, New Mexico 87410 (505) 334-8637