District I

1625 N French Dr., Hobbs, NM 88240

<u>District II</u>

1301 W. Grand Ave, Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

District IV

1220 S. St. Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

 $\label{eq:July 21, 2008} \mbox{ July 21, 2008}$ For temporary pits, closed-loop sytems, and below-grade

Form C-144

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application
Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oil & Gas Company, LP Address: PO Box 4289, Farmington, NM 87499
Facility or well name: Richardson 12A
API Number: OCD Permit Number:
U/L or Qtr/Qtr: J(NWSE) Section: 15 Township: 31N Range: 12W County: San Juan Center of Proposed Design: Latitude: 36.895740' N Longitude: 108.079800' W NAD: X 1927 1983 Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions L x W x D
X Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation P&A Drilling a new well X Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVD Other Other Company Compan
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type Thickness mil HDPE PVC Other
5 Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Chair Indx, as feet in height, two strands of Parhed wire at top (Required If focused within 100) feet of a permanent residence, school, heights, institution or charch) Foot fool height, four strands of Nursbed wire evently spaced between one and four feet Alternate. Please possibly ***Milliags:**Subsection & of 19.15.17.11 NMAC (Applies to permanent pits and permanent open up tanks) ***Sures:**Subsection & of 19.15.17.11 NMAC (Applies to permanent pits and permanent open up tanks) ***Sures:**Subsection & of 19.15.17.11 NMAC (Applies to permanent pits and permanent open up tanks) ***Sures:**Subsection & of 19.15.17.11 NMAC (Institute of permanent pits and permanent open up tanks) ***Administrative Augmentals and Exceptions:**Journal of the Sures of the 19.15.17 NMAC (Institute Augmental and Exceptions) ***Administrative Augmentals and Exceptions:**Journal of the Sures of the 19.15.17 NMAC (Sures of the Sures of the Sure	Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)	gertaen s
Four foo beight, foor stands of barbed wire evenly spaced between one and four feet	Chain link six feet in height two strands of harbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital in	stitution or church)
Alternate. Please specify		
Series S	- 	Strain 1
Signed in compliance with 1913-131-18 NMAC 2 x 24 x 2 ** 2* intrusing, providing Operator's none, site location, and emergency telephone numbers	Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other	
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
Administrative Approvals and Exceptions: Please check a locs if one or more of the following is requested, if not feave blank: Administrative approval(s): Requests must be submitted to the appropriate division distract of the Santa Fe Environmental Bureau office for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria about the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to evaluate a provided below to the composition of approval. Applicant must anneally application and the application of the proposed site. State Engineer - iWATERS databases search; USGS; Data obtained from nearby wells Within 300 feet for a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site. Application. (Applies to temporary, emergency, or convation pits and below-grade tanks) - Visual inspection (certification) of the proposed site. Application. - Not Offic	12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
Justifications and/or demonstrations of equivelency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the fullowing is requested, if not leave blass: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. Sting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district affice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Application instruction instruction and acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district affice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Application instruction in such states to except the submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. No Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet form a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, baspital, institution, or church in existence at the time of initial application. Note of the State Engineer - iWATERS database scarc		
Administrative approval(s): Requests must be submitted to the appropriate division distract of the Santa Fe Environmental Bureau office for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office are may be considered and exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attack justification for request. Please refer to 18.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system. Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring, in cisticence at the time of initial application. Pyes		
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each sting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain sting criteria may require administrative approval from the appropriate district office or may be considered an acceptant which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying puds or above grade-tanks associated with a closed-loop system. Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - IWA TERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. Within 1000 feet for daw adminishment of the municipality within 1000 horizontal feet of any oth	Please check a box if one or more of the following is requested, if not leave blank:	
Sting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each sking criteria below in the application. Recommendations of acceptable source material are provided before. Requests regarding changes to certain sking criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Application must attach instification for request. Please refore to 19.15.17.10 NMAC for guidance. Sting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system. Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet for a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizonal feet of any other fresh water well or spring that less than five	Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for co	nsideration of approval.
Siting Criteria (recarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Application must attack hissification for request. Please refore it 9.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system. Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tanks. Yes No NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Yes No (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Applies to temporary, emergency, or cavitation pits and below-grade tanks) NA Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. NA Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Yes No NA Na Na Na Na Na Na Na	Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
Instructions: The applicant must demonstrate compilatine for each sting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain sting criteria may require administrative approach from the appropriate district office or may be considered on exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approach. Applicant must attach justification for request. Please refer to 19.15.17.10 MMAC for guidance. Siting criteria does not apply to drying pals or above grade-tanks associated with a closed-loop system. Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet for an apermanent residence, school, hospital, institution, or church in existence at the time of initial application. Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent pits Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-273, as amended Within the area overlying as s	10	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizonal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site. Within the area overlying a subsurface mine. Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain	Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria	
(measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain		Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain	(measured from the ordinary high-water mark).	
NA Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Yes No NA Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. Yes No NA Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No No Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Yes No No Yes No No No No No No Yes No No No No No No No N	Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	·
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain	(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain	Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain	\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.	□ NA
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain	· · · · · · · · · · · · · · · · · · ·	Yes No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain	- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain	adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain	Within 500 feet of a wetland.	Yes No
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain Yes No	· ·	Yes No
Within a 100-year floodplain	- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	Yes No
	Within a 100-year floodplain	." L

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API or Permit	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9	
NMAC and 19.15.17.13 NMAC	
Previously Approved Design (attach copy of design) API	
Previously Approved Operating and Maintenance Plan API	
13	=
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	I
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	1
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan	
Oil Field Waste Stream Characterization	
Monitoring and Inspection Plan	
Erosion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC	
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	-
Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System	
Alternative	
Proposed Closure Method: Waste Excavation and Removal	,
X Waste Removal (Closed-loop systems only)	
On-site Closure Method (only for temporary pits and closed-loop systems)	ļ
☐ In-place Burial ☐ On-site Trench ☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)	ا ر
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plane Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	an.
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	

Form C-144 Oil Conservation Division Page 3 of

16 Waste Removal Closure For Closed-loop Systems That Utilize Above G	round Steel Tanks or Haul off Rins Only (10 15 17 13 D NMA	
Instructions Please identify the facility or facilities for the disposal of liquid	is, drilling fluids and drill cuttings. Use attachment if more than	two
Facilities are required Disposal Facility Name: Envirotech	Disposal Facility Permit #: NM-01-0011	
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: NM-01-005	
Will any of the proposed closed-loop system operations and associa		cure service and
Yes (If yes, please provide the information No	movationa	
Required for impacted areas which will not be used for future service and op Soil Backfill and Cover Design Specification - based upon the	•	3 NMAC
Re-vegetation Plan - based upon the appropriate requirements	** * *	
Site Reclamation Plan - based upon the appropriate requirement	nts of Subsection G of 19 15 17 13 NMAC	
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17. Instructions Each sting criteria requires a demonstration of compliance in the closus certain siting criteria may require administrative approval from the appropriate distrioffice for consideration of approval Justifications and/or demonstrations of equivalent	re plan. Recommendations of acceptable source material are provided b uct office or may be considered an exception which must be submitted to t	the Santa Fe Environmental Bureau
Ground water is less than 50 feet below the bottom of the buried wa - NM Office of the State Engineer - iWATERS database search, USGS		Yes No
- NW Office of the State Engineer - TWATEKS database search, OSOS	. Data obtained from hearby wens	□ □N/A □
Ground water is between 50 and 100 feet below the bottom of the bi		Yes No
- NM Office of the State Engineer - iWATERS database search; USGS;	, Data obtained from nearby wells	∐N/A
Ground water is more than 100 feet below the bottom of the buried		Yes No
- NM Office of the State Engineer - iWATERS database search; USGS;	; Data obtained from nearby wells	N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any of (measured from the ordinary high-water mark).	ther significant watercourse or lakebed, sinkhole, or playa lake	Yes No
Topographic map, Visual inspection (certification) of the proposed sit	e ' ' ·	
Within 300 feet from a permanent residence, school, hospital, institution, or - Visual inspection (certification) of the proposed site, Aerial photo; sate	••	Yes No
		Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring the purposes, or within 1000 horizontal fee of any other fresh water well or spring - NM Office of the State Engineer - iWATERS database; Visual inspect	ng, in existence at the time of the initial application.	
Within incorporated municipal boundaries or within a defined municipal frest pursuant to NMSA 1978, Section 3-27-3, as amended.	h water well field covered under a municipal ordinance adopted	Yes No
- Written confirmation or verification from the municipality; Written ap	proval obtained from the municipality	
-Within 500 feet of a wetland	Visual inspection (certification) of the proposed site	Yes No
Within the area overlying a subsurface mine. '- Written confirantion or verification or map from the NM EMNRD-Mi	ining and Mineral Division	Yes No
Within an unstable area.	ining and wither at Division	□Ves □No
Engineering measures incorporated into the design, NM Bureau of Geo	ology & Mineral Resources; USGS; NM Geological Society;	in the state of th
Within a 100-year floodplain. - FEMA map	, ·	Yes No
18) 5 Nov. 91
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instruction by a check mark in the box, that the documents are attached.	ns: Each of the following items must bee attached to the	closure plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the	appropriate requirements of 19.15.17.10 NMAC	The state of the s
Proof of Surface Owner Notice - based upon the appropriate	requirements of Subsection F of 19.15.17.13 NMAC	
Construction/Design Plan of Burial Trench (if applicable) ba	sed upon the appropriate requirements of 19.15.17.11 NM	IAC TANK
Construction/Design Plan of Temporary Pit (for in place buri	ial of a drying pad) - based upon the appropriate requirem	ents of 19.15.17.11 NMAC
Protocols and Procedures - based upon the appropriate requir	rements of 19.15.17.13 NMAC	1 Section
Confirmation Sampling Plan (if applicable) - based upon the	appropriate requirements of Subsection F of 19.15.17.13	NMAC CONTROL OF THE PROPERTY O
Waste Material Sampling Plan - based upon the appropriate i	requirements of Subsection F of 19.15.17.13 NMAC	3 3 4 3 4 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Disposal Facility Name and Permit Number (for liquids, drill	-	dards cannot be achieved)
Soil Cover Design - based upon the appropriate requirements		The state of the s
Re-vegetation Plan - based upon the appropriate requirement		5 , 5

19°			A Comment of the Comm	6.7.1
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate	and complete to the be	est of my knowledge and belief.		<u> </u>
Name (Print): Rhonda Rogers	Title:	Regulatory Technician		
Signature:	Date:	12/17/2008	发现数据 第500	or samiliar s
e-mail address: rogers@conocophillips.com	Telephone:	505-599-4018	· · · · · · · · · · · · · · · · · · ·	
			_ `	
20			,	
OCD Approval: Permit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see atta	chment)	
OCD Representative Signature:		Approval Date:	12-31-0	8
Title: Ensiro/spec	OCD Pare	-14 N		
Title: FUSIO PRICE	OCD Feri	nit Number:		
Closure Report (required within 60 days of closure completion): Subsections: Operators are required to obtain an approved closure plan prior to impreport is required to be submitted to the division within 60 days of the completion of approved closure plan has been obtained and the closure activities have been completed to the division within 60 days of the completion of approved closure plan has been obtained and the closure activities have been completed.	plementing any closur f the closure activities. leted.	e activities and submitting the closu	•	
22				
Closure Method:				
	Alternative Closure	Method Waste Removal (C	losed-loop systems only)
If different from approved plan, please explain			. 1, 300-	. 4 '
23			And the second s	
Closure Report Regarding Waste Removal Closure For Closed-loop Systems TI				
Instructions: Please identify the facility or facilities for where the liquids, drilling were utilized.	jiuias ana ariii cuttin	gs were disposed. Use attachment i	f more than two facilities	es .
Disposal Facility Name	Disposal Facility	Permit Number:		
Disposal Facility Name	Disposal Facility	Permit Number:	المستوات المستوات المستوات	
Were the closed-loop system operations and associated activities performed on o	r in areas that will not	be used for future service and oper	artions?	
Yes (If yes, please demonstrate compliane to the items below)	No		n a repair and	**
Required for impacted areas which will not be used for future service and operation of the control of the contr	tions:	,		
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique		<i>'</i> .	المستعددية والمتعدد المتعدد	
			The control	
24 Closure Report Attachment Checklist: Instructions: Each of the following	ng items must be atta	ched to the closure report. Please i	ndicate, by a check mar	k in
the box, that the documents are attached.	G			
Proof of Closure Notice (surface owner and division)		1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	in the Seedings to	
Proof of Deed Notice (required for on-site closure)			Control of The Control	
Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)			in the second second	
Waste Material Sampling Analytical Results (if applicable)				
Disposal Facility Name and Permit Number			•	,
Soil Backfilling and Cover Installation		1	1231975	` / ,i
Re-vegetation Application Rates and Seeding Technique				
On-site Closure Location: Latitude:	Longitude:	NAD 🗍	1927 1983	1772 2 2 1792 1792
On-site Closure Location.		NAD [1927	
		e .	अने बहुत्सीसे अमेरी इन रू	· . · ·
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure rep	ort is ture, accurate a	nd complete to the best of my knowl	edge and belief. I also o	ertify that
the closure complies with all applicable closure requirements and conditions specifi		•		
Name (Print):	` Title:			·
				78°
.Signature:	Date:			` ;
e-mail address:	Telephone:			
A ASSESSED STORE OF THE PROPERTY OF THE PROPER				

Form C-144 Oil Conservation Division

Page 5 of 5

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.

下是7001 (F-0)种种物。