District I

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico Energy Minerals and Natural Resources

Form C-144 July 21, 2008

District II

Department Oil Conservation Division 1220 South St. Francis Dr. For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

1301 W. Grand Ave., Artesia, NM 88210

Santa Fe, NM 87505

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505	appropriate NMOCD District Office.						
\sim 11 \times 12	Pit, Closed-Loop System, Below-Grade Tank, or						
Proposed Alternative	Method Permit or Closure Plan Application						
Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method							
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method							
☐ Modification to an							
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method							
Instructions: Please submit one application (Form C-14	14) per individual pit, closed-loop system, below-grade tank or alternative request						
***	the operator of liability should operations result in pollution of surface water, ground water or the ibility to comply with any other applicable governmental authority's rules, regulations or ordinances.						
1	ionny to comply with any other approante governmental authority's rules, regulations of ordinances.						
Operator: Burlington Resources Oil & Gas Company, LP	P OGRID#: 14538						
Address: PO Box 4289, Farmington, NM 87499							
Facility or well name: Davis 16							
API Number: 30-045-20742	OCD Permit Number:						
U/L or Qtr/Qtr: L(NWSW) Section: 1 Township Center of Proposed Design: Latitude: 36.924450'	p: 31N Range: 12W County: San Juan						
	'N Longitude: 108.052110' W NAD: X 1927 1983 rivate Tribal Trust or Indian Allotment						
Pit: Subsection F or G of 19.15.17.11 NMAC	A CONSTRUCT OF THE SERVENCE OF						
Temporary: Drilling Workover							
Permanent Emergency Cavitation P&A	gen in the positive confidence						
Lined Unlined Liner type: Thickness	mil LLDPE HDPE PVC Other						
String-Reinforced							
Liner Seams: Welded Factory Other	Volume: bbl Dimensions L x W x D						
3	and the section with a section						
X Closed-loop System: Subsection H of 19.15.17.11 NM/ Type of Operation: P&A Drilling a new well X	AC X Workover or Drilling (Applies to activities which require prior approval of a permit or						
37	notice of intent)						
	ul-off Bins Other						
Lined Unlined Liner type: Thickness	mil LLDPE HDPE PVD Other						
Liner Seams: Welded Factory Other	in the second of						
4	a see of the time in the control of						
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid:	८ । ४ ४६ व अवस्य						
Tank Construction material:							
;·,	sidewalls, liner, 6-inch lift and automatic overflow shut-off						
Visible sidewalls and liner Visible sidewalls on	only Other						
Liner Type: Thicknessmil HDPE	PVC Other						
5,	Contract of the Contract of th						
Alternative Method:	e de la companya della companya della companya de la companya della companya dell						
	1 so the of planting distance and a market in the last bearing the state of the sta						

Report stem of the control of the co

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		The second of th
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residen	nce, school, hospital, institu	ition or church)
Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify		
Antennate. Frease specify		
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		· · · · · · · · · · · · · · · · · · ·
Monthly inspections (If netting or screening is not physically feasible)	·	
8 Signs: Subsection C of 19.15.17.11 NMAC		4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		tern in the term of the
X Signed in compliance with 19.15.3.103 NMAC	· 6.4 %- · · ·	
9 ! !		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.		
Please check a box if one or more of the following is requested, if not leave blank:		का कर पर का कर पर
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environment	tal Burania office for consider	
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	ial Bureau office for consid	eration of approval.
The state of the s	1 22 (11 20 20 20 20 20 20 20 20 20 20 20 20 20	The Bright of the Control of the Con
<u>Sitting Criteria (regarding permitting)</u> 19.15.17.10 NMAC	भूति । स्रोति । स्रोति ।	
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendatic source material are provided below. Requests regarding changes to certain siting criteria may require administrative appro		
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bure	eau Office for	
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance does not apply to drying pads or above grade-tanks associated with a closed-loop system.	s. Siting criteria	The state of the s
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade	tank.	Yes No 3
NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinl	khole, or playa lake	Yes No
(measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site	The section of the se	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the ti	ime of initial	Yes
application. The end of the second of the se		
Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	A Commence of the commence of	NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial a	pplication.	Yes No
(Applied to permanent pits)		NA TOTAL
Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial applications.		Yes
The first of the second of the		
NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the pro-		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a munici adopted pursuant to NMSA 1978, Section 3-27-3, as amended	pal ordinance	Yes No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	(1) 注 14: 127 ま 15a. 156 11.20 (2) と 4 1	
Within 500 feet of a wetland. Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of	the proposed site	Yes No
Within the area overlying a subsurface mine.		Yes
Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		
Withinan unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USG	41 . W. I'S DO R. L. W. F. M. MALONING APPROXIMATELY	Yes INO
Society; Topographic map	學等文類等學科的學科研 原發素系統立是基礎之一。	
Within a 100-year floodplain FEMA map		Yes No
整理は構築して正義を不可して		
Form C-144. Oil Conservation Division	Page	2 of 5
The state of the s		
The first of the state of the s		
Control of the second of the s		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC					
Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Penort (Relay, grade Tonks), based upon the requirements of Pengamph (4) of Subsection P. of 19 15 17 0 NIMAC.					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19:15:17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19:15:17.9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of					
19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API or Permit					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC					
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9					
NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Table in the first first the first f					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC					
Sitting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC					
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 1915:1711 NMACCS					
Quality Control/Quality Assurance Construction and Installation Plan					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC.					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19:15:17:11:NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan					
是Erosion Control Plan:					
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
1940 I Chaire that keep a substitute the substitute that the substitute the substitute that the substitute the substitute the substitute that the substitute the subst					
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed loop System.					
Alternative					
Proposed Closure Method: Waste Excavation and Removal					
X Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
Hamegonoric South In-place Burial On-site Trench A confor Solvin Supplies and Solvin S					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.					
Please indicate; by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F. of 19-15-17-13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 194517 13 NMAC.					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan based upon the appropriate requirements of Subsection G of 19.15 17:13 NMAC					

Form C-144
Oil Conservation Division
Conservation Division
Conservation Division

Waste Removal Closure For Closed-loop Systems That Utilize Above Group Instructions: Please identify the facility or facilities for the disposal of liquids, a	nd Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC); bylling fluids and drill cuttings. Use attachment if more than two	
facilities are required		
Disposal Facility Name: Envirotech	Disposal Facility Permit #: NM-01-0011	的 自然的,在这个特殊的
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: NM-01-005	
Will any of the proposed closed-loop system operations and associated Yes (If yes, please provide the information No	activities occur on or in areas that will nbe used for future	service and
Required for impacted areas which will not be used for future service and opera		
Soil Backfill and Cover Design Specification - based upon the a		MAC
Re-vegetation Plan - based upon the appropriate requirements of S	· · · · · · · · · · · · · · · · · · ·	
Site Reciamation Plan - based upon the appropriate requirements	of Subsection G of 19.13 17 13 NWAC	
Siting Criteria (Regarding on-site closure methods only: 19 15.17.10		
Instructions Each siting criteria requires a demonstration of compliance in the closure pi certain siting criteria may require administrative approval from the appropriate district of	lan. Recommendations of acceptable source material are provided below office or may be considered an exception which must be submitted to the S	n. Requests regarding changes to anta Fe Environmental Bureau
office for consideration of approval. Justifications and/or demonstrations of equivalency	are required. Please refer to 19.15 17.10 NMAC for guidance.	
Ground water is less than 50 feet below the bottom of the buried waste.		☐Yes ☐No
NM Office of the State Engineer - iWATERS database search; USGS: D	ata obtained from nearby wells	□N/A
Ground water is between 50 and 100 feet below the bottom of the burie	ed waste	Yes No
NM Office of the State Engineer - iWATERS database search; USGS; Da		N/A
		Yes No all 7
Ground water is more than 100 feet below the bottom of the buried was	· 一、 一、 一、 1、 1、 1、 1、 1、 1、 1、 1、 1、 1、 1、 1、 1、	
NM Office of the State Engineer - iWATERS database search; USGS; Da	na obtained from hearby wens	NA NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other (measured from the ordinary high water mark).	r significant watercourse or lakebed, sinkhole, or playa lake	Yes No
Topographic map; Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or chu	arch in existence at the time of initial application	Yes L No, A t
Wisual inspection (certification) of the proposed site; Aerial photo; satellit	e image	
	d at the first that the section of the	Yes L No.
Within 500 horizontal feet of a private, domestic fresh water well or spring that purposes, or within 1000 horizontal fee of any other fresh water well or spring,		
NM Office of the State Engineer - iWATERS database; Visual inspection	- (2.1.2017)	
Within incorporated municipal boundaries or within a defined municipal fresh w	ater well field covered under a municipal ordinance adopted	Yes No
pursuant to NMSA 1978, Section 3-27-3; as amended. Written confirmation or verification from the municipality; Written appro	oval obtained from the municipality	
Within: 500 feet of a wetland	रे के प्राप्ति (कार्य क्षेत्रिके कार्य प्राप्तिक कार्य	Yes No
US Fish and Wildlife Wetland Identification map; Topographic map; Vis	nual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine.	and the same of	Yes No v.
Written confiramtion or verification or map from the NM EMNRD-Minin	ng and Mineral Division	anche greco an pic digentes and
Within an unstable area		Yes Do
Engineering measures incorporated into the design; NM Bureau of Geolog	gy & Mineral Resources; USGS; NM Geological Society;	
Within a 100-year floodplain.		∏Yes ∏No
FEMA map		
Paragraphic Control of the Control o	Sent Sent Sent Sent Sent Sent Sent Sent	arayan baran da karangan kara Karangan karangan ka
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions:	Each of the following items must bee attached to the cli	osure plan: Please indicate,
by a check mark in the box, that the documents are attached.		
Siting Criteria Compliance Demonstrations - based upon the ap	7 (2) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	
Proof of Surface Owner Notice - based upon the appropriate rec	and the state of t	
Construction/Design Plan of Burial Trench (if applicable) based		LINE BOOK WHAT THE COLUMN TO LIVE WEEK TO LIVE WAS TO SEE THE SEE
Construction/Design Plan of Temporary Pit (for in place burial	· · · · · · · · · · · · · · · · · · ·	siof.19.15.17.11 NMAC
Protocols and Procedures - based upon the appropriate requiren		
Confirmation Sampling Plan (if applicable) - based upon the ap		AAC ATH THE PARTY OF THE PARTY
Waste Material Sampling Plan - based upon the appropriate req	· · · · · · · · · · · · · · · · · · ·	
Disposal Facility Name and Permit Number (for liquids, drilling	2 1 1 2 3 1 4 1 2 3 1 4 1 2 3 1 5 1 3 3 4 5 1 5 3 5 5 5 6 5 6 5 6 5 6 5 6 6 6 6 6 6 6	ds cannot be achieved)
Soil Cover Design - based upon the appropriate requirements o	· 新工具 表现的 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Re-vegetation Plan based upon the appropriate requirements of		
Site Reclamation Plan - based upon the appropriate requiremen	is of Subsection C of 19.13.17.13 NMAC	建筑的设置。1200年1200

Form C-144

Oil Conservation Division

Operator Application Certification:	en de la companya de		La Caralla and All Caralla and		
I hereby certify that the information submitted v		-			
Bases 1 1 1	honda-Rogers	Title:	Regulatory Tech	S 1 32 1 830 2	宣 科·特别
Signature: rocerrs (1)	ropoconhilling	Date:	1/6/2008 505-599-4	2 1 2 2 2 2 Per	The same of the sa
e-mail address: rogerrs@e	conocophillips.com	Telephone:	JUJ-J99-4	1 1 1 1	The state of the s
20,,,,,			- H		
	(including closure plan)	Closure Plan (only)	OCD Conditions	(see attachmen	0
OCD Representative Signature:	Brand K	M	Approval 1	Date:	21-09
Title: Enviro/Sp	ور	OCD Permi	n Number:	TOWN CANAGE	· · · · · · · · · · · · · · · · · · ·
21 21 21 22 22 23 23 23 23 23 23 23 23 23 23 23			. 1 - 3 - 1	TAPES	有一种人们的人们的人们
Closure Report (required within 60 day					
Instructions: Operators are required to obtain report is required to be submitted to the divisio					
approved closure plan has been obtained and to			، معتبد		
7	The second secon	Closure	Completion Date:		
.,22 0 3					
Closure Method:					
Waste Excavation and Removal	On-site Closure Method	Alternative Closure M	Method Waste R	emoval (Closed-lo	oop systems only)
If different from approved plan, please	explain.		1045年		Market September 1
123				Carlot Control of the	
Closure Report Regarding Waste Removal C Instructions: Please identify the facility or fac			. / 10/1-2-	ALT WE GAR. TO A POSTER	than two facilities
were utilized.	e		a facility of the contraction of	which de trans	
Disposal Facility Name:		Disposal Facility I	, 118 est . N		
Disposal Facility Name:	associated activities	Disposal Facility I		and one	
Were the closed-loop system operations and	-	on or in areas that will not	oc used for future service	and opeartions?	r og grande av river 1984 kan handelige Britansk filmans i sakstat kallender
Required for impacted areas which will not	_	_	The state of the s		
Site Reclamation (Photo Documentatio	on)	or the only i	江水的作物調整		
Soil Backfilling and Cover Installation			- Harringle		
Re-vegetation Application Rates and S	eeding Technique	The second secon	- Tanker	· HOSSESTAN	
Closura Dana d Aug. L	to Institute of	owing items must be attack	The second of th	DISTRICTION OF THE PARTY OF THE	
Closure Report Attachment Checklis the box, that the documents are attached.	ess answacuons: Each of the folk	g uems must be attac.	w the closure repor	. œuse indicate	The state of the s
Proof of Closure Notice (surface o		1 13 1 2 1 1 CY		17、2000年1月20日 1950年1月20日 1866年1月20日	THE RESERVE OF THE PERSON OF T
Proof of Deed Notice (required for		en e	"(1) (40) (2) Markets	ent sulfoliopies.	APPENDED TO THE PROPERTY OF THE PARTY OF THE
Plot Plan (for on-site closures and	temporary pits)	er tra	in a sugar significant		
Confirmation Sampling Analytical		्रा १ व्हें अवस्था 	Townsteam Fights of		
Waste Material Sampling Analytic Disposal Facility Name and Permit	7.77	fine i mortune game amorto de			
Soil Backfilling and Cover Installa	ation -			ACCEPTATION OF THE PERSON OF	
Re-vegetation Application Rates a	nd Seeding Technique	The superior Champon			
Site Reclamation (Photo Documen	ntation)	The second secon			
On-site Closure Location: Latitu		Longitude:	N.	AĎ 📗 1927.	1983
Andrew Control of the	The second secon	The state of the s	ner depire l'Ulban	igenocetti ili	
405 P. 47-7-1)		र्वे को स्थापन के तार के त विकास के तार	STANGER	
Operator Closure Certification: Thereby certify that the information and attach	ments submitted with this closure	,	nd complete to the best of	rmý knowledov a	d belief. I also certify that
the closure complies with all applicable closur				Total	
Name (Print):	m et s	Title:	The state of the s		
The manda and the property of the contract of the contract of	er a se t				
Signature:	· · · · · · · · · · · · · · · · · · ·	Date:			
e-måil address:		Telephone:	三、特別特別		
	VIII VIII	- American is an included	a more property and the	ALTERNATURE.	
	and the second	Districts Treatment of the			
Form C-144	Oil Conservation	DIVISION : A dist in differ	The state of the state of the	rage 5 of 5	
是国家建立的原理,在阿拉拉克,在自己的自由的					
		•	2 - Internation		
त्र के विकास के किया है कि		.*			
	•		the simple profit	war make a service 36	The second of th

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by right operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.

The Addition of the fill the state

served be alleaded and s