#### District I

1625 N. French Dr., Hobbs, NM 88240

## State of New Mexico

## Energy Minerals and Natural Resources

# $\label{eq:July 21, 2008} July \ 21, \ 2008$ For temporary pits, closed-loop sytems, and below-grade

District II

1301 W. Grand Ave., Artesia, NM 88210 District III

1000 Rio Brazos Rd., Aztec, NM 87410

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

tanks, submit to the appropriate NMOCD District Office.

Form C-144

1220 S. St. Francis Dr., Santa Fe, NM 87505	appropriate NMOCD District Office.				
Pit, Closed-Loop System, Below-Grade Tank, or					
Proposed Alternative Method Permit or Closure Plan Application					
Type of action:  X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method					
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop  Please be advised that approval of this request does not relieve the operator of liability should operations re:	•				
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable g					
Operator: Burlington Resources Oil & Gas Company, LP  Address: PO Box 4289, Farmington, NM 87499	OGRID#: <u>14538</u>				
Facility or well name: Thurston LS 1					
API Number: 30-045-10151 OCD Permit Number:	Commence of the commence of th				
U/L or Qtr/Qtr: H(SENE) Section: 31 Township: 31N Range: 11	W County: San Juan				
Center of Proposed Design: Latitude: 36.858001' N Longitude:	<b>108.026000' W</b> NAD: X 1927 1983				
Surface Owner:	Allotment				
Pit: Subsection F or G of 19.15.17.11 NMAC  Temporary: Drilling Workover  Permanent Emergency Cavitation P&A  Lined Unlined Liner type: Thickness mil LLDPE H	RCVD JAN 21 '09 OIL CONS. DIV. DIST. 3  IDPE PVC Other				
Liner Seams: Welded Factory Other Volume:	bbl Dimensions L x W x D				
notice of intent)  Drying Pad X Above Ground Steel Tanks Haul-off Bins Other	DPE PVD Other				
Below-grade tank: Subsection I of 19.15.17.11 NMAC  Volume: bbl Type of fluid:  Tank Construction material:	Commission of the Commission o				
Secondary containment with leak detection	matic overflow shut-off				

1200

Office Con-

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)	ar on a gradual for
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution four feet  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify	ution or church)
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	The state of the s
Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	i de la companya de l
Signed in compliance with 19.15.3.103 NMAC	
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:	
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consi	deration of approval.
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	The way to be sufficiently tool
Siting Criteria (regarding permitting) 19.15.17.10 NMAC	· · · · · · · · · · · · · · · · · · ·
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA (name)
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  — Written confirmation or verification from the municipality. Written approval obtained from the municipality  Within 500 feet of a wetland.	Yes No
US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No
Within an unstable area.  Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map Within a 100-year floodplain FEMA map	Yes No
Stage of the stage	THE STATE OF THE PARTY OF STATE OF THE PARTY

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15:17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	weight 1965 1985年1981年17			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 1915.17.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	经。 经验的			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	The state of the s			
Previously Approved Design (attach copy of design)  API  or Permit  or Permit				
	- 10 × 43			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attache Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19	- 1, 1			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 N	MAC			
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	1 1 2 1			
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 1	9.15.17.9			
NMAC and 19.15.17.13 NMAC	14.94			
Previously Approved Design (attach copy of design)  API				
Previously, Approved Operating and Maintenance Plan API				
Section 1.				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	ched.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17/9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19:15:17:11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19-15-17-11-NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization	7.5			
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
[1] [1] [1] [1] [1] [1] [1] [1] [1] [1]	The section of the section.			
Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop Syst	em			
Alternative				
Proposed Closure Method: Waste Excavation and Removal    Waste Excavation and Removal	45的是影響			
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for Consider	tion)			
The final ve closure victime (Exceptions must be submitted to the same 10 Environmental Parties and Association and Associatio	The state of the s			
DISTANCE OF THE PROPERTY OF TH				
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the Please indicate, by a check mark in the box, that the documents are attached.	e cosare punt			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC	了。 在1960年			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19:15:17:13 NMAC.				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19:15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel 1: Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluid				
facilities are required.				
Disposal Facility Name: Envirotech Disposal Facility Name: Disposal Facility N	posal Facility Permit #: NM-01-0011			
Disposal Facility Name: Basin Disposal Facility Disposal Facility	posal Facility Permit #: NM-01-005			
Will any of the proposed closed-loop system operations and associated activities Yes (If yes, please provide the information No	occur on or in areas that will nbe used for future service and			
Required for impacted areas which will not be used for future service and operations:				
Soil Backfill and Cover Design Specification - based upon the appropriate  Re-vegetation Plan - based upon the appropriate requirements of Subsection				
Site Reclamation Plan - based upon the appropriate requirements of Subsection				
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommiscertain siting criteria may require administrative approval from the appropriate district office or may office for consideration of approval. Justifications and/or demonstrations of equivalency are required.	be considered an exception which must be submitted to the Santa Fe Environmental Bureau			
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No	<ol> <li>(1) 期(3)</li> </ol>		
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained	d from nearby wells			
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes , No .			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained	را من المنظم المنظم المنظم المنظم المنظ	and divi		
Ground water is more than 100 feet below the bottom of the buried waste.	Yes			
NM Office of the State Engineer - iWATERS database search; USGS; Data obtained	from nearby wells			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant (measured from the ordinary high-water mark).	watercourse or lakebed, sinkhole, or playa lake			
Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in exis	tence at the time of initial application.			
Visual inspection (certification) of the proposed site; Aerial photo; satellite image	Yes Wino			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five	the second of the state of the second of the			
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	生。2015年 第166章		
NM Office of the State Engineer - iWATERS database; Visual inspection (certification)	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・			
Within mcorporated municipal boundaries or within a defined municipal fresh water well fie	eld covered under a municipal ordinance adopted			
spursuant to NMSA 1978, Section 3-27-3, as amended  Written confirmation or verification from the municipality; Written approval obtaine	d from the municipality			
Within 500 feet of a wetland	Yes			
US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspecti				
Within the area overlying a subsurface mine.	No.			
Written confiramtion or verification or map from the NM EMNRD-Mining and Mine	ral Division			
Within an unstable area.	Yes			
Engineering measures incorporated into the design; NM Bureau of Geology & Miner	al Resources; USGS; NM Geological Society;			
Topographic map is San James Milling a 100-year floodplain.	TYEST NO.			
FEMA map				
59 (2000) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 1, 14 - 1 - 2 - 1 - 1 - 2 - 1 - 1 - 2 - 1 - 1	2 12 14 2 15 C		
On-Site Closure Plan Checklist: (19.15.17:13 NMAC) Instructions: Each of	the following items must bee attached to the closure plan. Please indicate	te		
by a check mark in the box, that the documents are attached.				
Siting Criteria Compliance Demonstrations - based upon the appropriate r	equirements of 19.15.17.10 NMAC			
Proof of Surface Owner Notice, based upon the appropriate requirements	of Subsection F of 19.15.17.13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the	appropriate requirements of 19.15.17.11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAG				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19,15-17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Coyer Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

All the Restaular Standard Standard Comment of the Comment of the

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Cer	tification			
1864 h. 30 - F. 1872 1 1 1 1 1 1 1 1	ation submitted with this application is true, accurate	and complete to the be	est of my knowledge and belief.	
Name (Print):	Rhonda Rogers	Title:	Regulatory Technician	
Signature:	homes ber	Date:	1/20/2009	
e-mail address:	rogerrs@conocophillips.cpm	Telephone:	505-599-4018	
TO SEE SEED FOR PRODUCE S			A SECRETARY OF THE PROPERTY OF	HAT WELL TO LEGATION (19) A SET THE STREET STREET, ASS.
20				主义的 海拔的 化铁色凝胶
OCD Approval:	nit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see at	tachment)
OCD Representative Sign	ature: B		Approval Date:	2-9-09
	in spec			THE SHELL SHE SHE
Title: Fau	in oper	OCD Peri	nit Number:	
· · · · · · · · · · · · · · · · · · ·				The state of the s
"Closure Report (required	within 60 days of closure completion): Subsec	tion K of 19 15 17 13 NMA	· ·	
	quired to obtain an approved closure plan prior to in			sure report. The closure
	ted to the division within 60 days of the completion o n obtained and the closure activities have been comp	-	Please do not complete this secti	on of the form until an
approved closure plan has bee	n oblained and the closure activities have been comp	r	o Completion Detec	
		Closur	e Completion Date:	
22,			,	
Closure Method:	D	<b>П</b>		
Waste Excavation and		Alternative Closure	Method Waste Removal (	Closed-loop systems only)
If different from appro	ved plan, please explain.		, in the latest	
23 Balling 10 10 10 10 10 10 10 10 10 10 10 10 10	, , , , , ,		6. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	
The second of th	Vasté Removal Closure For Closed-loop Systems T he facility or facilities for where the liquids, drilling			· · · · · · · · · · · · · · · · · · ·
were utilized.	ie jacuny or jacumes jor where the uquius, arming	g jiulus unu ariti cullin	gs were aisposea. Ose aitachmen	i y more inan iwo jacinies
Disposal Facility Name:		Disposal Facility	Permit Number:	
Disposal Facility Name:	The state of the s		Permit Number	
Sandy Selection of the conference of the conference of	m operations and associated activities performed on		be used for future service and or	eartions?
Yes (If yes, please den	nonstrate compliane to the items below)	No,	ا الله الله المراجع الله الله الله الله الله الله الله الل	and the second s
Required for impacted area Site Reclamation (Pho	us which will not be used for future service and opera	ations:	The Wood distribution	ta pare said
Soil Backfilling and C			一 一	
Charles and the factor of the second of the second	tion Rates and Seeding Technique	4 mg	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Section (Set V			tiek i stietori o periodorio de la compania	et proper presentation and vietement
Closure Report Attach	ment Checklist: Instructions: Each of the follow	ving items must be atta	ched to the closure report. Please	indicate by a check mark in
the box, that the document				
	tice (surface owner and division)		المنافعة والمنافعة والمناف	
[[E80] = 2   P.	e (required for on-site closure)	· (7) f. ·	1. 41 a.s. Jugar House The	an the street of the state of the
Carrier - All Carrier - All Carrier	e closures and temporary pits)		STORY DESIGNATION OF THE PROPERTY OF THE PROPE	
19 17 The Control of	ling Analytical Results (if applicable)	, a., 1 f t	. Tompeten that I have	
1999 <b>—</b> 1997 - 1	pling Analytical Results (if applicable)		أَلِيدِهُ عَلَيْهِ عِنْسِكُ شَاءً . يَا مِدْمِدُ اللهِ اللهِ اللهِ عَلَيْهِ . أَوْلُدُ فِي مِنْ اللَّهِ فِي مِنْ اللَّهِ فِي اللَّهِ عَلَيْهِ مِنْ اللَّهِ فِي اللَّهِ عَلَيْهِ مِنْ اللَّهِ	
Bartia IIII (tana 11 ° 1 ° 1 ° 1 ° 1 ° 1 ° 1 ° 1 ° 1 ° 1	ame and Permit Number			
Soil Backfilling and	Cover Installation ication Rates and Seeding Technique		المرافعة ال المرافعة المرافعة ال	
186	hoto Documentation)			
On-site Closure Loc	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Longitude:	NAD	1927.
<b>非国际运动性企业</b>	the region of			1. 公元 (1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
TO SEPARATE THE SECRETARY OF THE SECRETA	Section 1		and the state of t	
Operator Closure Certific	eation:	3 3 2 3 3		
TO STATE AND ADDRESS AS A SECOND OF A SECOND AS A SECO	ation and attachments submitted with this closure re	port is ture, accurate o	ind complete to the best of my know	wledge and belief. Lalso certify that
the closure complies with all a	pplicable closure requirements and conditions speci	fied in the approved cl	osure plan	
Name (Print):	and the second	Title:		
The state of the s				
Signature:	transfer and the second	Date:	1 STATES	
e-mail address:	more than the second	Telephone:		
The state of the s	1000 to 50 to 10	гогорионе	- January Control Care &	allo University of the transfer of the Control of t

Form C-144

Oil Conservation Division

age 5 of 5

## Burlington Resources Oil & Gas Company, LP Closed-loop Plans

## Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

## **Closed-loop Operating and Maintenance Plan**

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

#### Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.