## District I 1625 N. French Dr., Hobbs, NM 88240

District II 1301 W. Grand Ave., Artesia, NM 88210

District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV 1220 S St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

			_
2			)
	)	$\mathbf{\mathcal{C}}$	$\sim$

Pit, Closed-Loop System, Below-Grade Tank, or				
Proposed Alternative Method Permit or Closure Plan Application				
Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method				
Modification to an existing permit				
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,				
below-grade tank, or proposed alternative method  Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request				
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances				
Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538				
Address: PO Box 4289, Farmington, NM 87499				
Facility or well name: Canyon Largo Unit 260				
API Number: 0CD Permit Number: 0CD Permit Number:				
U/L or Qtr/Qtr: K(NESW) Section: 17 Township: 24N Range: 6W County: Rio Arriba  Center of Proposed Design: Latitude: 36.309860'N Longitude: 107.494540'W NAD: X 1927 1983				
Center of Proposed Design: Latitude: 36.309860'N Longitude: 107.494540'W NAD: X 1927 1983  Surface Owner: X Federal State Private Tribal Trust or Indian Allotment				
Pit: Subsection F or G of 19.15.17.11 NMAC   Temporary:				
Liner Seams Welded Factory Other RECEIVED  Below-grade tank: Subsection I of 19.15.17 11 NMAC  Welded Factory Other RECEIVED  ANY SUBSECTION OF THE PROPERTY O				
Volume:bbl Type of fluid.  Tank Construction material:  Secondary containment with leak detection				
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				

Fencing: Subsection D of 19 15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify				
7  Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	, and a			
Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
8 Signs: Subsection C of 19.15.17.11 NMAC				
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19.15.3.103 NMAC				
9 Administrative Approvals and Exceptions:				
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for considerable approval (s).	leration of app	roval.		
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
10				
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site		∏No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes NA	∐No		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality. Written approval obtained from the municipality	Yes	No		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No		
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological		No		
Society; Topographic map  Within a 100-year floodplain  - FEMA map	Yes	No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Relow grade Tanks), based upon the requirements of Paragraph (4) of Subsection Responses to 10.15.17.0 NIMAC.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15.17.9 NMAC and 19 15 17.13 NMAC				
Previously Approved Design (attach copy of design)  API or Permit				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17.10 NMAC				
Name				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9				
NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17.13 NMAC				
14				
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System				
Alternative  Proposed Clasura Mathod:				
Proposed Closure Method: Waste Excavation and Removal  X Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Real-fill and Court Period Specifications, based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16  Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St	eel Tanks or Haul-off Bins Only:(19.15 17.13.D NMAC)				
Instructions Please identify the facility or facilities for the disposal of liquids, drillin facilities are required	g fluids and drill cuttings. Use attachment if more than two	)			
Disposal Facility Name: Envirotech	Disposal Facility Permit #: NM-01-0011				
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: NM-01-005	y Permit #: NM-01-005			
Will any of the proposed closed-loop system operations and associated active Yes (If yes, please provide the information No		e service and			
Required for impacted areas which will not be used for future service and operations.  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					
17					
Siting Criteria (Regarding on-site closure methods only: 19 15.17 10 NMA Instructions Each siting criteria requires a demonstration of compliance in the closure plan R certain siting criteria may require administrative approval from the appropriate district office of office for consideration of approval Justifications and/or demonstrations of equivalency are re-	ecommendations of acceptable source material are provided below r may be considered an exception which must be submitted to the S	r. Requests regarding changes to anta Fe Environmental Bureau			
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - 1WATERS database search; USGS. Data ob	tained from nearby wells	Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried wa	ste	Yes No			
- NM Office of the State Engineer - tWATERS database search, USGS, Data obt	ained from nearby wells	□N/A			
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - IWATERS database search, USGS, Data obt	☐Yes ☐No ☐N/A				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant					
(measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in	existence at the time of initial application	Yes No			
- Visual inspection (certification) of the proposed site, Aerial photo; satellite image	ge	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended		Yes No			
<ul> <li>Written confirmation or verification from the municipality. Written approval ob</li> <li>Within 500 feet of a wetland</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual ins</li> </ul>		Yes No			
Within the area overlying a subsurface mine.		Yes No			
<ul> <li>Written confirantion or verification or map from the NM EMNRD-Mining and Within an unstable area.</li> </ul>	Mineral Division	∏Yes ∏No			
- Engineering measures incorporated into the design; NM Bureau of Geology & N Topographic map	fineral Resources, USGS; NM Geological Society;				
Within a 100-year floodplain FEMA map		Yes No			
On-Site Closure Plan Checklist: (19 15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	h of the following items must bee attached to the clo	sure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropri	·				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certifica	tion:				
	submitted with this application is true, accu	rate and complete to the best o	f my knowledge and belief.		
Name (Print):	Kelly Jeffery	Title:	Regulatory Technician		
Signature:		Date:	5/12/2009		
e-mail address:	jeffekr@conocophallips-com	Telephone:	505-599-4025		
20					
OCD Approval: Permit A	oplication (including closure plan)	Closure Plan (only)	OCD Conditions (see attachment)		
OCD Representative Signature	Bd Ful		Approval Date: <u>6-16-05</u>		
Title: Envi	rolspec	OCD Permit I	Number:		
21					
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:					
Closure Method:  Waste Excavation and Remo  If different from approved pl		Alternative Closure Met	hod Waste Removal (Closed-loop systems only)		
23					
Closure Report Regarding Waste I Instructions: Please identify the fact	<u>Removal Closure For Closed-loop System</u> ility or facilities for where the liquids, drib		Steel Tanks or Haul-off Bins Only: ere disposed. Use attachment if more than two facilities		
were utilized. Disposal Facility Name:		Disposal Facility Per	nit Number:		
Disposal Facility Name.		Disposal Facility Pen			
• • •	rations and associated activities performed	•			
Yes (If yes, please demonstra	ate complilane to the items below)	No			
respiration in the second seco	ch will not be used for future service and op	perations ·			
Site Reclamation (Photo Doc Soil Backfilling and Cover II		•			
Re-vegetation Application R					
Closure Report Attachment the box, that the documents are		llowing items must be attached	to the closure report. Please indicate, by a check mark in		
	surface owner and division)				
Proof of Deed Notice (rec	uired for on-site closure)				
Plot Plan (for on-site clos	ares and temporary pits)				
Confirmation Sampling A	nalytical Results (if applicable)				
_ <u></u>	Analytical Results (if applicable)				
Disposal Facility Name a					
Soil Backfilling and Cove	r Installation  Rates and Seeding Technique				
Site Reclamation (Photo I	- '				
On-site Closure Location:		Longitude:	NAD   1927   1983		
25					
Operator Closure Certification:					
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan					
Name (Print).	же вызыче тедин стень ини сонинонь зр	Title:	<i>y</i>		
Signature:		Date.			
e-mail address:		Telephone:			

Form C-144 Oil Conservation Division

# Burlington Resources Oil & Gas Company, LP Closed-loop Plans

#### Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

#### **Closed-loop Operating and Maintenance Plan**

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

### Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.