

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE
(See other In-
structions on
reverse side)

FOR APPROVED
OMB NO 1004-0137

Expires: December 31, 1991

5 LEASE DESIGNATION AND SERIAL NO

SF-079000

6 IF INDIAN, ALLOTTEE OR TRIBE NAME

7 UNIT AGREEMENT NAME

San Juan 31-6 Unit

8. FARM OR LEASE NAME, WELL NO

San Juan 31-6 Unit 6F

9 API WELL NO

30-039-30358

10 FIELD AND POOL, OR WILDCAT

Basin DK

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

Sec. 1, T30N, R7W, NMPM

Sec. 1, T30N, R7W, NMPM

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a TYPE OF WELL OIL WELL ☐ GAS WELL ☒ DRY ☐ Other ☐

b TYPE OF COMPLETION:
NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF RESVR ☐ Other ☐

2. NAME OF OPERATOR

ConocoPhillips Company

3 ADDRESS AND TELEPHONE NO.

PO BOX 4289, Farmington, NM 87499 (505) 326-9700

4 LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface Unit E (SWNW), 1720' FNL & 760' FWL

At top prod. interval reported below Unit F (SENW), 1347' FNL & 1967' FWL

At total depth Unit F (SENW), 1347' FNL & 1967' FWL

14. PERMIT NO. DATE ISSUED

12. COUNTY OR PARISH

Rio Arriba

13. STATE

New Mexico

15 DATE SPUNDED 07/02/2008 16 DATE T.D. REACHED 11/21/2008 17. DATE COMPL. (Ready to prod) 05/20/2009

18 ELEVATIONS (DF, RKB, RT, BR, ETC)* GL 6546 KB 6561

19 ELEV CASINGHEAD

20 TOTAL DEPTH, MD & TVD MD - 8303'/8062' - VD 21. PLUG, BACK T.D., MD & TVD MD - 8301'/8060' - TVD 22. IF MULTIPLE COMPL, HOW MANY* 2

23 INTERVALS DRILLED BY ROTARY TOOLS yes CABLE TOOLS

24 PRODUCTION INTERVAL (S) OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)*

Basin DK 8129' - 8263'

25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN

GR/CCL/CBL

27. WAS WELL CORED

No

28 CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB/FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
9 5/8", H-40	32.3#	229'	12 1/4"	surf 76 sx (122 cf)	5 bbls
7", L-80	23#	4274'	8 3/4"	surf 770 sx (1592 cf)	102 bbls ST set @ 3036'
4 1/2", L-80	11.6#	8303'	6 1/4"	TOC 1800' 330 sx (658 cf)	

29 LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 3/8", 4.7#, L-80	8188'	

31 PERFORATION RECORD (Interval, size and number)

DK .34 diam - 1 SPF 8129', 8131', 8134', 8136', 8138', 8145', 8147', 8149', 8151', 8169', 8171', 8173', 8175', 8177' = 14 holes.
2 SPF 8196', 8198', 8200', 8202', 8204', 8206', 8213', 8215', 8217', 8219', 8222', 8224', 8232', 8234', 8236', 8238', 8240', 8242', 8244', 8246', 8259', 8261', 8263' = 46 holes
Total Holes 60

32 ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

8129' - 8263' Acidize w/20 bbls 15% HCL acid. Frac w/94,458 gal Slickwater w/36,525# 20/40 Arizona Sand.

33 PRODUCTION

DATE FIRST PRODUCTION SI PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump) Flowing WELL STATUS (Producing or shut-in) SI

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL--BBL	GAS--MCF	WATER--BBL	GAS-OIL RATIO
05/20/2009	1	1/2"		0	20 mcf/h	0.17 bwp/h	

FLOW TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL--BBL	GAS--MCF	WATER--BBL	OIL GRAVITY-API (CORR)
SI - 648#	SI - 449#		0 bop/d	480 mcf/d	2.97 bwp/d	

34 DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

To be sold

TEST WITNESSED BY

35. LIST OF ATTACHMENTS

This well is a MV/DK commingle per order # 2727AZ

36 I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Jamie Croodan TITLE Regulatory Technician

DATE 06/05/2009

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department of agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

ACCEPTED FOR RECORD

JUN 10 2009

FARMINGTON FIELD OFFICE

API # 30-039-30358		San Juan 31-6 Unit 6F			
Ojo Alamo	2715'	2895'	White, cr-gr ss.	Ojo Alamo	2715'
Kirtland	2895'	3347'	Gry sh interbedded w/tight, gry, fine-gr ss.	Kirtland	2895'
Fruitland	3347'	3715'	Dk gry-gry carb sh, coal, grn silts, light-med gry, tight, fine gr ss.	Fruitland	3347'
Pictured Cliffs	3715'	3907'	Bn-Gry, fine grn, tight ss.	Pic.Cliffs	3715'
Lewis	3907'	4436'	Shale w/siltstone stringers	Lewis	3907'
Huerfanito Bentonite	4436'	4768'	White, waxy chalky bentonite	Huerfanito Bent.	4436'
Chacra	4768'	5456'	Gry fn grn silty, glauconitic sd stone w/drk gry shale	Chacra	4768'
Mesa Verde	5456'	5714'	Light gry, med-fine gr ss, carb sh & coal	Mesa Verde	5456'
Menefee	5714'	5975'	Med-dark gry, fine gr ss, carb sh & coal	Menefee	5714'
Point Lookout	5975'	6314'	Med-light gry, very fine gr ss w/frequent sh breaks in lower part of formation	Point Lookout	5975'
Mancos	6314'	7253'	Dark gry carb sh.	Mancos	6314'
Gallup	7253'	7976'	Lt gry to brn calc carb micac glauc silts & very fine gr gry ss w/irreg. interbed sh	Gallup	7253'
Greenhorn	7976'	8027'	Highly calc gry sh w/thin lmst.	Greenhorn	7976'
Graneros	8027'	8127'	Dk gry shale, fossil & carb w/pyrite incl.	Graneros	8027'
Dakota	8127'		Lt to dk gry foss carb sl calc sl silty ss w/pyrite incl thin sh bands clay Y shale breaks	Dakota	8127'
Morrison			Interbed grn, brn & red waxy sh & fine to coarse grn ss	Morrison	

5. 11-1
6. 11-2
7. 11-3
8. 11-4
9. 11-5
10. 11-6
11. 11-7
12. 11-8
13. 11-9
14. 11-10
15. 11-11
16. 11-12
17. 11-13
18. 11-14
19. 11-15
20. 11-16
21. 11-17
22. 11-18
23. 11-19
24. 11-20
25. 11-21
26. 11-22
27. 11-23
28. 11-24
29. 11-25
30. 11-26
31. 11-27
32. 11-28
33. 11-29
34. 11-30
35. 11-31
36. 11-32
37. 11-33
38. 11-34
39. 11-35
40. 11-36
41. 11-37
42. 11-38
43. 11-39
44. 11-40
45. 11-41
46. 11-42
47. 11-43
48. 11-44
49. 11-45
50. 11-46
51. 11-47
52. 11-48
53. 11-49
54. 11-50
55. 11-51
56. 11-52
57. 11-53
58. 11-54
59. 11-55
60. 11-56
61. 11-57
62. 11-58
63. 11-59
64. 11-60
65. 11-61
66. 11-62
67. 11-63
68. 11-64
69. 11-65
70. 11-66
71. 11-67
72. 11-68
73. 11-69
74. 11-70
75. 11-71
76. 11-72
77. 11-73
78. 11-74
79. 11-75
80. 11-76
81. 11-77
82. 11-78
83. 11-79
84. 11-80
85. 11-81
86. 11-82
87. 11-83
88. 11-84
89. 11-85
90. 11-86
91. 11-87
92. 11-88
93. 11-89
94. 11-90
95. 11-91
96. 11-92
97. 11-93
98. 11-94
99. 11-95
100. 11-96
101. 11-97
102. 11-98
103. 11-99
104. 11-100
105. 11-101
106. 11-102
107. 11-103
108. 11-104
109. 11-105
110. 11-106
111. 11-107
112. 11-108
113. 11-109
114. 11-110
115. 11-111
116. 11-112
117. 11-113
118. 11-114
119. 11-115
120. 11-116
121. 11-117
122. 11-118
123. 11-119
124. 11-120
125. 11-121
126. 11-122
127. 11-123
128. 11-124
129. 11-125
130. 11-126
131. 11-127
132. 11-128
133. 11-129
134. 11-130
135. 11-131
136. 11-132
137. 11-133
138. 11-134
139. 11-135
140. 11-136
141. 11-137
142. 11-138
143. 11-139
144. 11-140
145. 11-141
146. 11-142
147. 11-143
148. 11-144
149. 11-145
150. 11-146
151. 11-147
152. 11-148
153. 11-149
154. 11-150
155. 11-151
156. 11-152
157. 11-153
158. 11-154
159. 11-155
160. 11-156
161. 11-157
162. 11-158
163. 11-159
164. 11-160
165. 11-161
166. 11-162
167. 11-163
168. 11-164
169. 11-165
170. 11-166
171. 11-167
172. 11-168
173. 11-169
174. 11-170
175. 11-171
176. 11-172
177. 11-173
178. 11-174
179. 11-175
180. 11-176
181. 11-177
182. 11-178
183. 11-179
184. 11-180
185. 11-181
186. 11-182
187. 11-183
188. 11-184
189. 11-185
190. 11-186
191. 11-187
192. 11-188
193. 11-189
194. 11-190
195. 11-191
196. 11-192
197. 11-193
198. 11-194
199. 11-195
200. 11-196
201. 11-197
202. 11-198
203. 11-199
204. 11-200
205. 11-201
206. 11-202
207. 11-203
208. 11-204
209. 11-205
210. 11-206
211. 11-207
212. 11-208
213. 11-209
214. 11-210
215. 11-211
216. 11-212
217. 11-213
218. 11-214
219. 11-215
220. 11-216
221. 11-217
222. 11-218
223. 11-219
224. 11-220
225. 11-221
226. 11-222
227. 11-223
228. 11-224
229. 11-225
230. 11-226
231. 11-227
232. 11-228
233. 11-229
234. 11-230
235. 11-231
236. 11-232
237. 11-233
238. 11-234
239. 11-235
240. 11-236
241. 11-237
242. 11-238
243. 11-239
244. 11-240
245. 11-241
246. 11-242
247. 11-243
248. 11-244
249. 11-245
250. 11-246
251. 11-247
252. 11-248
253. 11-249
254. 11-250
255. 11-251
256. 11-252
257. 11-253
258. 11-254
259. 11-255
260. 11-256
261. 11-257
262. 11-258
263. 11-259
264. 11-260
265. 11-261
266. 11-262
267. 11-263
268. 11-264
269. 11-265
270. 11-266
271. 11-267
272. 11-268
273. 11-269
274. 11-270
275. 11-271
276. 11-272
277. 11-273
278. 11-274
279. 11-275
280. 11-276
281. 11-277
282. 11-278
283. 11-279
284. 11-280
285. 11-281
286. 11-282
287. 11-283
288. 11-284
289. 11-285
290. 11-286
291. 11-287
292. 11-288
293. 11-289
294. 11-290
295. 11-291
296. 11-292
297. 11-293
298. 11-294
299. 11-295
300. 11-296
301. 11-297
302. 11-298
303. 11-299
304. 11-300
305. 11-301
306. 11-302
307. 11-303
308. 11-304
309. 11-305
310. 11-306
311. 11-307
312. 11-308
313. 11-309
314. 11-310
315. 11-311
316. 11-312
317. 11-313
318. 11-314
319. 11-315
320. 11-316
321. 11-317
322. 11-318
323. 11-319
324. 11-320
325. 11-321
326. 11-322
327. 11-323
328. 11-324
329. 11-325
330. 11-326
331. 11-327
332. 11-328
333. 11-329
334. 11-330
335. 11-331
336. 11-332
337. 11-333
338. 11-334
339. 11-335
340. 11-336
341. 11-337
342. 11-338
343. 11-339
344. 11-340
345. 11-341
346. 11-342
347. 11-343
348. 11-344
349. 11-345
350. 11-346
351. 11-347
352. 11-348
353. 11-349
354. 11-350
355. 11-351
356. 11-352
357. 11-353
358. 11-354
359. 11-355
360. 11-356
361. 11-357
362. 11-358
363. 11-359
364. 11-360
365. 11-361
366. 11-362
367. 11-363
368. 11-364
369. 11-365
370. 11-366
371. 11-367
372. 11-368
373. 11-369
374. 11-370
375. 11-371
376. 11-372
377. 11-373
378. 11-374
379. 11-375
380. 11-376
381. 11-377
382. 11-378
383. 11-379
384. 11-380
385. 11-381
386. 11-382
387. 11-383
388. 11-384
389. 11-385
390. 11-386
391. 11-387
392. 11-388
393. 11-389
394. 11-390
395. 11-391
396. 11-392
397. 11-393
398. 11-394
399. 11-395
400. 11-396
401. 11-397
402. 11-398
403. 11-399
404. 11-400
405. 11-401
406. 11-402
407. 11-403
408. 11-404
409. 11-405
410. 11-406
411. 11-407
412. 11-408
413. 11-409
414. 11-410
415. 11-411
416. 11-412
417. 11-413
418. 11-414
419. 11-415
420. 11-416
421. 11-417
422. 11-418
423. 11-419
424. 11-420
425. 11-421
426. 11-422
427. 11-423
428. 11-424
429. 11-425
430. 11-426
431. 11-427
432. 11-428
433. 11-429
434. 11-430
435. 11-431
436. 11-432
437. 11-433
438. 11-434
439. 11-435
440. 11-436
441. 11-437
442. 11-438
443. 11-439
444. 11-440
445. 11-441
446. 11-442
447. 11-443
448. 11-444
449. 11-445
450. 11-446
451. 11-447
452. 11-448
453. 11-449
454. 11-450
455. 11-451
456. 11-452
457. 11-453
458. 11-454
459. 11-455
460. 11-456
461. 11-457
462. 11-458
463. 11-459
464. 11-460
465. 11-461
466. 11-462
467. 11-463
468. 11-464
469. 11-465
470. 11-466
471. 11-467
472. 11-468
473. 11-469
474. 11-470
475. 11-471
476. 11-472
477. 11-473
478. 11-474
479. 11-475
480. 11-476
481. 11-477
482. 11-478
483. 11-479
484. 11-480
485. 11-481
486. 11-482
487. 11-483
488. 11-484
489. 11-485
490. 11-486
491. 11-487
492. 11-488
493. 11-489
494. 11-490
495. 11-491
496. 11-492
497. 11-493
498. 11-494
499. 11-495
500. 11-496
501. 11-497
502. 11-498
503. 11-499
504. 11-500
505. 11-501
506. 11-502
507. 11-503
508. 11-504
509. 11-505
510. 11-506
511. 11-507
512. 11-508
513. 11-509
514. 11-510
515. 11-511
516. 11-512
517. 11-513
518. 11-514
519. 11-515
520. 11-516
521. 11-517
522. 11-518
523. 11-519
524. 11-520
525. 11-521
526. 11-522
527. 11-523
528. 11-524
529. 11-525
530. 11-526
531. 11-527
532. 11-528
533. 11-529
534. 11-530
535. 11-531
536. 11-532
537. 11-533
538. 11-534
539. 11-535
540. 11-536
541. 11-537
542. 11-538
543. 11-539
544. 11-540
545. 11-541
546. 11-542
547. 11-543
548. 11-544
549. 11-545
550. 11-546
551. 11-547
552. 11-548
553. 11-549
554. 11-550
555. 11-551
556. 11-552
557. 11-553
558. 11-554
559. 11-555
560. 11-556
561. 11-557
562. 11-558
563. 11-559
564. 11-560
565. 11-561
566. 11-562
567. 11-563
568. 11-564
569. 11-565
570. 11-566
571. 11-567
572. 11-568
573. 11-569
574. 11-570
575. 11-571
576. 11-572
577. 11-573
578. 11-574
579. 11-575
580. 11-576
581. 11-577
582. 11-578
583. 11-579
584. 11-580
585. 11-581
586. 11-582
587. 11-583
588. 11-584
589. 11-585
590. 11-586
591. 11-587
592. 11-588
593. 11-589
594. 11-590
595. 11-591
596. 11-592
597. 11-593
598. 11-594
599. 11-595
600. 11-596
601. 11-597
602. 11-598
603. 11-599
604. 11-600
605. 11-601
606. 11-602
607. 11-603
608. 11-604
609. 11-605
610. 11-606
611. 11-607
612. 11-608
613. 11-609
614. 11-610
615. 11-611
616. 11-612
617. 11-613
618. 11-614
619. 11-615
620. 11-616
621. 11-617
622. 11-618
623. 11-619
624. 11-620
625. 11-621
626. 11-622
627. 11-623
628. 11-624
629. 11-625
630. 11-626
631. 11-627
632. 11-628
633. 11-629
634. 11-630
635. 11-631
636. 11-632
637. 11-633
638. 11-634
639. 11-635
640. 11-636
641. 11-637
642. 11-638
643. 11-639
644. 11-640
645. 11-641
646. 11-642
647. 11-643
648. 11-644
649. 11-645
650. 11-646
651. 11-647
652. 11-648
653. 11-649
654. 11-650
655. 11-651
656. 11-652
657. 11-653
658. 11-654
659. 11-655
660. 11-656
661. 11-657
662. 11-658
663. 11-659
664. 11-660
665. 11-661
666. 11-662
667. 11-663
668. 11-664
669. 11-665
670. 11-666
671. 11-667
672. 11-668
673. 11-669
674. 11-670
675. 11-671
676. 11-672
677. 11-673
678. 11-674
679. 11-675
680. 11-676
681. 11-677
682. 11-678
683. 11-679
684. 11-680
685. 11-681
686. 11-682
687. 11-683
688. 11-684
689. 11-685
690. 11-686
691. 11-687
692. 11-688
693. 11-689
694. 11-690
695. 11-691
696. 11-692
697. 11-693
698. 11-694
699. 11-695
700. 11-696
701. 11-697
702. 11-698
703. 11-699
704. 11-700
705. 11-701
706. 11-702
707. 11-703
708. 11-704
709. 11-705
710. 11-706
711. 11-707
712. 11-708
713. 11-709
714. 11-710
715. 11-711
716. 11-712
717. 11-713
718. 11-714
719. 11-715
720. 11-716
721. 11-717
722. 11-718
723. 11-719
724. 11-720
725. 11-721
726. 11-722
727. 11-723
728. 11-724
729. 11-725
730. 11-726
731. 11-727
732. 11-728
733. 11-729
734. 11-730
735. 11-731
736. 11-732
737. 11-733
738. 11-734
739. 11-735
740. 11-736
741. 11-737
742. 11-738
743. 11-739
744. 11-740
745. 11-741
746. 11-742
747. 11-743
748. 11-744
749. 11-745
750. 11-746
751. 11-747
752. 11-748
753. 11-749
754. 11-750
755. 11-751
756. 11-752
757. 11-753
758. 11-754
759. 11-755
760. 11-756
761. 11-757
762. 11-758
763. 11-759
764. 11-760
765. 11-761
766. 11-762
767. 11-763
768. 11-764
769. 11-765
770. 11-766
771. 11-767
772. 11-768
773. 11-769
774. 11-770
775. 11-771
776. 11-772
777. 11-773
778. 11-774
779. 11-775
780. 11-776
781. 11-777
782. 11-778
783. 11-779
784. 11-780
785. 11-781
786. 11-782
787. 11-783
788. 11-784
789. 11-785
790. 11-786
791. 11-787
792. 11-788
793. 11-789
794. 11-790
795. 11-791
796. 11-792
797. 11-793
798. 11-794
799. 11-795
800. 11-796
801. 11-797
802. 11-798
803. 11-799
804. 11-800
805. 11-801
806. 11-802
807. 11-803
808. 11-804
809. 11-805
810. 11-806
811. 11-807
812. 11-808
813. 11-809
814. 11-810
815. 11-811
816. 11-812
817. 11-813
818. 11-814
819. 11-815
820. 11-816
821. 11-817
822. 11-818
823. 11-819
824. 11-820
825. 11-821
826. 11-822
827. 11-823
828. 11-824
829. 11-825
830. 11-826
831. 11-827
832. 11-828
833. 11-829
834. 11-830
835. 11-831
836. 11-832
837. 11-833
838. 11-834
839. 11-835
840. 11-836
841. 11-837
842. 11-838
843. 11-839
844. 11-840
845. 11-841
846. 11-842
847. 11-843
848. 11-844
849. 11-845
850. 11-846
851. 11-847
852. 11-848
853. 11-849
854. 11-850
855. 11-851
856. 11-852
857. 11-853
858. 11-854
859. 11-855
860. 11-856
861. 11-857
862. 11-858
863. 11-859
864. 11-860
865. 11-861
866. 11-862
867. 11-863
868. 11-864
869. 11-865
870. 11-866
871. 11-867
872. 11-868
873. 11-869
874. 11-870
875. 11-871
876. 11-872
877. 11-873
878. 11-874
879. 11-875
880.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*
(See other instructions on reverse side)

FOR APPROVED
OMB NO. 1004-0137

Expires December 31, 1991

5 LEASE DESIGNATION AND SERIAL NO

SF-079000

6 IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

San Juan 31-6 Unit

8 FARM OR LEASE NAME, WELL NO.

San Juan 31-6 Unit 6F

9 API WELL NO

30-039-30358 00C2

10. FIELD AND POOL, OR WILDCAT

Blanco MV

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 1, T30N, R7W, NMPM

Sec. 1, T30N, R7W, NMPM

RCVD JUN 12 '09

OIL CONS. DIV.

DIST. 3

12 COUNTY OR PARISH

Rio Arriba

13. STATE

New Mexico

1a TYPE OF WELL

OIL WELL ☐ GAS WELL ☒ DRY ☐ Other ☐

b TYPE OF COMPLETION

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF RESVR ☐ Other ☐

2. NAME OF OPERATOR

ConocoPhillips Company

3 ADDRESS AND TELEPHONE NO.

PO BOX 4289, Farmington, NM 87499 (505) 326-9700

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface Unit E (SWNW), 1720' FNL & 760' FWL

At top prod. interval reported below Unit F (SENW), 1347' FNL & 1967' FWL

At total depth Unit F (SENW), 1347' FNL & 1967' FWL

14. PERMIT NO.

DATE ISSUED

15 DATE SPUDDED

07/02/2008

16 DATE T.D. REACHED

11/21/2008

17 DATE COMPL (Ready to prod)

05/20/2009

18 ELEVATIONS (DF, RKB, RT, BR, ETC.)*

GL 6546 KB 6561

19 ELEV. CASINGHEAD

20 TOTAL DEPTH, MD & TVD

MD - 8303/8062' TVD

21. PLUG, BACK T.D., MD & TVD

MD - 8301/8060' TVD

22 IF MULTIPLE COMPL., HOW MANY*

2

23 INTERVALS DRILLED BY

ROTARY TOOLS

yes

CABLE TOOLS

24 PRODUCTION INTERVAL (S) OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)*

Blanco Mesa Verde 6298' - 5470'

25. WAS DIRECTIONAL SURVEY MADE

No

26 TYPE ELECTRIC AND OTHER LOGS RUN

GR/CCL/CBL

27 WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB/FT	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
9 5/8", H-40	32.3#	229'	12 1/4"	surf 76 sx (122 cf)	5 bbls
7", L-80	23#	4274'	8 3/4"	surf 770 sx (1592 cf)	102 bbls ST set @ 3036'
4 1/2", L-80	11.6#	8303'	6 1/4"	TOC 1800' 330 sx (658 cf)	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 3/8", 4.7#, L-80	8188'	

31 PERFORATION RECORD (Interval, size and number)

PTL .34 diam -1 SPF 5848', 5858', 5862', 5937', 5946', 5968', 5980', 5988', 6000', 6020', 6034', 6042', 6050', 6058', 6086', 6098', 6106', 6122', 6128', 6140', 6184', 6186', 6237', 6246', 6296', 6298' = 26 holes
Menefee/Climhouse 1 SPF 5470', 5476', 5488', 5504', 5538', 5586', 5592', 5600', 5630', 5638', 5645', 5652', 5664', 5674', 5680', 5684', 5708', 5710', 5723', 5725', 5741', 5744', 5748', 5802', 5804' = 25 holes
Total Holes 51

32 ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

5848' - 6298' Acidize w/10 bbls 15% HCL acid. Frac w/48,006 gal 60% Slickwater N2 foam w/99,213# 20/40 Arizona Sand. Total N2 1,087,300 SCF
5470' - 5804' Acidize w/10 bbls 15% HCL acid. Frac w/44,730 gal 60% Slickwater N2 Foam w/100,973# 20/40 Arizona Sand. Total N2 1,001,000 SCF

33. DATE FIRST PRODUCTION

SI

PRODUCTION METHOD (Flowing, gas lift, pumping-size and type of pump)

Flowing

WELL STATUS (Producing or shut-in)

SI

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL-BBL	GAS-MCF	WATER-BBL	GAS-OIL RATIO
05/12/2009	1	1/2"		0	103 mcf/h	0.13 bwp/h	

FLOW TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL-BBL	GAS-MCF	WATER-BBL	OIL GRAVITY-API (CORR.)
SI - 648#	SI - 449#		0 bop/d	2473 mcf/d	3 bwp/d	

34 DISPOSITION OF GAS (Sold, used for fuel, vented, etc)

To be sold

TEST WITNESSED BY

35 LIST OF ATTACHMENTS

This well is a MV/DK commingle per order # 2727AZ

36 I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED James Goodwin Regulatory Technician

DATE 06/05/2009

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOCD

FARMINGTON FIELD OFFICE

JUN 10 2009

API # 30-039-30358		San Juan 31-6 Unit 6F			
Ojo Alamo	2715'	2895'	White, cr-gr ss.	Ojo Alamo	2715'
Kirtland	2895'	3347'	Gry sh interbedded w/tight, gry, fine-gr ss.	Kirtland	2895'
Fruitland	3347'	3715'	Dk gry-gry carb sh, coal, grn silts, light-med gry, tight, fine gr ss.	Fruitland	3347'
Pictured Cliffs	3715'	3907'	Bn-Gry, fine grn, tight ss.	Pic.Cliffs	3715'
Lewis	3907'	4436'	Shale w/siltstone stringers	Lewis	3907'
Huerfano Bentonite	4436'	4768'	White, waxy chalky bentonite	Huerfano Bent.	4436'
Chacra	4768'	5456'	Gry fn grn silty, glauconitic sd stone w/drk gry shale	Chacra	4768'
Mesa Verde	5456'	5714'	Light gry, med-fine gr ss, carb sh & coal	Mesa Verde	5456'
Menefee	5714'	5975'	Med-dark gry, fine gr ss, carb sh & coal	Menefee	5714'
Point Lookout	5975'	6314'	Med-light gry, very fine gr ss w/frequent sh breaks in lower part of formation	Point Lookout	5975'
Mancos	6314'	7253'	Dark gry carb sh.	Mancos	6314'
Gallup	7253'	7976'	Lt gry to brn calc carb micac glauc silts & very fine gr gry ss w/irreg. interbed sh	Gallup	7253'
Greenhorn	7976'	8027'	Highly calc gry sh w/thin lmst.	Greenhorn	7976'
Graneros	8027'	8127'	Dk gry shale, fossil & carb w/pyrite incl.	Graneros	8027'
Dakota	8127'		Lt to dk gry foss carb sl calc sl silty ss w/pyrite incl thin sh bands clay Y shale breaks	Dakota	8127'
Morrison			Interbed grn, brn & red waxy sh & fine to coarse grn ss	Morrison	

100

pc