1625 N French Dr., Hobbs, NM 88240

District II 1301 W. Grand Ave., Artesia, NM 88210

District III 1000 Rio Brazos Rd, Aztec, NM 87410

1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method X Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Address: PO Box 4289, Farmington, NM 87499 Facility or well name: Negro Canyon 5M API Number: 30-045-34855 OCD Permut Number: U/L or Qtr/Qtr: L(NW/SW) Section: 12 Township: 31N Range: 8W Center of Proposed Design: Latitude: 36.91074°N Longitude: 16 Surface Owner: X Federal State Private Tribal Trust or Indian Allo 2 X Pit: Subsection F or G of 19.15 17 11 NMAC Temporary: X Drilling Workover Permanent Emergency Cavitation P&A X Lined Unlined Line type: Thickness 20 mil X LLDPE HDPI X String-Reinforced Liner Seams: X Welded X Factory Other Volume. 3500 bbl	County: San Juan 7.63256°W NAD: 1927 X 1983 ment
API Number: 30-045-34855 OCD Permit Number:	7.63256°W NAD: 1927X 1983
Center of Proposed Design: Latitude: 36.91074°N Longitude: 16 Surface Owner: X Federal State Private Tribal Trust or Indian Allo 2 X Pit: Subsection F or G of 19.15 17 11 NMAC Temporary: X Drilling Workover Permanent Emergency Cavitation P&A X Lined Unlined Liner type: Thickness 20 mil X LLDPE HDPI X String-Reinforced Liner Seams: X Welded X Factory Other Volume. 3500 bbl 3 Closed-loop System: Subsection H of 19 15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activi notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type. Thickness mil LLDPE HDPE Liner Seams. Welded Factory Other 4 X Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: Produced Water	7.63256°W NAD: 1927X 1983
Center of Proposed Design: Latitude: 36.91074°N Longitude: 16. Surface Owner: X Federal State Private Tribal Trust or Indian Allo 2 X Pit: Subsection F or G of 19.15 17 11 NMAC Temporary: X Drilling Workover Permanent Emergency Cavitation P&A X Lined Unlined Line type: Thickness 20 mil X LLDPE HDPI X String-Reinforced Liner Seams: X Welded X Factory Other Volume. 3500 bbl 3 Closed-loop System: Subsection H of 19 15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activinotice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type. Thickness mil LLDPE HDPE Liner Seams: Welded Factory Other 4 X Below-grade tank: Subsection I of 19.15.17.11 NMAC	7.63256°W NAD: 1927X 1983
Surface Owner: X Federal State Private Tribal Trust or Indian Allo 2 X Pit: Subsection F or G of 19.15 17 11 NMAC Temporary: X Drilling Workover Permanent Emergency Cavitation P&A X Lined Unlined Liner type: Thickness 20 mil X LLDPE HDPI X String-Reinforced Liner Seams: X Welded X Factory Other Volume. 3500 bbl 3 Closed-loop System: Subsection H of 19 15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activi notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Liner Seams. Welded Factory Other 4 X Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: Produced Water	
String-Reinforced Closed-loop System: Subsection H of 19 15.17.11 NMAC Superior of the financial of the first seams. Drying Pad Above Ground Steel Tanks Haul-off Bins Other Liner Seams. Welded Factory Other Liner Seams Other Liner Seams Thickness Drilling Closed-loop System: P&A Drilling Drying Pad Above Ground Steel Tanks Haul-off Bins Other Liner Seams. Welded Factory Other Closed-loop System: Clo	ment
Temporary: X Drilling Workover Permanent Emergency Cavitation P&A X Lined Unlined Line type: Thickness 20 mil X LLDPE HDPI X String-Reinforced Liner Seams: X Welded X Factory Other Volume. 3500 bbl Closed-loop System: Subsection H of 19 15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activinotice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type. Thickness mil LLDPE HDPE Liner Seams. Welded Factory Other 4 X Below-grade tank: Subsection 1 of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: Produced Water	
Closed-loop System: Subsection H of 19 15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activinotice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type. Thickness mil LLDPE HDPE Liner Scams. Welded Factory Other 4 X Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: Produced Water	Dimensions L <u>105'</u> x W <u>35'</u> x D <u>12'</u>
Lined Unlined Liner type. Thickness mil LLDPE HDPE Liner Scams. Welded Factory Other	es which require prior approval of a permit or
Volume 120 bbl Type of fluid: Produced Water	PVD Other 0 1819202
Volume 120 bbl Type of fluid: Produced Water	AMAY 2000
	10 MAY 2009
Tunk Constitution interest material interest	\\~ \\~
Secondary containment with leak detection X Visible sidewalls, liner, 6-inch lift and automatic	/Q'
Visible sidewalls and liner Visible sidewalls only Other	verflow shut-off
Liner Type: Thickness 45 mil HDPE PVC X Other LLDP	verflow shut-off
5 Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental	verflow shut-off

Fencing: Subsection D of 19 15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst Four foot height, four strands of barbed wire evenly spaced between one and four feet X Alternate. Please specify 4' hogwire fence with a single strand of barbed wire on top.	utution or chui	ch)
7	<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	77 (da 7 - 100)
Netting: Subsection E of 19 15.17 11 NMAC (Applies to permanent pits and permanent open top tanks) X Scieen Netting Other		
X Scieen Notting Other Monthly inspections (If netting or screening is not physically feasible)		
8		
Signs: Subsection C of 19.15 17.11 NMAC		
12" X 24". 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19.15.3.103 NMAC		
Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.		,
Please check a box if one or more of the following is requested, if not leave blank: X Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	uderation of ar	proval.
(Fencing/BGT Liner)	raciation of ap	,570 vai.
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells	Yes	XNo
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	X No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	XNo
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- V _{Isual} inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	∐No
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	XNA	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	XNo
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	XNo
 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes	XNo
Within the area overlying a subsurface mine.	Yes	XNo
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		_
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	Yes	X No
Society; Topographic map		
Within a 100-year floodplain - FEMA map	Yes	X No

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17 9 NMAC
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. V Hudrocoologie Perent (Pelew, and a Tanks) becode upon the propriegrees of Pays with (A) of Subsection P of 10.15.17.0 NIMAC.
X Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17.9 NMAC
X Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15 17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17 9 NMAC Instructions. Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17 10 NMAC
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15 17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oıl Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19.15 17.13 NMAC
14
Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: X Drilling Workover Emergency Cavitation P&A Permanent Pit X Below-grade Tank Closed-loop System
Alternative
Waste Removal (Closed-loop systems only)
X On-site Closure Method (only for temporary pits and closed-loop systems)
X In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
X Protocols and Procedures - based upon the appropriate requirements of 19.15 17.13 NMAC
X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
X Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
X Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17 13 NMAC
X Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15.17.13.D NMAC)				
Instructions Please identify the faculity or facilities for the disposal of liquids, drilling fluids and drill culturgs. Use attachment if more than two	facilities			
Disposal Facility Name: Disposal Facility Permit #				
Disposal Facility Name. Disposal Facility Permit #.				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future series. Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC	c			
17				
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan—Recommendations of acceptable source material are provided believing until an any require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the for consideration of approval—Justifications and/or demonstrations of equivalency are required—Please refer to 19 15 17 10 NMAC for guidance				
Ground water is less than 50 feet below the bottom of the buried waste.	Yes X No			
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	∐N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes X No			
- NM Office of the State Engineer - tWATERS database search; USGS; Data obtained from nearby wells	∐N/A			
Ground water is more than 100 feet below the bottom of the buried waste	X Yes No			
- NM Office of the State Engineer - tWATERS database search; USGS; Data obtained from nearby wells	∐N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Yes X No			
- Topographic map; Visual inspection (certification) of the proposed site Within 200 feet from a personnel regularize school beginning in thit true of a church in avertone of the time of mutul employers.	Yes X No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	l res Alvo			
	Yes X No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes X No			
- Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland	Yes X No			
- US Fish and Wildhife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine	Yes X No			
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division	Yes X No			
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society; Topographic map	Yes XNo			
Within a 100-year floodplain FEMA map	Yes X No			
18	J. Di., C.			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closu by a check mark in the box, that the documents are attached.	re plan. Please indicate,			
X Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
X Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of	9.15.17.11 NMAC			
X Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC				
 X Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) 				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
X Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC				

Form C-144

19 On water Application Captifications		
Operator Application Certification: Thereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief		
Name (Print) Tamra Sessions Title: Staff Regulatory Technician		
Signature. Tomobossin Date. 575-09		
e-mail address: sessitd@conocophillips.com Telephone 505-326-9834		
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 7-2-09		
The Control of the Co		
Title: Eavin/spec OCD Permit Number:		
Closure Report (required within 60 days of closure completion); Subsection K of 19 15 17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed Closure Completion Date:		
22		
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain		
23		
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name: Disposal Facility Permit Number.		
Disposal Facility Name: Disposal Facility Permit Number:	Ì	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate complifiant to the items below) No		
Required for impacted areas which will not be used for future service and operations. Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.		
Proof of Closure Notice (surface owner and division)		
Proof of Deed Notice (required for on-site closure)		
Plot Plan (for on-site closures and temporary pits)		
Confirmation Sampling Analytical Results (if applicable)	İ	
Waste Material Sampling Analytical Results (if applicable)		
Disposal Facility Name and Permit Number		
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		
Site Reclamation (Photo Documentation)		
On-site Closure Location: Latitude: Longitude. NAD 1927 1983		
25		
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that		
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan. Name (Print) Title:	ı	
Signature: Date:		
e-mail address: Telephone:		

Burlington Resources Oil & Gas Company LP San Juan Basin

The Negro Canyon 5 (API 30-045-34717) and Negro Canyon 5M (API 30-045-34855) well sites were released to construction, with the contingency of a pre-build construction meeting to eliminate any new disturbance. It was determined that the locations be built CLOSED LOOP. We currently have a C144 filed and approved for a Temporary Pit and a Closed Loop.

Construction has built a smaller lined pit (105'x35'x12') to hold the cuttings from the Closed Loop.