District I 1625 N French Dr , Hobbs, NM 88240

State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV 1220 S St Francis Dr, Santa Fe, NM 87505

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

>	0	_	\bigcirc
\supset	Ø.	\supset	

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-lease be advised that approval of this request does not relieve the operator of liability should operation.	,
environment. Not does approval relieve the operator of its responsibility to comply with any other applicab	le governmental authority's rules, regulations or ordinances
Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499	·
Facility or well name: Bruington 1B	
API Number: 30-045-34957 OCD Permit Num	ber-
U/L or Qtr/Qtr: C(NE/NW) Section: 25 Township: 31N Range:	11W County: San Juan
Center of Proposed Design: Latitude: 36.874195 °N Longitude:	107.945262 °W NAD: 1927 X 1983
Surface Owner. Federal State X Private Tribal Trust or Ind	an Allotment
Note	HDPE PVC Other bbl Dimensions L x W x D
notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other	to activities which require prior approval of a permit or HDPE PVD Other
Liner Seams: Welded Factory Other	
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid: Tank Construction material. Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and at Visible sidewalls and liner Visible sidewalls only Other Liner Type: Thickness mil HDPE PVC Other	INIS 2009 See OIL CONS. DIV. DIST. 3 See OIL CONS. DIV. DIST. 3
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environment of the San	onmental Bureau office for consideration of approval.

6		
Fencing: Subsection D of 19.15 17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chan link on fact in books two steads of basked was at tan /Beausad if facility 1000 feet of a name and a school bountal metal metal.	itution or abus	. 6)
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, insti	numen or churc	cn)
Alternate. Please specify		
7		
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
8		
Signs: Subsection C of 19.15.17 11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19.15.3.103 NMAC		
9 Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.		
Please check a box if one or more of the following is requested, if not leave blank:		
X Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of ap	proval.
(Cavitation pit for Pre-set)	•	•
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable		ļ
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the		
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for		j
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria		
does not apply to drying pads or above grade-tanks associated with a closed-loop system.		ĵ
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank,	Yes	No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa	Yes	No
lake (measured from the ordinary high-water mark).		
- Topographic map; Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	No
application.		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applied to permanent pits)	∏ _{NA}	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		1
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	□Yes	□No
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.		
		ļ
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	□No
 adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written approval obtained from the municipality 		
Within 500 feet of a wetland.	∏Yes	□No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗆 😘	ا ، · · · ا
Within the area overlying a subsurface mine.	Yes	□No
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		
Within an unstable area.	Yes	No
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological		
Society; Topographic map		
Within a 100-year floodplain	Yes	□No
- FEMA man	I	

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
String Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19.15.17 13 NMAC
Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17 9 NMAC Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
Demonstrate District Charles Charles Charles Define
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency X Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method. Waste Excavation and Removal Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Seit Bookfill and Course Project Secretaries, based when the superproject requirements of Subsection II of 10.15.17.12 NIMAC
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16		,
Waste Removal Closure For Closed-loop Systems That Utilize Above Grou Instructions Please identify the facility or facilities for the disposal of liquids, are required		
Disposal Facility Name. Envirotech	Disposal Facility Permit # NM-01-0011	
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: NM-01-005	
Will any of the proposed closed-loop system operations and associated a Yes (If yes, please provide the information No	ctivities occur on or in areas that will not be used for future	service and operations?
Required for impacted areas which will not be used for future service and open Soil Backfill and Cover Design Specification - based upon the ap Re-vegetation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements	propriate requirements of Subsection H of 19.15.17.13 NM Subsection I of 19.15.17.13 NMAC	AC
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 Instructions: Each siting criteria requires a demonstration of compliance in the closure certain siting criteria may require administrative approval from the appropriate distriction for consideration of approval. Justifications and/or demonstrations of equivalency are	e plan-Recommendations of acceptable source material are provided be et office or may be considered an exception which must be submitted to t	
Ground water is less than 50 feet below the bottom of the buried waste		Yes No
- NM Office of the State Engineer - iWATERS database search; USGS: D	ata obtained from nearby wells	□N/A
Ground water is between 50 and 100 feet below the bottom of the buried	d waste	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS; D	ata obtained from nearby wells	□N/A
Ground water is more than 100 feet below the bottom of the buried wast	te	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS; U	ata obtained from nearby wells	□N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other (measured from the ordinary high-water mark)	significant watercourse or lakebed, sinkhole, or playa lake	Yes No
- Topographic map; Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or chi Visual inspection (certification) of the proposed site, Aerial photo, satellite	**	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that purposes, or within 1000 horizontal fee of any other fresh water well or spring, - NM Office of the State Engineer - iWATERS database, Visual inspection	in existence at the time of the initial application	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approximation of the municipality of the municipal fresh pursuant to NMSA 1978, Section 3-27-3, as amended.	·	Yes No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Vis		Yes No
Within the area overlying a subsurface mine.		Yes No
- Written confirantion or verification or map from the NM EMNRD-Minir	ng and Mineral Division	
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology. The accomplisher was a second of the design of Geology.	gy & Mineral Resources, USGS, NM Geological Society;	Yes No
Topographic map Within a 100-year floodplain - FEMA map		Yes No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: by a check mark in the box, that the documents are attached.	Each of the following items must bee attached to the clos	sure plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the app	ropriate requirements of 19 15.17.10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate requ	uirements of Subsection F of 19.15.17.13 NMAC	
Construction/Design Plan of Burial Trench (1f applicable) based	upon the appropriate requirements of 19.15.17.11 NMAC	
Construction/Design Plan of Temporary Pit (for in place burial o		f 19 15 17.11 NMAC
X Protocols and Procedures - based upon the appropriate requireme	•	
Confirmation Sampling Plan (if applicable) - based upon the app		С
X Waste Material Sampling Plan - based upon the appropriate requ		
[X] Disposal Facility Name and Permit Number (for liquids, drillingSoil Cover Design - based upon the appropriate requirements of	<u> </u>	cannot be achieved)
Re-vegetation Plan - based upon the appropriate requirements of		
Site Reclamation Plan - based upon the appropriate requirements	s of Subsection G of 19.15.17.13 NMAC	

Operator Application Certification:	-
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.	
Name (Print). Tamia Sessions Title: Staff Regulatory Technician	
Signature: Date 9-6-09	
e-mail address: tamra d.sessions@conocophillips.com Telephone. 505-326-9834	
20	
OCD Approval: Rermit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)	
OCD Representative Signature: Branch Sell Approval Date: 8-13-07	
OCD Representative Signature: Branch Sell Approval Date: 8-/3-67 Title: Ewiro / spec OCD Permit Number:	
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC	
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure	:
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.	
Closure Completion Date:	
Crosare Completion Date.	
22 Closure Method:	
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)	,
If different from approved plan, please explain.	
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:	
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities for whether the liquids are drilling fluids and drill cuttings were disposed.	ties
were utilized.	
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliant to the items below) No	
Required for unpacted areas which will not be used for future service and operations	
Site Reclamation (Photo Documentation)	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
24	
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mother the box, that the documents are attached.	rk in
Proof of Closure Notice (surface owner and division)	
Proof of Deed Notice (required for on-site closure)	
Plot Plan (for on-site closures and temporary pits)	
Confirmation Sampling Analytical Results (if applicable)	
Waste Material Sampling Analytical Results (if applicable)	
Disposal Facility Name and Permit Number	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
Site Reclamation (Photo Documentation)	
On-site Closure Location: Latitude: Longitude: NAD 1927 1983	
L. r. v.	
25	
Operator Closure Certification: The public parties that the information and attackments which this closure report in turn account to the heat of my broad does and helpf. I also	a aantifii the
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief I also the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.	cerujy inat
Name (Print):	
	,
Signature Date	
e-mail address: Telephone:	

Burlington Resources Oil & Gas Company, LP Cavitation Pit for Closed-Loop Locations

Design:

Burlington Resources Oil & Gas Company, LP will use a cavitation pit plan when the surface casing will be pre-set on closed-loop locations. The drill cuttings will be stockpiled on the surface.

Operations and Maintenance:

The cavitation pit will be operated and maintained as follows:

1. A five point composite sample will be taken of the drill cuttings using sampling tools and all samples will be tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the testing criteria is not met, all contents will be dug and hauled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e.

Components	Tests Method	Limit (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	2500
GRO/DRO	EPA SW-846 8015M	500
Chlorides	EPA 300.1	500

2. The NMOCD will be notified via email of the test results of the cavitation surface as follows:

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	
BTEX	EPA SW-846 8021B or 8260B	50	
TPH	EPA SW-846 418.1	2500	
GRO/DRO	EPA SW-846 8015M	500	
Chlorides	EPA 300.1	500	

Closure Plan:

- The NMOCD will receive notice 3 days prior to the drill cuttings being distributed on location.
- 2. In the event the criteria are not met, all solids and liquids will be removed and disposed of at Envirotech (Permit #NM-01-0011) and/or Basin Disposal Facility (Permit #NM-01-005).
- 3. Testing results will be submitted with the Closure Report of the well locations Closed-Loop Permit on Form C-144.