District I' 1625 N. French Dr., Hobbs, NM 88240

State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

District II

1301 W Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe. NM, 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

1000 Rio Brazos Rd, Aztec, NM 87410	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the
District IV 1220 S St Francis Dr , Santa Fe, NM 87505		appropriate NMOCD District Office
$\Rightarrow \Rightarrow \land$ Pit, C	losed-Loop System, Below-Gr	ade Tank, or
Proposed A	Iternative Method Permit or Cl	losure Plan Application
Type of action: Perm	nit of a pit, closed-loop system, below-grad	le tank, or proposed alternative method
Clos	sure of a pit, closed-loop system, below-gra	ide tank, or proposed alternative method
X Mod	lification to an existing permit	
—	sure plan only submitted for an existing per w-grade tank, or proposed alternative meth	rmitted or non-permitted pit, closed-loop system, and
Instructions: Please submit one application	ı (Form C-144) per individual pit, closed-	loop system, below-grade tank or alternative request
		is result in pollution of surface water, ground water or the
environment. Nor does approval reneve the opera	nor of its responsibility to comply with any other applicat	ble governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oil & Gas	Company, LP	OGRID#: <u>14538</u>
Address: PO Box 4289, Farmington, NM 8	37499	
Facility or well name: Arizona Jicarilla A 4	4	· , , , , , , , , , , , , , , , , , , ,
API Number: 30-039-300	OCD Permit Nui	mber:
U/L or Qtr/Qtr: <u>E(SW/NW)</u> Section: <u>2</u>	Township: 25N Range:	4W County:
Center of Proposed Design: Latitude:	36.38879 °N Longitude:	107.20956 °W NAD: ☐ 1927 X 1983
Surface Owner: Federal S	tate Private X Tribal Trust or Inc	dian Allotment
Temporary: Drilling Workover Permanent Emergency Cavitation Lined Unlined Liner type: String-Reinforced Liner Seams: Welded Factory	P&A Thickness mil LLDPE Other Volume:	HDPE PVC Other bbl Dimensions L x W x D
X Closed-loop System: Subsection H of I Type of Operation: P&A X Drilling X Drying Pad X Above Ground Steel T	notice of intent)	s to activities which require prior approval of a permit or
X Lined Unlined Liner type: Liner Seams: X Welded X Factory	Thickness 20 mil X LLDPE	HDPE
	17.11 NMAC Type of fluid:	HDPE PVD Other RECEIVED AUG 2009 OIL CONS. DIV. DIST. 3
Tank Construction material: Secondary containment with leak detection Visible sidewalls and liner Liner Type: Thickness mil	Visible sidewalls, liner, 6-inch lift and stible sidewalls only Other HDPE PVC Other	automatic overflow shut-off OIL CONS. DIV. DIST. 3
Submittal of an exception request is required. Ex	ceptions must be submitted to the Santa Fe Env	ironmental Bureau office for consideration of approval.

6 Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institu	tion or church)		
Four foot height, four strands of barbed wire evenly spaced between one and four feet	or entiren,	,		
Alternate. Please specify				
7				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)		,		
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
8 Signer Subsection C of 10.15.17.11 NIMAC				
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19.15.3.103 NMAC				
9				
Administrative Approvals and Exceptions:				
Justifications and/or demonstrations of equivalency are required Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.				
(Fencing/BGT Liner)				
Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable	ı			
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the	1			
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria				
does not apply to drying pads or above grade-tanks associated with a closed-loop system.	i			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	No		
(measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site				
	□v _{aa}	□ No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	l les	Пио		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<u> </u>			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applied to permanent pits)	□NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		∏ _{N1} .		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	∐Yes	∐No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No		
- Written confirmation or verification from the municipality; Written approval obtained from the municipality		 ,		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes]No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		No		
Within an unstable area.	Yes	No		
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map				
Within a 100-year floodplain - FEMA map	Yes	No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.11 NMAC Note Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Gil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal X Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

Wester Bernauel Classics For Charleton States That Heller Above Council States and Land Council States and Charleton Charleto				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17 13.D NMAC) Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two				
facilities are required. Disposal Equility Name: Envirotech / IELL and form 9/ IEL Disposal Equility Name: Envirotech / IELL and form 9/ IEL Disposal Equility Name: Envirotech / IELL and form 9/ IEL Disposal Equility Name: Environment of the Name of the	0010D			
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit #: NM-01-0011 / NM-01-0	<u> </u>			
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit #: NM-01-005 Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will nbe used for future	service and			
Yes (If yes, please provide the information No	. service and			
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 N	JMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions Each suting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Soffice for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance				
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No			
- NM Office of the State Engineer - iWATERS database search, USGS: Data obtained from nearby wells	∐N/A _			
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells				
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Yes No			
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	Yes No			
	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	Yes No			
 Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland 				
- US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine.	Yes No			
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division				
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society,	Yes No			
Topographic map Within a 100-year floodplain.				
- FEMA map	Yes No			
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the clo	osure plan. Please indicate.			
by a check mark in the box, that the documents are attached.	-			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements	s of 19.15.17.11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NM	IAC			
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standard	de cannot he achieved)			
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division

Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print): Marie E Jaramfillo Title: Staff Regulatory Technician
Signature: Date: Date:
e-mail address:marie e.jaramıllo@conocophillips.com Telephone:505-326-9865
OCD Approval: Permit Application (including closure plan) Closure Plan (only) CCD Conditions (see attachment)
OCD Representative Signature: Brandon Drawell Approval Date: 8-17-09
Title: CNJin/spec OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized. Disposal Facility Name. Disposal Facility Permit Number:
Disposal Facility Name Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: Longitude: NAD 1927 1983
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:

Form C-144 Oil Conservation Division Page 5 of 5

Burlington Resources San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

Burlington Resources is adding an additional disposal site: JFJ Landfarm % Industrial Ecosystem Inc., Permit # NM-01-0010B. Located at #49 CR 3150, Aztec, NM 87410