District I
1625 N French Dr., Hobbs, NM 88240

District II
1301 W Grand Ave., Artesia, NM 88210

District III

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

 $\label{eq:July 21, 2008} If the property pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office$ 

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

1000 Rio Biazos Rd , Aztec, NM 87410

<u>District IV</u>
1220 S St Francis Dr , Santa Fe, NM 87505

220 S St Francis Dr , Santa Fe, NM 87505	appropriate NMOCD District Office
3905 Prop	Pit, Closed-Loop System, Below-Grade Tank, or posed Alternative Method Permit or Closure Plan Application
Type of action	X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one of	application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval	of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

Please be advised that approval of this request does not relieve the operator of habiteners. Nor does approval relieve the operator of its responsibility to comply well.	ith any other applicable governmental authority's rules, regulations or ordinances
Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: <u>14538</u>
Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: Huerfanito Unit 51R	
	OCD Permit Number:
U/L or Qtr/Qtr: N(SE/SW) Section: 36 Township: 27N	Range: 9W County: San Juan
Center of Proposed Design: Latitude: 36.52661 °N	Longitude: 107.74375 °W NAD: X 1927 1983
Surface Owner: Federal X State Private Tri	ibal Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC  Temporary. Drilling Workover  Permanent Emergency Cavitation P&A  Lined Unlined Liner type. Thickness mil  String-Reinforced  Liner Seams. Welded Factory Other	LLDPE HDPE PVC Other  Volume: bbl Dimensions L x W x D
Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation.   X P&A	Drilling (Applies to activities which require prior approval of a permit or ent)  Other  LLDPE HDPE PVD Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC  Volume: bbl Type of fluid:  Tank Construction material:  Secondary containment with leak detection Visible sidewalls, liner  Visible sidewalls and liner Visible sidewalls only Ott  Liner Type: Thickness mil HDPE PVC	r, 6-inch lift and automatic overflow shut-off her Other
5  Alternative Method:  Submittal of an exception request is required. Exceptions must be submitted to the	ne Santa Fe Environmental Bureau office for consideration of approval.

6 <u>Fencing:</u> Subsection D of 19.15 17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify				
7				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
8				
Signs: Subsection C of 19.15.17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3.103 NMAC		:		
9				
Administrative Approvals and Exceptions:				
Justifications and/or demonstrations of equivalency are required. Please refer to 19 15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	ideration of ap	proval		
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		٠		
10				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells	Yes	□No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes	No		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No		
- NM Office of the State Engineer - 1WATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	□No		
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	<u></u>	,		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	∐Yes	∐No		
Within the area overlying a subsurface mine.	Yes	□No		
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division				
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	Yes	∐No		
Within a 100-year floodplain	Yes	□No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15 17 9 NMAC Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17 13 NMAC				
Previously Approved Design (attach copy of design)  API  or Permit				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17 10 NMAC				
X Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC				
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17 9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17.11 NMAC				
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19.15.17.13 NMAC				
14 D 1CL 1915 IZ 1919 IV C				
Proposed Closure: 19 15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System				
Alternative				
Proposed Closure Method: Waste Excavation and Removal				
X Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

14						
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attaching are required		:				
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit # NM-	01-0011 / NM-01-0010B					
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit #. NM-						
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not  Yes (If yes, please provide the information No	be used for future service and ope	erations?				
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source methods using criteria may require administrative approval from the appropriate district office or may be considered an exception which for consideration of approval Sustifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for	must be submitted to the Santa Fe Enviro					
Ground water is less than 50 feet below the bottom of the buried waste.	Yes	No				
- NM Office of the State Engineer - iWATERS database search, USGS: Data obtained from nearby wells	N/A					
Ground water is between 50 and 100 feet below the bottom of the buried waste	∏Yes	$\square_{No}$				
- NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	☐N/A					
Ground water is more than 100 feet below the bottom of the buried waste	Yes	∐No				
- NM Office of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells	∐N/A					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, (measured from the ordinary high-water mark)	or playa lake Yes	□No				
- Topographic map; Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial applicat  - Visual inspection (certification) of the proposed site; Aerial photo, satellite image	Yes	No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site.	~	No				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal or pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	dinance adopted Yes	No				
Within 500 feet of a wetland	□Yes	$\square_{N_0}$				
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed s	; —					
Within the area overlying a subsurface mine.	Yes	No				
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division						
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geologi Topographic map	cal Society;	∐No				
Within a 100-year floodplain FEMA map	Yes	□No				
On-Site Closure Plan Checklist: (19.15 17.13 NMAC) Instructions: Each of the following items must bee at by a check mark in the box, that the documents are attached.	ttached to the closure plan. Pleas	re indicate,				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NM	AC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC						
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC						
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC						
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)						
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC						
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Cer	tification:			
I hereby certify that the inform	ation submitted with this application is true, ac	curate and complete to the	best of my knowledge and belief	
Name (Print)	Rhonda Rogers	Title:	Staff Regulatory Technician	
Signature	no la coce	Date:	8/19/2009	İ
e-mail address	rogerrs@conocophillips com	Telephone:	505-599-4018	
20 OCD Approval: Pern	nit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see attachment)	
7				
OCD Representative Sign	ature: January Doll		Approval Date: 9/1/0	9
Title:	envirolspec	OCD Peri	nit Number:	
21				]
	within 60 days of closure completion): s	ubsection K of 19 15 17 13 NMA	2	
	- · · · · · · · · · · · · · · · · · · ·		ure activities and submitting the closure report. The c	1
	tea to the aivision within oo aays of the comple In obtained and the closure activities have been	•	s Please do not complete this section of the form unt	u an
-			e Completion Date:	
г				
22 Closure Method:				
Waste Excavation and	Removal On-site Closure Method	Alternative Closure	Method Waste Removal (Closed-loop systems	s only)
	ved plan, please explain.	_		·
23				
	Vaste Removal Closure For Closed-loop Syste	ems That Utilize Above G	round Steel Tanks or Haul-off Bins Only:	
**	he facility or facilities for where the liquids, d	rilling fluids and drill cutt	ings were disposed. Use attachment if more than two	o facilities
were utilized.  Disposal Facility Name		Dienocal Facility	Permit Number:	
Disposal Facility Name		<del></del>	Permit Number	
	m operations and associated activities performe	_		
Yes (If yes, please den	nonstrate complilane to the items below)	No	•	
*	as which will not be used for future service and	operations		
Site Reclamation (Pho				
Soil Backfilling and C				
	tion Rates and Seeding Technique			
24 Closure Report Attach	ment Checklist. Instructions: Each of the f	allowing items must be att	ached to the closure report. Please indicate, by a che	ck mark in
the box, that the document		ntowing nems mast be all	ichea to the closure report. I tease thatcae, by a che	ck mark in
Proof of Closure No	tice (surface owner and division)			
Proof of Deed Notice	e (required for on-site closure)			
	closures and temporary pits)			
Confirmation Sampl	ing Analytical Results (if applicable)			
	pling Analytical Results (if applicable)			
	me and Permit Number			
Soil Backfilling and				
Site Reclamation (Pl	cation Rates and Seeding Technique			
On-site Closure Loca		Longitude:	NAD ☐ 1927 ☐ 19	983
			1721 13	
25				
Operator Closure Certific	ation:			
I hereby certify that the inform			and complete to the best of my knowledge and belief. closure plan.	I also certify that
Name (Print):	•	Tıtle:		
Signature.		Date.		
e-mail address:		Telephone:		

Form C-144 Oil Conservation Division Page 5 of 5

## Burlington Resources Oil & Gas Company, LP Closed-loop Plans

## Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

## **Closed-loop Operating and Maintenance Plan**

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

## **Closed-loop Closure Plan**

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.