

"Record Cleanup"

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103

June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-045-26248
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: STATE GAS COM BR
8. Well Number 1E
9. OGRID Number 5380
10. Pool name or Wildcat BASIN DAKOTA/BLANCO MESAVERDE
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 6008' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other
2. Name of Operator XTO ENERGY, INC.
3. Address of Operator 382 CR 3100 AZTEC, NM 87410
4. Well Location Unit Letter A : 810 feet from the NORTH line and 800 feet from the EAST line Section 02 Township 29N Range 10W NMPM County SAN JUAN
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 6008' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: **PWOP** ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO Energy Inc. discovered during file review that this was mistakenly reported to the BLM instead of NMOC.

XTO put this well on pump per the attached report.

RCVD OCT 13 '09
OIL CONS. DIV.
DIST. 3

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Teena M. Whiting TITLE REGULATORY COMPLIANCE TECH DATE 10/09/2009
teena.whiting@xtoenergy.com
Type or print name TEENA M. WHITING E-mail address: teena.whiting@xtoenergy.com PHONE 505-333-3100

For State Use Only

APPROVED BY Felix G. Peltz TITLE Deputy Oil & Gas Inspector, District #3 DATE OCT 20 2009
Conditions of Approval (if any): 06

Farmington Summary Report

STATE GAS COM BR	Well # 001E	DK/MV	San Juan, NM
------------------	-------------	-------	--------------

Objective: PWOP (RP)

Forcst Gas: 56 MCFPD

Prev Gas: 52 MCFPD

AFE: 801979 / 801982

1st Rept: 08/07/2008

8/8/2008 Core Services (Cory) Lvl PU pad & set new Chaco Concrete Co, 8' x 28' x 14" cmt pad & new Lufkin C160D-200-74 PU (SN G151103A-118745) w/36" gearbox sheave & new Arrow C-96 gas eng (SN 209319) w/2.250" E hub, 10" eng sheave & 3 C-285 belts fr/XTO stk. PU inst compl.

STATE GAS COM BR	Well # 001E	DK/MV	San Juan, NM
------------------	-------------	-------	--------------

Objective: PWOP (RP)

Rig: Rio Rig #1

Forcst Gas: 56 MCFPD

Prev Gas: 52 MCFPD

AFE: 801979 / 801982

1st Rept: 08/07/2008

8/15/2008 Anchors tstd 7/08. FTP 200 psig. FCP 200 psig. MIRU Rio Rig #1. Bd well. RIH w/2" JDC tl. Recd dual pad plngr. RIH w/2" JDC tl. POH w/2" JDC tl. Ppd dwn csg w/20 bbls 2% KCl wtr & KW. ND WH. NU BOP. PU & TIH w/2 jts 2-3/8" tbg. Tgd @ 7,089' (26' of fill). TOH & LD w/2 jts tbg. TOH w/216 jts 2-3/8" tbg, SN & NC. Found 216th jt FS plg w/sc & BHBS stuck in jt. Found lt sc on 131st jt FS (4,243' - 4,275'). Ppd dwn csg w/20 bbls 2% KCl wtr & KW. TIH w/3-7/8" bit, pmp blr & 216 jts tbg (lt tg @ 4,243'). PU & TIH w/2 jts tbg. Tgd @ 7,066' (49' of fill). RU pwr swivel. CO hd fill fr/7,066' - 7,098'. Blr stpd wkg. RD pwr swivel. TOH w/13 jts tbg. SWI. SDFN.

STATE GAS COM BR	Well # 001E	DK/MV	San Juan, NM
------------------	-------------	-------	--------------

Objective: PWOP (RP)

Rig: Rio Rig #1

Forcst Gas: 56 MCFPD

Prev Gas: 52 MCFPD

AFE: 801979 / 801982

1st Rept: 08/07/2008

8/16/2008 Bd well. Took sc smpl to H&M for anal. Found sc ac solulable. Ppd dwn csg w/20 bbls 2% KCl wtr & KW. TOH w/216 jts 2-3/8" tbg, pmp blr & 3-7/8"

bit. CO 7 gals pulverized sc fr/pmp blr. TIH w/3-7/8" bit, pmp blr & 216 jts tbg. PU & TIH w/2 jts tbg. Tgd @ 7,098 (17' fill). RU pwr swivel. CO hd fill fr/7,098' - 7,115' (PBSD). TOH w/218 jts tbg, pmp blr & 3-7/8" bit. CO 10 gals pulverized sc & sd. TIH w/NC, SN & 128 jts tbg (EOT @ 4,172'). MIRU H&M pmp trk. Ac MV perfs fr/4,244' - 4,948' w/300 gals 15 % NEFE HCl ac. Ppd dwn tbg w/150 gals ac @ 0.5 BPM & 0 psig. SD 30". Ppd dwn tbg w/150 gals 15% NEFE HCl ac @ 0.5 BPM & 0 psig. Flshd w/1 bbl 2% KCl wtr. SD 30". Found 20 ppm H2S @ WH. Ppd dwn csg w/30 bbls 2% KCl wtr & KW. TIH w/90 jts tbg (EOT 7,088'). Ac DK perfs fr/6,852' - 7,090' w/400 gals 15% NEFE HCl ac. Ppd dwn tbg w/400 gals ac @ 0.5 BPM & 0 psig. Flshd w/2 bbls 2% KCl wtr. RDMO pmp trk. TOH w/2 jts tbg. SWI. SDFWE.

STATE GAS COM BR	Well # 001E	DK/MV	San Juan, NM
------------------	-------------	-------	--------------

Objective: PWOP (RP)

Rig: Rio Rig #1

Forest Gas: 56 MCFPD

Prev Gas: 52 MCFPD

AFE: 801979 / 801982

1st Rept: 08/07/2008

8/19/2008 Bd tb g. Found 250 ppm H2S @ WH. MIRU H&M pmp trk. Ppd dwn csg w/40 gals B-216 (H2S scavenger). Flshd w/13 bbls 2% KCl wtr. SWI 30". RDMO pmp trk. SITP 0 psig. SICP 170 psig. Bd well. Found 7 - 8 ppm H2S @ WH. TIH w/2 jts 2-3/8" tbg (EOT @ 7,093'). RU swb tls. BFL 5,500' FS. S. 0 BO, 33 BLW, 11 runs, 4 hrs, FFL 6,100' FS. 1st - 4th runs. Blk fld smpl, lt ac w/no solids. 5th - 11th runs. Blk fld smpl w/no solids. FTP 0 psig. SICP 170 - 190 psig. RD swb tls. Bd well. Ppd dwn csg w/25 bbls 2% KCl wtr & KW. PU & TIH w/1 jt tbg. Tgd @ 7,115' (PBSD). TOH & LD w/2 jts tbg. TOH w/217 jts tbg, SN & NC. Ppd dwn csg w/25 bbls 2% KCl wtr & KW. TIH w/2-3/8" x 20' OEMA w/3/8" weep hole & pin, SN, 214 jts 2-3/8" tbg, 2 jts 2-3/8", 4.7#, J-55, EUE 8rd Seah tbg fr/Pan Meridian, 2 - 2-3/8" tbg subs (8' & 8') & 1 jt 2-3/8", 4.7#, J-55, EUE 8rd Seah tbg fr/Pan Meridian. RIH w/XTO's 1.910" tbg broach to SN. POH w/tbg broach. LD tbg broach. Ld tbg w/donut & seal assy as follows; SN @ 7,080'. EOT @ 7,100'. MV perfs fr/4,244' - 4,948'. DK perfs fr/6,852' - 7,090'. PBSD @ 7,115'. ND BOP. NU WH. SWI. SDFN.

STATE GAS COM BR	Well # 001E	DK/MV	San Juan, NM
------------------	-------------	-------	--------------

Objective: PWOP (RP)

Rig: Rio Rig #1

Forest Gas: 56 MCFPD

Prev Gas: 52 MCFPD

AFE: 801979 / 801982

1st Rept: 08/07/2008

8/20/2008 Std PU & RWTP 3:00 p.m. 8/19/08. Ppg @ 5 x 55" SPM. SITP 0 psig. SICP 190 psig. PU & loaded w/2" x 1-1/4" x 14' RHAC-Z (DV) EPS pmp (XTO #1542) & 1" x 1' strn nip. TIH w/pmp, spiral rod guide, 1" x 1' LS, 1-1/4" sb, 21K shear tl, 5 - 1-1/4" sbs, 3 - 7/8" Norris gr "D" rods w/FHSM cplgs, 162 - 3/4" Norris gr "D" rods, 111 - 7/8" Norris gr "D" rods w/FHSM cplgs, 4 - 7/8" rod subs (4', 4', 6' & 8') & 1-1/4" x 22' PR w/10' lnr. Instld Enviro-Pak SB on WH. Seated pmp. PT tbg to 500 psig for 5" w/15 bbls 2% KCl wtr. Tstd OK. Rlsd press. LS pmp w/rig to 500 psig. GPA. Rlsd press. Instld rod rotator. Mnfld WH. HWO. SITP 0 psig. SICP 190 psig. RDMO Rio Rig #1. RWTP @ 3:30 p.m. 8/19/08. Ppg @ 4 x 55" SPM.
